

PHASE I ENVIRONMENTAL SITE ASSESSMENT

**SAINT PETERS VILLAGE
WARWICK TOWNSHIP
CHESTER COUNTY, PENNSYLVANIA 19470
PT PROJECT #10245-01**

PREPARED FOR:

**MR. CHUCK DOBSON
EARTH ENTERPRISES, INC.
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA 19465**

PREPARED BY:

**PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318
(856) 358-6529/FAX (856) 358-6523**

APRIL 2006

Table of Contents

	<u>Page</u>
1.0 Introduction	1
2.0 Property Description	2
2.1 Building Construction	3
2.2 Current and Historic Use	5
2.3 Geology and Hydrogeology	6
3.0 Records Review	7
3.1 Flood Plain Map Review	7
3.2 Wetland Map Review	8
3.3 Radon Map Review	8
3.4 Chain of Title	9
3.5 Aerial Photograph Review	9
3.6 Sanborn Map Review	11
3.7 Regulatory Database Review	11
3.7.1 Federal Database	12
3.7.2 State Database	13
3.7.3 Orphan Site Review	15
3.8 Local File Review	16
3.9 Interviews	16
4.0 Site Inspection	17
5.0 Summary and Conclusions	21

Figures

Figure 1 Site Location Map

Appendices

Appendix 1 PT Qualifications
Appendix 2 Tax Lot Map
Appendix 3 EDR Report
Appendix 4 Current Deeds
Appendix 5 Chain of Title Search
Appendix 6 Aerial Photographs
Appendix 7 Sanborn Maps
Appendix 8 Site Inspection Checklist
Appendix 9 Photograph Documentation

1.0 Introduction

PT Consultants, Inc. (PT) was retained by Earth Enterprises to complete a Phase I Environmental Site Assessment (Phase I) for Saint Peter's Village located in Warwick Township, Pennsylvania . A site location map is provided as **Figure 1**.

The purpose of the Phase I was to identify potential recognized environmental concerns (RECs) at the properties. The Phase I was completed in accordance with ASTM 1527-00. A copy of the qualifications of the PT personnel completing the work is provided as **Appendix 1**.

2.0 Property Description

The subject property consists of seven properties identified by tax parcel numbers:

1. St. Peter's Condominium Village
 - Unit 1/1A 19-6-500.1
 - Unit 4 19-6-502
 - Unit 5 19-6-503
 - Unit 7 19-6-505
 - Unit 9 19-6-507
 - Unit 12B 19-6-510.2
 - Unit 13 19-6-511
 - Unit 15 19-6-513
 - Unit 17C/D 19-6-14.2/14
 - Unit 18 19-6-515
 - Unit 19 19-6-516
2. 37 acre Parcel 19-6-33.03
3. 15 acre Quarry Property 19-6-141
4. 2 acre Parcel 19-6-137.3A
5. Water Company Parcel 19-6-137.2
6. Sewage Treatment Plant 19-6-137.00
7. Iron Ridge Estates 19-6-33

A copy of the tax map is included as **Appendix 2**. Available utilities for the property are as follows:

Heat:	Electric, No. 2 heating oil (ASTs)
Electric:	Met Ed
Sewer:	Warwick Drainage Co.
Water:	Warwick Water Works, Inc.

2.1 Building Construction

A total of fourteen buildings and five sections of townhouses are constructed on the seven different parcels composing the subject property. There are eleven buildings located along Saint Peters Road, the Inn, the former general store currently operating as office space, a five story apartment complex, the freshwater treatment plant, the sewage treatment plant, and six smaller buildings that are vacant or residential apartments (typically one or two stories). A portion of the warehouse building and a smaller, single story building, both located adjacent to the quarry are included on the subject property. A two-story duplex building and five sections of townhouses, located off the east side of Saint Peters Road, across from the water treatment plant.

1. The Inn:	Currently being remodeled. Utilizes electric and hot water baseboard heating system. <u>1st to 4th floors</u> - A combination of tile and hardwood flooring with wood/plaster walls. A Kitchen area, two bathrooms and bar area located on the first floor and the upper floors consist of hotels rooms/suites. <u>Basement</u> - Concrete flooring, wooden/plaster interior walls, stone exterior walls, former kitchen area with two bar areas in basement.
2. Sewage Treatment Plant:	Small concrete block building structure with concrete storage tanks covered by metal with partial wood framed screen canopy. The facility is secured with chain-link fencing.
3. Office:	The building is primarily wooden structure with hardwood flooring and tile floors in the kitchen and bathroom areas of the first floor apartment. Access was not granted to the occupied second floor. <u>First Floor</u> - Formerly operated as a general store with a historic kerosene pump located in main store area. No tank is associated with the pump. A small apartment area is located on the north side of the building. <u>Basement</u> - currently under construction for additional residential apartments. The boiler room with an unused AST were located at the south side. A brick wall with a historic cast iron stove in the center, no longer in operation, was located on the west wall.
4. Water Treatment Plant:	The water treatment facility is located in the northern portion of the site, constructed of concrete flooring and concrete brick walls. No access was available for the

northern, two-story apartment portion of the building. The exterior of the structure had wood siding with AST fill pipes protruding from the western (rear) wall on the first floor.

5. Apartment Building: Five-story, residential apartment building with electric heating. The first floor and basement are constructed of concrete and the remaining floors appear to be wood frame. Site access was not granted to inspect the interior of the building. A historic well with spill pipe were observed on the corner of the front porch area.

6. St. Peters Village: Six smaller buildings are located along Saint Peters Road: Ice Cream Shoppe - located on the west side of the road, currently vacant, constructed with a concrete base and wooden exterior walls. Utilizes electric heat.

Park building - A vacant, single story building with a concrete basement and wooden deck, located on the west side of the road, adjacent to the park. It is a wooden structure with tile flooring in the kitchen area, carpeting throughout the remaining areas and electric heating.

Blue building - Located on the east side of the road, adjacent to the town parking lot and across from the General Store. A one-story, one room wooden structure with electric heat, currently vacant.

Red building - Located on the east side of the road, adjacent to the blue building and across from the Inn and Office buildings. A two-story wooden structure, heated by fireplace and fuel oil stored in an AST, both located at the south side of the building. Tile flooring was located throughout the first floor. Access was not granted to the occupied second floor.

Gray building - Two-story wooden structure with a stone base. Currently used as residential dwelling on both floors with electric heating and a small wood stove on the first floor. Carpeting was present throughout the first floor. Access was not granted to the occupied second floor.

Gray Stone Building - A wood paneled structure with a stone base, located on the east side of the road between the post office and large warehouse. The building is vacant, however could not be accessed for interior inspection. Two AST pipes were observed on the south wall of the first floor and additional larger pipes extended from the stone basement walls.

7. Warehouse: A long warehouse is located just north of the quarry, along the east side of Saint Peter Road. The southern portion was inspected as part of the subject properties. The northern portion is owned by a separate entity. The structure is primarily concrete and wood, with hardwood flooring and columns on the interior. There was a large central room and an additional small room at the south end of the building. Large, electric heaters were observed hanging from the ceiling.
8. Concrete building: A small concrete building, located to the east of Saint Peters Road, near the quarry is part of the subject property. An AST was observed on the west (rear) side of the building. The building is currently an occupied residence, therefore no interior access was available.
9. Townhouses: A two-story green house and five, two-story townhouse sections, are situated along a small road, across from the water treatment plant. The structures are primarily concrete and wood. Access to the interior of the buildings was not available due to residential occupation. The buildings are propane heated and a brick chimney was observed on the east side of the green house. The buildings are located on the 37 acre parcel referenced below.
10. Iron Ridge Estates: Wooded land northeast of the village where a cul-de-sac and sewer have been built around a 21 lot subdivision. Currently no building structures have been constructed.
11. 37 Acre Parcel: Vacant, wooded land between Saint Peters Village and Iron Ridge Estates.

2.2 Current and Historic Use

Based on the chain-of-title, site inspection and aerial photographs the subject properties have mixed residential, commercial and industrial uses. The sites along Saint Peters Road have primarily been small commercial shops and eateries or offices, with small, attached residential apartments. The townhouses have been residential since their construction, based on the aerials sometime between 1968 and 1980. The warehouse building was likely used to process the granite mined in that area, or other processes associated with the adjacent quarry. Historic use for the sewer treatment plant and water treatment plant was not identified.

2.3 Geology and Hydrogeology

According to the Pennsylvania Department of Environmental Protection (PADEP) map of the Bedrock Geology, the lower portion of the site is underlain by the Stockton Formation of the Triassic age. The formation consists of red and gray sandstones and shale which were deposited during the formation of the Newark rift basin. The northern portion is underlain by the Diabase Formation of the Jurassic Age. Diabase consists of a dense, erosion-resistant crystalline, which is the primary rock type underlying many wooded ridges, steep slopes, and narrow stream valleys.

According to the PADEP website the subject property is in the Delaware River Basin (Sub-basin 3, lower Delaware Watershed D), also known as the Manatawny-French Creeks watershed. Its major streams include Manatawny Creek and French Creek and has a total drainage area of 330 square miles.

3.0 Records Review

As part of the Phase I scope of work, PT completed a review of existing records for the subject property. The documents reviewed by PT included the following:

- Flood Plain Map
- Wetlands Map
- Radon Map
- Chain of Title
- Aerial Maps
- Sanborn Map
- Federal Database
- State Database
- Local Files

The results of these document reviews is detailed in the following sections.

3.1 Flood Plain Map Review

As part of the Phase I scope of work, PT reviewed the Flood Plain Map for the subject property. A copy of the Flood Plain Map is included in the EDR Report which is included as **Appendix 3**. The results of the review are as follows:

- The property is outside of the 500 year flood plain as reported by the 1999 Federal Emergency Management Agency (FEMA) map.

- The properties located along the west side of Saint Peters Road are partially located in the 100-year flood zone of French Creek.

3.2 Wetland Map Review

As part of the Phase I scope of work, PT reviewed the Wetland Maps for the property. A copy of the Wetland Map is included in the EDR Report, which is included as **Appendix**

3. The results of the review were as follows:

- The 15 Acre Quarry property is listed in on the National Wetlands Inventory (NWI), 2002, US Fish and Wildlife service Map. No other parcels of the subject property were listed on the NWI.

3.3 Radon Map Review

As part of the Phase I scope of work, PT reviewed the radon maps for the property. A copy of the radon map is included in the EDR Report, which is included as **Appendix 3.**

The results of the review were as follows:

- The property is located in the Federal EPA Radon Zone 1 that has an indoor average level greater than 4 pCi/L.

3.4 Chain of Title

As part of the scope of work of the Phase I, PT completed a Chain of Title search and obtained copies of the current deeds, included as **Appendix 4**. The chain-of-title search completed for each tax parcel number if provided as **Appendix 5**. The search revealed that the majority of the parcels were traced back to bank and sheriff sales during the 1980's. With the exception of the 15 Acre Quarry parcel, which was formerly owned by a series of share-holders and unable to trace back.

3.5 Aerial Photograph Review

PT reviewed aerial photographs from the years 1980, 1968, 1958 and 1946. A copy of the aerial photographs are included as **Appendix 6**. The results of the review are as follows:

1980: Buildings are located along Saint Peters Road. French Creek runs north-south, about 150 feet west of the roadway. The quarry is located to the east of the roadway with wooded areas to the north, east and south. To the northwest of the quarry is a cleared area, a long building to the north and several smaller buildings along the west side of the clearing. Across the Saint Peters Road, north-northwest is another large cleared area. These

cleared areas appear to be parking lots. The remainder of the sites appear to be improved with residential and commercial buildings. The roadway is present for the iron ridge estates site and the surrounding area is wooded with farmland further north and south.

1968: The size of the quarry is smaller with more open areas and small paths surrounding it in all directions. Two long dark areas are present to the southeast and southwest. The buildings are about the same, with some smaller unidentifiable structures in the cleared area to the northwest of the quarry. The driveway is larger, adjacent to the southwest corner of the long building, where two other buildings appear in the 1980 photograph. Fewer buildings are located along Saint Peters Road. Smaller cleared areas are evident, west of the roadway across from the warehouse and further north along the west side of the road. The townhouses and roadway for iron ridge estates are not present. Pond areas of the creek appear along the west side of the road. A path through the larger cleared area cuts straight north from the quarry area, across the bend in Saint Peters Road. The surrounding features appear unchanged.

1958: French Creek is not easily visible and the Quarry is present. The larger buildings are present and the area of the Quarry is cleared and appears sandy with a dark streak at the southwest side. Saint Peters Road has

fewer buildings to the west and south of the quarry, but appears to separate into two roads running parallel then rejoining about 800 feet to the north.

1946: A smaller French Creek is observed. The quarry area appears to be an open pit. The long building is still present with a couple other smaller buildings as well. There are several buildings along the west side of Saint Peters Road and a couple small ones between the road and quarry area. Several buildings which appear to be a small residential development are depicted north of the quarry area on the east side of the road. The path cutting straight across from the quarry area appears to be a railroad line with a few rail cars on it that runs into the village.

3.6 Sanborn Map Review

A request for Sanborn Maps revealed no coverage for the subject property. The No Coverage Report is provided as **Appendix 7**.

3.7 Regulatory Database Review

As part of the Phase I, PT completed an EDR Database Search for the subject property as St. Peters Road in St. Peters Village, Pennsylvania. Copies of the EDR Database Searches are included as **Appendix 3**. The EDR Database Search is a computerized

search which reviews Federal and State databases including the National Priority List (NPL), Proposed NPL, CERCLIS, RCRA-TSDF, ERNS, State Hazardous Waste sites, State Landfill sites, NJDEP-LUST, NJDEP-UST, SWRCY, and VCP databases. The results of the EDR Database Search is detailed in the following sections.

3.7.1 Federal Database

NPL	The subject property was not listed on the NPL. No NPL sites were identified within the ASTM search radius. Therefore, these types of sites would not be expected to impact the subject property.
Proposed NPL	The subject property was not listed on the proposed NPL. No proposed NPL sites were identified within the ASTM search radius. Therefore these types of sites would not be expected to impact the subject property.
CERCLIS	The subject property was not identified in the CERCLIS database. No CERCLIS sites were identified within the ASTM search radius. Therefore, these types of sites would not be expected to impact the subject property.

RCRA-TSDF The subject property was not listed in the RCRA CORRACTS, RCRA-TSD, RCRA large quantity, or RCRA small quantity generator lists. No RCRA sites were identified within the ASTM search radius. Therefore, these types of sites would not be expected to impact the subject property.

ERNS The subject property was not identified in the ERNS database.

Supplemental The subject property was not identified in any of the Supplemental Federal Databases. No properties were identified within the ASTM search radius in any of the Supplemental Federal Databases. Therefore, these types of sites would not be expected to impact the subject property.

3.7.2 State Database

State Haz. Waste: The subject property is not listed in the State Hazardous Waste Site database. No sites are listed in the database as being within the ASTM search radius. Therefore, these types of sites would not be expected to impact the subject property.

State Landfill: The subject property is not listed in the Solid Waste Landfill/Landfill sites records. No sites were identified within the ASTM search radius. Therefore, these types of sites would not be expected to impact future use of the property.

LUST: The subject property is not listed in the leaking underground storage tank (LUST) database. No sites were identified within the ASTM search radius. Therefore, these types of sites would not be expected to impact future use of the subject property.

UST: The subject property is not listed in the underground storage tank database. No sites were identified within the ASTM search radius. Therefore, these types of sites would not be expected to impact future use of the subject property.

HSCA: The subject property was not identified in the Hazardous Site Clean-up Act (HSCA) database. No other HSCA sites were identified within the ASTM search radius. Therefore, these types of sites would not be expected to impact the subject property.

VCP: The subject property was not listed in the voluntary clean-up plan (VCP) database. No VCP sites were identified within the ASTM search radius. Therefore, these types of sites would not be expected to impact the subject property.

Archive UST: The subject property is not listed in the Archive UST database. No Archive UST sites were identified within the ASTM search radius. Therefore, these types of sites would not be expected to impact the subject property.

Supplemental: The subject property was not identified in any of the supplemental State databases. No sites were identified within the ASTM search radius. Therefore, these types of sites would not be expected to impact future use of the subject property.

3.7.3 Orphan Site Review

The EDR report generates a list of sites called orphan sites for which EDR does not have enough information to map the location. PT reviewed the list of orphan sites. None of the orphan sites are adjacent to the subject property. Therefore, these sites are not expected to be of further concern at this time.

3.8 Local File Review

PT Consultants, Inc. inquired with the local Warwick Township municipal office regarding the Sewer Treatment Facility and the Water Treatment Plant. The sewer treatment plant has record of several Pennsylvania Department of Environmental Protection violations. The current owners are addressing these violations by lining the sewer pipes thus preventing intrusion from groundwater that exceeded the treatment capacity of the facility and monitoring the effluent. No files of environmental or public health concern were identified for the water treatment plant.

3.9 Interviews

Mr. Chuck Dobson was identified to PT as the contact person for the subject property. Mr. Dobson provided the layout and future site plans for the subject property. He identified the utilities for the property as provided in section 2.0. Mr. Dobson also provided some information regarding the historic quarry operations and details about the sewer system and water treatment plant. No additional environmental concerns were identified by Mr. Dobson. ____

4.0 Site Inspection

PT conducted a site inspection of the Saint Peters Village properties located on Saint Peters Road, Warwick Township, Pennsylvania. The inspection was conducted by Tom Brady and Sonya Kopp on April 11, 2006. A copy of the Phase I Inspection Checklist is included as **Appendix 8**. Photo documentation of the site inspection is included as **Appendix 9**. Based on the site inspection, PT identified the following RECs:

- Three ASTs were observed and two piping ends associated with potential ASTs inside building that were not accessed. Two ASTs, located next to current residential buildings are used for storage of heating fuel. One AST located in the basement of the building is also used for heating oil. No spills or evidence of release was observed surrounding the ASTs or associated fill pipes. Based on this, PT recommends no further action for the three observed ASTs. Two ASTs exist inside two buildings that were not accessed during the site inspection. If no future use is planned for these ASTs, PT recommends that the tanks be decommissioned and removed.
- Drum areas used for storage of kitchen grease were observed outside the kitchen area near the Inn building. There was no signs of staining or release and the drums were appropriately labeled. Based on this, PT recommends no further action for this area.

- Drum storage areas for the chemicals used in the water treatment facility were located inside the building. There was no signs of staining or release and the drums were appropriately labeled. Based on this, PT recommends no further action for this area.
- Two dumpsters were present during the site inspection. These appear to be used for the remodeling construction of the Inn and general household/commercial wastes. No staining or signs of release were observed around the dumpsters. Based on this, PT recommends no further action for this area.
- Chemical storage areas were located in the water treatment and sewage treatment facilities. The chemicals used at the water treatment facility are stored on a concrete floor, no cracks or evidence of release was observed in the area. An interior inspection of the sewage treatment storage facility could not be conducted, however no exterior spills or evidence of release was observed in that area. Based on this, PT recommends no further action for this area.
- Two floor drains were observed inside the kitchen area of the Inn and one located inside the water treatment facility building. These are believed to be used for draining the water run-off from kitchen operation and potential overflow of water treatment processes. There was no observed signs of staining or release surrounding the drains. Based on this, PT recommends no further action for this area.

- Surface water was present on the quarry property. This area is enclosed with fencing and proposed to be as storage for fire and emergency uses. No oils, sheens or signs of release were observed in the quarry water. Based on this, PT recommends no further action for this area.
- The sewage treatment plant acts as the local waste water collection system. No areas of staining or release were observed around the facility. Based on this, PT recommends no further action for this area.
- Underground piping for the sewer lines and storm water drainage is present at the properties. The piping for the sewage treatment facility appeared competent with no observed signs of release. Two outfall pipes, located below the sewer treatment facility, were identified as water pipes, historically used by the railroad for the steam engines. The piping for the sewage treatment facility appeared competent with no observed signs of release. Based on this, PT recommends no further action for this area.
- Boiler rooms, air vents and ducts were observed throughout several of the accessed buildings. Based no evidence of spills or staining, PT recommends no further action for these areas.

- Florescent lighting was present in some of the buildings. Florescent lights contain mercury and the ballasts potentially contain PCBs. Therefore, PT recommends that the lights and ballasts be properly managed during any proposed renovations or demolition.
- Based on the age of the buildings the potential for asbestos containing materials (ACM) exists. PT recommends an asbestos survey be completed prior to any renovations or demolition.
- Based on the age of the buildings the potential for lead based paint exists. PT recommends that any painted surfaces be properly managed during any proposed demolition or renovations.
- Mold impacted material was present on the insulation of the walls of the water treatment building. PT recommends that the material be properly managed prior to any demolition or renovations.

5.0 Summary and Conclusions

PT was retained by Earth Enterprises to complete a Phase I Environmental Site Assessment (Phase I) for Saint Peters Village located in Warwick Township, Pennsylvania . A site location map is provided as **Figure 1**. The purpose of the Phase I was to identify potential recognized environmental concerns (RECs) at the property. The Phase I was completed in accordance with ASTM 1527-00. The subject property consists of seven properties, totaling approximately 110 acres of land.

1. St. Peter's Condominium Village: Units - 1/1A, 4, 5, 7, 9, 12B, 13, 15, 17C/D, 18, 19
2. 37 acre Parcel 19-6-33.03
3. 15 acre Quarry Property 19-6-141
4. 2 acre Parcel 19-6-137.3A
5. Water Company Parcel 19-6-137.2
6. Sewage Treatment Plant 19-6-137.00
7. Iron Ridge Estates 19-6-33

Findings

Based on the site inspection and document reviews completed by PT, the following RECs were identified for which PT is recommending further investigation:

- Three ASTs were observed and two piping ends associated with potential ASTs inside building that were not accessed. Two ASTs, located next to current residential buildings are used for storage of heating fuel. One AST located in the basement of the building is also used for heating oil. No spills or evidence of release was observed surrounding the ASTs or associated fill pipes. Based on this, PT recommends no further action for the three observed ASTs. Two ASTs exist inside two buildings that were not accessed during the site inspection. If no future use is planned for these ASTs, PT recommends that the tanks be decommissioned and removed.
- Florescent lighting was present in some of the buildings. Florescent lights contain mercury and the ballasts potentially contain PCBs. Therefore, PT recommends that the lights and ballasts be properly managed during any proposed renovations or demolition.
- Based on the age of the buildings the potential for asbestos containing materials (ACM) exists. PT recommends an asbestos survey be completed prior to any renovations or demolition.
- Based on the age of the buildings the potential for lead based paint exists. PT recommends that any painted surfaces be properly managed during any proposed demolition or renovations.

- Mold impacted material was present on the insulation of the walls of the water treatment building. PT recommends that the material be properly managed prior to any demolition or renovations.

Report Reviewed by:

Thomas J. Brady IV

President

- Mold impacted material was present on the insulation of the walls of the water treatment building. PT recommends that the material be properly managed prior to any demolition or renovations.

Report Reviewed by:




Thomas J. Brady IV

President

FIGURES

FIGURE 1

Site Location Map



POTTSTOWN, PENNSYLVANIA 1999



FIGURE 1
SITE LOCATION MAP

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PT PROJECT # 10245-01

DRAFTSMAN: SLK

DATE: APRIL 26, 2006

SCALE: 1" = 2,000'

APPENDICES

APPENDIX 1

PT Qualifications

PROFESSIONAL PROFILE

SONYA KOPP

REGISTRATIONS/CERTIFICATIONS

Environmental Crime Certification
OSHA 40 Hour Certified
Site Remediation Basics - Cook College - 00.6 CEUs
ASTM International-Environmental Site Assessments For Commercial
Real Estate - 1.4 CEUs
Geology, Hydrogeology & Chemistry - Cook College - 6 TCHs/00.6 CEUs

EXPERIENCE SUMMARY

Volunteer for cleanups of New Jersey waterways and provided classroom education of important water issues for elementary students. Researched current status of properties that received Hazardous Discharge Site Remediation Funding from the NJEDA. Lectured to junior high school students about sustainability and concluded with a report and website design.

EDUCATION

Bachelor of Arts in Environmental Studies - May 2005
Richard Stockton College of New Jersey

KEY PROJECT EXPERIENCE

- Brownfields Inquiry Project - New Jersey Economic Development Authority
- Water Watch - Richard Stockton College of New Jersey
- Community Environmental Education Project - Richard Stockton College of New Jersey

PROFESSIONAL PROFILE

THOMAS J. BRADY, IV

REGISTRATIONS/CERTIFICATIONS

NJDEP Sub-surface Evaluator License # 0018824
NJDEP Clean-up Star
PADEP UMR License #4971
OSHA 40 Hour Certified
OSHA 8 Hour Supervisor Training
OSHA 8 Hour Update - February 2006
Lead Awareness Training
Two Hour Asbestos Awareness Training
Certified Indoor Air Quality Manager
Confined Space Entry Training
Certified Microbial Consultant (CMC)

EXPERIENCE SUMMARY

Sixteen years of experience in the design, installation and construction of remedial systems for the clean-up of contaminated soils and groundwater. Completed numerous Phase I environmental audits and site investigations within Pennsylvania, West Virginia, Maryland, Ohio and New Jersey. Extensive project management experience ranging from tank closures to large-scale remediation projects. Completed numerous Brownfield and Land Recycling projects in Pennsylvania and New Jersey. Completed numerous mold and indoor air quality investigations over the past nine years.

EDUCATION

B.E. in Electrical Engineering from Stevens Institute of Technology, 1990
National Groundwater Association, Theory and Practice of Groundwater Monitoring and Sampling Course
University of Wisconsin, Milwaukee, In-situ Remediation Technology Course
Battelle, Third International Bioremediation Symposium
UCI, Novel Approaches to Remediation
New Jersey Hazardous Waste Regulations
Forensic Engineering Conference, Washington, DC - June 2000

Thomas J. Brady IV
Page 2

KEY PROJECT EXPERIENCE

- Completed numerous Brownfield Redevelopment projects in Camden, Jersey City, and Newark which involved the demolition of existing buildings, clean-up of impacted soils, management of historical fill, and groundwater remediations.
- Completed or underway eleven PA Land Recycling Projects
- Completed background arsenic studies at over twenty sites in Pennsylvania and New Jersey
- Provide environmental services for two banks who have outsourced their environmental work. Work includes reviewing Phase I and II reports and helping evaluate environmental risk and making recommendations regarding risk of lending on property.
- Performed and managed numerous environmental audits, site investigations and tank closures for clients in Pennsylvania and New Jersey. Experienced with the preparation of permits, closure reports, work plans and interaction with PADEP. OEPA. NYSDEC. WVDEC and NJDEP personnel.
- Oversaw site investigations at numerous farmed sites and designated remedial solutions that incorporated mixing, capping, excavation and off-site disposal for historic pesticide contamination.
- Successfully completed the designs of more than 45 remedial systems, including special design projects in urban areas, along tidally influenced streams and those with complex hydrogeology.
- Developed several expert reports for petroleum release sites and solvent release sites regarding division of responsibility and damages.
- Provided expert opinions on the environmental condition of seven pesticide plants and potential remedial costs, as well as division of responsibility between responsible parties.
- Operated a Gas Chromatograph and interpreted the chromatographs at the Tyson Superfund site in King of Prussia, Pennsylvania and other soil vapor extraction remedial sites for over six months.
- Responsible for the design of remediation systems including air sparging, vacuum extraction, dual vacuum extraction, groundwater pump and treat, in-situ bioremediation, ex-situ bioremediation and pneumatic fracturing. Design responsibilities included remediation technology selection, well spacing pipe and equipment sizing, vapor and liquid treatment technology selection and sizing and

Thomas J. Brady IV
Page 3

cost estimating. Designed remediation systems ranging in size from gas stations to multi-million dollar Superfund Sites.

- Responsible for the evaluation and preparation of numerous Phase I's, Preliminary Assessments, Remedial Investigation Reports and Remedial Action Workplans for a variety of sites based on the NJDEP Technical Requirements for the Site Remediation.
- Managed the spent and recycled nationwide activated carbon inventory for remediation contractor including waste characterization and transportation.
- Responsible for the Preparation of Remedial Action Work Plan, Scope of Work, Air Discharge Permit, NJDES-DSW and DGW permits and Treatment Works Applications for remediations under the jurisdiction of the Bureau of Underground Storage Tanks for a large oil firm
- Developed standard operating procedures for Vent and Pump tests and trained entry level engineers on performing and interpreting the results of the tests.
- Managed asbestos surveys of 42 bank branches as well as numerous abatement projects.
- Completed IAQ and mold investigations at over 80 facilities. Work included sample acquisition, data interpretation and abatement recommendations.
- Managed tank investigations and subsequent removal at 18 bank branches.
- Managing concurrent projects including report preparation, budget management and the effective operation of remediation systems.
- Designed and installed remote monitoring/datalogging systems for process conditions and water level measurement.
- Designed power distribution and control systems for medium to large remediation projects.
- Engineered in-situ resistive heating research project.
- Engineered in-situ PCB thermal desorption remediation system at a New York Drag Strip Site.
- Managed Decommissioning of Tile Manufacturing Plant in South Jersey.
- Managed Decommissioning of Microprocessor Manufacturing Plant In Southeast Pennsylvania.

Thomas J. Brady IV
Page 4

PRESENTATIONS AND PUBLICATIONS

Montgomery County Industrial Development Commission
The Best Way to Deal With Underground Storage Tanks - The S.C. Loveland Case
December 20, 1994

South Jersey Small Banks Seminar
Phase I through Phase IV - Managing Environmental Issues
April 20, 1995

Chester County Realty Association
Dealing With Underground Storage Tanks - Phase I to Closure
May 19, 1995

PNC Bank Land Recycling In Pennsylvania and New Jersey
April 1996


AEHS Contaminated Soils and Groundwater Conference
Gordon Buick Case Study
March 1997
Oxnard, California

5th Annual Industrial Site Recycling Conference
State Funding Opportunities
September 1999
Pittsburgh, Pennsylvania

New Jersey Brownfields Conference
Application and Use of New Jersey Brownfields Regulations
February 2001
Iselin, New Jersey

APPENDIX 2

Tax Lot Maps



Fax To: Sonya Kopp Fax 856-358-6523

NOTE: IRON RIDGE ESTATES LOT LAYOUT. (BASED ON REVENUE LOT LAYOUT)

Apr. 14, 2006 11:53AM

No. 3653 P. 1



APPENDIX 3

EDR Report



The EDR Radius Map with GeoCheck®

**St. Peters Road
St. Peters Road
St. Peters Village, PA 19520**

Inquiry Number: 1650445.2s

April 07, 2006

The Standard in Environmental Risk Management Information

440 Wheelers Farms Road
Milford, Connecticut 06461

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	6
Orphan Summary	7
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-9
Physical Setting Source Map Findings	A-10
Physical Setting Source Records Searched	A-84

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

ST. PETERS ROAD
ST. PETERS VILLAGE, PA 19520

COORDINATES

Latitude (North):	40.180400 - 40° 10' 49.4"
Longitude (West):	75.730900 - 75° 43' 51.2"
Universal Transverse Mercator:	Zone 18
UTM X (Meters):	437773.2
UTM Y (Meters):	4447826.0
Elevation:	427 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	40075-B6 POTTSTOWN, PA
Most Recent Revision:	2001
West Map:	40075-B7 ELVERSON, PA
Most Recent Revision:	2001

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

FEDERAL RECORDS

NPL.....	National Priority List
Proposed NPL.....	Proposed National Priority List Sites
Delisted NPL.....	National Priority List Deletions
NPL RECOVERY.....	Federal Superfund Liens
CERCLIS.....	Comprehensive Environmental Response, Compensation, and Liability Information System
CERC-NFRAP.....	CERCLIS No Further Remedial Action Planned

EXECUTIVE SUMMARY

CORRACTS	Corrective Action Report
RCRA-TSDF	Resource Conservation and Recovery Act Information
RCRA-LQG	Resource Conservation and Recovery Act Information
RCRA-SQG	Resource Conservation and Recovery Act Information
ERNS	Emergency Response Notification System
HMIRS	Hazardous Materials Information Reporting System
US ENG CONTROLS	Engineering Controls Sites List
US INST CONTROL	Sites with Institutional Controls
DOD	Department of Defense Sites
FUDS	Formerly Used Defense Sites
US BROWNFIELDS	A Listing of Brownfields Sites
CONSENT	Superfund (CERCLA) Consent Decrees
ROD	Records Of Decision
UMTRA	Uranium Mill Tailings Sites
ODI	Open Dump Inventory
TRIS	Toxic Chemical Release Inventory System
TSCA	Toxic Substances Control Act
FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
SSTS	Section 7 Tracking Systems
PADS	PCB Activity Database System
MLTS	Material Licensing Tracking System
MINES	Mines Master Index File
FINDS	Facility Index System/Facility Registry System
RAATS	RCRA Administrative Action Tracking System

STATE AND LOCAL RECORDS

SHWS	Hazardous Sites Cleanup Act Site List
HSCA	HSCA Remedial Sites Listing
SWF/LF	Operating Facilities
HIST LF	Abandoned Landfill Inventory
LUST	Storage Tank Release Sites
UNREG LTANKS	Unregulated Tank Cases
UST	Listing of Pennsylvania Regulated Underground Storage Tanks
ARCHIVE UST	Archived Underground Storage Tank Sites
LAST	Storage Tank Release Sites
AST	Listing of Pennsylvania Regulated Aboveground Storage Tanks
ARCHIVE AST	Archived Aboveground Storage Tank Sites
ACT 2-DEED	Act 2-Deed Acknowledgment Sites
ENG CONTROLS	Engineering Controls Site Listing
INST CONTROL	Institutional Controls Site Listing
VCP	Voluntary Cleanup Program Sites
DRYCLEANERS	Drycleaner Facility Locations
BROWNFIELDS	Brownfields Sites

TRIBAL RECORDS

INDIAN RESERV	Indian Reservations
----------------------	---------------------

EDR PROPRIETARY RECORDS

Manufactured Gas Plants	EDR Proprietary Manufactured Gas Plants
EDR Historical Auto Stations	EDR Proprietary Historic Gas Stations
EDR Historical Cleaners	EDR Proprietary Historic Dry Cleaners

EXECUTIVE SUMMARY

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were not identified.

Unmappable (orphan) sites are not considered in the foregoing analysis.

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:


Site Name

WARWICK ROAD DUMP (HOWARD SNYDER)
GALLAGHERS AUTO PARTS
CATS PIT STOP
LANDRY, FRANK
MORSE AMY
BUCKLER CORP

Database(s)

CERC-NFRAP
LUST
LUST
ME Spills, LAST
LAST
RCRA-SQG, FINDS

OVERVIEW MAP - 1650445.2s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- National Priority List Sites
- Landfill Sites
- Dept. Defense Sites


- Indian Reservations BIA
- Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone
- Federal Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: St. Peters Road
 ADDRESS: St. Peters Road
 St. Peters Village PA 19520
 LAT/LONG: 40.1804 / 75.7309

CLIENT: PT Consultants, Inc.
 CONTACT: Tom Brady
 INQUIRY #: 1650445.2s
 DATE: April 07, 2006

DETAIL MAP - 1650445.2s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ⚙ Manufactured Gas Plants
- ⚡ Sensitive Receptors
- 🚚 National Priority List Sites
- 🗑 Landfill Sites
- 🏢 Dept. Defense Sites

- 🏠 Indian Reservations BIA
- 🛢 Oil & Gas pipelines
- 🌊 100-year flood zone
- 🌊 500-year flood zone
- 🌿 Federal Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: St. Peters Road
 ADDRESS: St. Peters Road
 St. Peters Village PA 19520
 LAT/LONG: 40.1804 / 75.7309

CLIENT: PT Consultants, Inc.
 CONTACT: Tom Brady
 INQUIRY #: 1650445.2s
 DATE: April 07, 2006

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<u>FEDERAL RECORDS</u>								
NPL		1.000	0	0	0	0	NR	0
Proposed NPL		1.000	0	0	0	0	NR	0
Delisted NPL		1.000	0	0	0	0	NR	0
NPL RECOVERY	TP		NR	NR	NR	NR	NR	0
CERCLIS		0.500	0	0	0	NR	NR	0
CERC-NFRAP		0.500	0	0	0	NR	NR	0
CORRACTS		1.000	0	0	0	0	NR	0
RCRA TSD		0.500	0	0	0	NR	NR	0
RCRA Lg. Quan. Gen.		0.250	0	0	NR	NR	NR	0
RCRA Sm. Quan. Gen.		0.250	0	0	NR	NR	NR	0
ERNS	TP		NR	NR	NR	NR	NR	0
HMIRS	TP		NR	NR	NR	NR	NR	0
US ENG CONTROLS		0.500	0	0	0	NR	NR	0
US INST CONTROL		0.500	0	0	0	NR	NR	0
DOD		1.000	0	0	0	0	NR	0
FUDS		1.000	0	0	0	0	NR	0
US BROWNFIELDS		0.500	0	0	0	NR	NR	0
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	0	NR	0
UMTRA		0.500	0	0	0	NR	NR	0
ODI		0.500	0	0	0	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
<u>STATE AND LOCAL RECORDS</u>								
State Haz. Waste		1.000	0	0	0	0	NR	0
HSCA		1.000	0	0	0	0	NR	0
SWF/LF		0.500	0	0	0	NR	NR	0
HIST LF		0.500	0	0	0	NR	NR	0
LUST		0.500	0	0	0	NR	NR	0
UNREG LTANKS		0.500	0	0	0	NR	NR	0
UST		0.250	0	0	NR	NR	NR	0
ARCHIVE UST		0.250	0	0	NR	NR	NR	0
LAST		0.500	0	0	0	NR	NR	0
AST		0.250	0	0	NR	NR	NR	0
ARCHIVE AST	TP		NR	NR	NR	NR	NR	0
ACT 2-DEED		0.500	0	0	0	NR	NR	0
ENG CONTROLS		0.500	0	0	0	NR	NR	0
INST CONTROL		0.500	0	0	0	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Target Property</u>	<u>Search Distance (Miles)</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
DRYCLEANERS		0.250	0	0	NR	NR	NR	0
BROWNFIELDS		0.500	0	0	0	NR	NR	0
<u>TRIBAL RECORDS</u>								
INDIAN RESERV		1.000	0	0	0	0	NR	0
<u>EDR PROPRIETARY RECORDS</u>								
Manufactured Gas Plants		1.000	0	0	0	0	NR	0
EDR Historical Auto Stations		0.250	0	0	NR	NR	NR	0
EDR Historical Cleaners		0.250	0	0	NR	NR	NR	0

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NO SITES FOUND

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
ELVERSON	1000271242	BUCKLER CORP	ROUTE 23 & PINE ST	19520	RCRA-SQG, FINDS
ELVERSON	1003866598	WARWICK ROAD DUMP (HOWARD SNYDER)	WARWICK RD & RT 23	19520	CERC-NFRAP
PATTEN	S105002682	LANDRY, FRANK	RT 11	19520	ME Spills, LAST
PATTEN	S106796694	GALLAGHERS AUTO PARTS	ROUTE 11 SOUTH OF TOWN	19520	LUST
PATTEN	S106790286	CATS PIT STOP	US RT 11	19520	LUST
PATTEN	S104220482	MORSE AMY	RT.159	19520	LAST

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

FEDERAL RECORDS

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 02/24/2006	Source: EPA
Date Data Arrived at EDR: 03/01/2006	Telephone: N/A
Date Made Active in Reports: 03/31/2006	Last EDR Contact: 03/01/2006
Number of Days to Update: 30	Next Scheduled EDR Contact: 05/01/2006
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 8
Telephone: 303-312-6774

EPA Region 4
Telephone 404-562-8033

Proposed NPL: Proposed National Priority List Sites

Date of Government Version: 02/24/2006	Source: EPA
Date Data Arrived at EDR: 03/01/2006	Telephone: N/A
Date Made Active in Reports: 03/31/2006	Last EDR Contact: 03/01/2006
Number of Days to Update: 30	Next Scheduled EDR Contact: 05/01/2006
	Data Release Frequency: Quarterly

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 02/24/2006	Source: EPA
Date Data Arrived at EDR: 03/01/2006	Telephone: N/A
Date Made Active in Reports: 03/31/2006	Last EDR Contact: 03/01/2006
Number of Days to Update: 30	Next Scheduled EDR Contact: 05/01/2006
	Data Release Frequency: Quarterly

NPL RECOVERY: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 03/06/2006
Number of Days to Update: 56	Next Scheduled EDR Contact: 05/22/2006
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 10/24/2005	Source: EPA
Date Data Arrived at EDR: 12/21/2005	Telephone: 703-413-0223
Date Made Active in Reports: 01/30/2006	Last EDR Contact: 03/21/2006
Number of Days to Update: 40	Next Scheduled EDR Contact: 06/19/2006
	Data Release Frequency: Quarterly

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 10/24/2005	Source: EPA
Date Data Arrived at EDR: 12/21/2005	Telephone: 703-413-0223
Date Made Active in Reports: 01/30/2006	Last EDR Contact: 03/21/2006
Number of Days to Update: 40	Next Scheduled EDR Contact: 06/19/2006
	Data Release Frequency: Quarterly

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 12/29/2005	Source: EPA
Date Data Arrived at EDR: 01/11/2006	Telephone: 800-424-9346
Date Made Active in Reports: 02/21/2006	Last EDR Contact: 03/06/2006
Number of Days to Update: 41	Next Scheduled EDR Contact: 06/05/2006
	Data Release Frequency: Quarterly

RCRA: Resource Conservation and Recovery Act Information

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRAInfo replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS). The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month. Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month. Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month. Transporters are individuals or entities that move hazardous waste from the generator off-site to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 02/21/2006	Source: EPA
Date Data Arrived at EDR: 03/01/2006	Telephone: 800-424-9346
Date Made Active in Reports: 03/31/2006	Last EDR Contact: 03/01/2006
Number of Days to Update: 30	Next Scheduled EDR Contact: 04/24/2006
	Data Release Frequency: Quarterly

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2005	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 01/12/2006	Telephone: 202-260-2342
Date Made Active in Reports: 02/21/2006	Last EDR Contact: 01/12/2006
Number of Days to Update: 40	Next Scheduled EDR Contact: 04/24/2006
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 01/16/2006
Date Made Active in Reports: 02/21/2006
Number of Days to Update: 36

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 01/16/2006
Next Scheduled EDR Contact: 04/17/2006
Data Release Frequency: Annually

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 08/02/2005
Date Data Arrived at EDR: 08/12/2005
Date Made Active in Reports: 10/06/2005
Number of Days to Update: 55

Source: Environmental Protection Agency
Telephone: 703-603-8867
Last EDR Contact: 03/03/2006
Next Scheduled EDR Contact: 07/03/2006
Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 01/10/2005
Date Data Arrived at EDR: 02/11/2005
Date Made Active in Reports: 04/06/2005
Number of Days to Update: 54

Source: Environmental Protection Agency
Telephone: 703-603-8867
Last EDR Contact: 03/03/2006
Next Scheduled EDR Contact: 07/03/2006
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2004
Date Data Arrived at EDR: 02/08/2005
Date Made Active in Reports: 08/04/2005
Number of Days to Update: 177

Source: USGS
Telephone: 703-692-8801
Last EDR Contact: 02/06/2006
Next Scheduled EDR Contact: 05/08/2006
Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/05/2005
Date Data Arrived at EDR: 01/19/2006
Date Made Active in Reports: 02/21/2006
Number of Days to Update: 33

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 04/03/2006
Next Scheduled EDR Contact: 07/03/2006
Data Release Frequency: Varies

US BROWNFIELDS: A Listing of Brownfields Sites

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 11/29/2005
Date Data Arrived at EDR: 12/05/2005
Date Made Active in Reports: 01/30/2006
Number of Days to Update: 56

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 03/13/2006
Next Scheduled EDR Contact: 06/12/2006
Data Release Frequency: Semi-Annually

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/14/2004
Date Data Arrived at EDR: 02/15/2005
Date Made Active in Reports: 04/25/2005
Number of Days to Update: 69

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 03/13/2006
Next Scheduled EDR Contact: 04/24/2006
Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 12/07/2005
Date Data Arrived at EDR: 01/06/2006
Date Made Active in Reports: 02/21/2006
Number of Days to Update: 46

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 04/05/2006
Next Scheduled EDR Contact: 07/03/2006
Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 11/04/2005
Date Data Arrived at EDR: 11/28/2005
Date Made Active in Reports: 01/30/2006
Number of Days to Update: 63

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 03/20/2006
Next Scheduled EDR Contact: 06/19/2006
Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2003

Date Data Arrived at EDR: 07/13/2005

Date Made Active in Reports: 08/17/2005

Number of Days to Update: 35

Source: EPA

Telephone: 202-566-0250

Last EDR Contact: 03/21/2006

Next Scheduled EDR Contact: 06/19/2006

Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002

Date Data Arrived at EDR: 04/27/2004

Date Made Active in Reports: 05/21/2004

Number of Days to Update: 24

Source: EPA

Telephone: 202-260-5521

Last EDR Contact: 03/06/2006

Next Scheduled EDR Contact: 04/17/2006

Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 01/17/2006

Date Data Arrived at EDR: 01/24/2006

Date Made Active in Reports: 02/27/2006

Number of Days to Update: 34

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-566-1667

Last EDR Contact: 03/20/2006

Next Scheduled EDR Contact: 06/19/2006

Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

Date of Government Version: 01/17/2006

Date Data Arrived at EDR: 01/24/2006

Date Made Active in Reports: 02/27/2006

Number of Days to Update: 34

Source: EPA

Telephone: 202-566-1667

Last EDR Contact: 03/20/2006

Next Scheduled EDR Contact: 06/19/2006

Data Release Frequency: Quarterly

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2003

Date Data Arrived at EDR: 01/03/2005

Date Made Active in Reports: 01/25/2005

Number of Days to Update: 22

Source: EPA

Telephone: 202-564-4203

Last EDR Contact: 03/06/2006

Next Scheduled EDR Contact: 07/17/2006

Data Release Frequency: Annually

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 12/27/2005

Date Data Arrived at EDR: 02/08/2006

Date Made Active in Reports: 02/27/2006

Number of Days to Update: 19

Source: EPA

Telephone: 202-566-0500

Last EDR Contact: 02/08/2006

Next Scheduled EDR Contact: 05/08/2006

Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 02/10/2006	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 02/16/2006	Telephone: 301-415-7169
Date Made Active in Reports: 03/31/2006	Last EDR Contact: 04/03/2006
Number of Days to Update: 43	Next Scheduled EDR Contact: 07/03/2006
	Data Release Frequency: Quarterly

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 11/08/2005	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 12/27/2005	Telephone: 303-231-5959
Date Made Active in Reports: 01/30/2006	Last EDR Contact: 03/29/2006
Number of Days to Update: 34	Next Scheduled EDR Contact: 06/26/2006
	Data Release Frequency: Semi-Annually

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 01/09/2006	Source: EPA
Date Data Arrived at EDR: 01/16/2006	Telephone: N/A
Date Made Active in Reports: 02/21/2006	Last EDR Contact: 04/03/2006
Number of Days to Update: 36	Next Scheduled EDR Contact: 07/03/2006
	Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 03/06/2006
Number of Days to Update: 35	Next Scheduled EDR Contact: 06/05/2006
	Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2003	Source: EPA/NTIS
Date Data Arrived at EDR: 06/17/2005	Telephone: 800-424-9346
Date Made Active in Reports: 08/04/2005	Last EDR Contact: 03/17/2006
Number of Days to Update: 48	Next Scheduled EDR Contact: 06/12/2006
	Data Release Frequency: Biennially

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

STATE AND LOCAL RECORDS

SHWS: Hazardous Sites Cleanup Act Site List

The Hazardous Sites Cleanup Act Site List includes sites listed on PA Priority List, sites delisted from PA Priority List, Interim Response Completed sites, and Sites Being Studied or Response Being Planned.

Date of Government Version: 02/01/2006
Date Data Arrived at EDR: 02/17/2006
Date Made Active in Reports: 03/15/2006
Number of Days to Update: 26

Source: Department Environmental Protection
Telephone: 717-783-7816
Last EDR Contact: 02/17/2006
Next Scheduled EDR Contact: 05/15/2006
Data Release Frequency: Semi-Annually

HSCA: HSCA Remedial Sites Listing

A list of remedial sites on the PA Priority List. This is the PA state equivalent of the federal NPL superfund list.

Date of Government Version: 05/05/2004
Date Data Arrived at EDR: 05/26/2004
Date Made Active in Reports: 06/24/2004
Number of Days to Update: 29

Source: Department of Environmental Protection
Telephone: 717-783-7816
Last EDR Contact: 02/17/2006
Next Scheduled EDR Contact: 05/15/2006
Data Release Frequency: Varies

SWF/LF: Operating Facilities

Date of Government Version: 12/08/2005
Date Data Arrived at EDR: 01/05/2006
Date Made Active in Reports: 02/01/2006
Number of Days to Update: 27

Source: Department of Environmental Protection
Telephone: 717-787-7564
Last EDR Contact: 03/02/2006
Next Scheduled EDR Contact: 06/19/2006
Data Release Frequency: Semi-Annually

HIST LF: Abandoned Landfill Inventory

The report provides facility information recorded in the Pennsylvania Department of Environmental Protection ALI database. Some of this information has been abstracted from old records and may not accurately reflect the current conditions and status at these facilities

Date of Government Version: 01/04/2005
Date Data Arrived at EDR: 01/04/2005
Date Made Active in Reports: 02/04/2005
Number of Days to Update: 31

Source: Department of Environmental Protection
Telephone: 717-787-7564
Last EDR Contact: 03/20/2006
Next Scheduled EDR Contact: 06/19/2006
Data Release Frequency: Varies

HIST LF INACTIVE: Inactive Facilities List

A listing of inactive non-hazardous facilities (10000 & 300000 series). This listing is no longer updated or maintained by the Department of Environmental Protection. At the time the listing was available, the DEP's name was the Department of Environmental Resources.

Date of Government Version: 12/20/1994
Date Data Arrived at EDR: 07/12/2005
Date Made Active in Reports: 08/11/2005
Number of Days to Update: 30

Source: Department of Environmental Protection
Telephone: 717-787-7381
Last EDR Contact: 06/21/2005
Next Scheduled EDR Contact: 12/19/2005
Data Release Frequency: No Update Planned

HIST LF INVENTORY: Facility Inventory

A listing of solid waste facilities. This listing is no longer updated or maintained by the Department of Environmental Protection. At the time the listing was available, the DEP's name was the Department of Environmental Resources.

Date of Government Version: 06/02/1999
Date Data Arrived at EDR: 07/12/2005
Date Made Active in Reports: 08/11/2005
Number of Days to Update: 30

Source: Department of Environmental Protection
Telephone: 717-787-7381
Last EDR Contact: 09/19/2005
Next Scheduled EDR Contact: 12/19/2005
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LUST: Storage Tank Release Sites

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 01/09/2006
Date Data Arrived at EDR: 01/10/2006
Date Made Active in Reports: 02/01/2006
Number of Days to Update: 22

Source: Department of Environmental Protection
Telephone: 717-783-7509
Last EDR Contact: 01/10/2006
Next Scheduled EDR Contact: 04/10/2006
Data Release Frequency: Semi-Annually

UNREG LTANKS: Unregulated Tank Cases

Leaking storage tank cases from unregulated storage tanks.

Date of Government Version: 04/12/2002
Date Data Arrived at EDR: 08/14/2003
Date Made Active in Reports: 08/29/2003
Number of Days to Update: 15

Source: Department of Environmental Protection
Telephone: 717-783-7509
Last EDR Contact: 08/14/2003
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

UST: Listing of Pennsylvania Regulated Underground Storage Tanks

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 12/01/2005
Date Data Arrived at EDR: 01/10/2006
Date Made Active in Reports: 01/31/2006
Number of Days to Update: 21

Source: Department of Environmental Protection
Telephone: 717-772-5599
Last EDR Contact: 01/10/2006
Next Scheduled EDR Contact: 04/10/2006
Data Release Frequency: Varies

ARCHIVE UST: Archived Underground Storage Tank Sites

The list includes tanks storing highly hazardous substances that were removed from the DEP's Storage Tank Information database because of the Department's policy on sensitive information. The list also may include tanks that are removed or permanently closed.

Date of Government Version: 10/03/2005
Date Data Arrived at EDR: 01/10/2006
Date Made Active in Reports: 02/01/2006
Number of Days to Update: 22

Source: Department of Environmental Protection
Telephone: 717-772-5599
Last EDR Contact: 01/10/2006
Next Scheduled EDR Contact: 04/10/2006
Data Release Frequency: Varies

LAST: Storage Tank Release Sites

Leaking Aboveground Storage Tank Incident Reports.

Date of Government Version: 01/09/2006
Date Data Arrived at EDR: 01/10/2006
Date Made Active in Reports: 02/01/2006
Number of Days to Update: 22

Source: Department of Environmental Protection
Telephone: 717-783-7509
Last EDR Contact: 01/10/2006
Next Scheduled EDR Contact: 04/10/2006
Data Release Frequency: Semi-Annually

AST: Listing of Pennsylvania Regulated Aboveground Storage Tanks

Registered Aboveground Storage Tanks.

Date of Government Version: 12/01/2005
Date Data Arrived at EDR: 01/10/2006
Date Made Active in Reports: 02/01/2006
Number of Days to Update: 22

Source: Department of Environmental Protection
Telephone: 717-772-5599
Last EDR Contact: 01/10/2006
Next Scheduled EDR Contact: 04/10/2006
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ARCHIVE AST: Archived Aboveground Storage Tank Sites

The list includes aboveground tanks with a capacity greater than 21,000 gallons that were removed from the DEP's Storage Tank Information database because of the Department's policy on sensitive information. The list also may include tanks that are removed or permanently closed.

Date of Government Version: 10/03/2005

Date Data Arrived at EDR: 01/10/2006

Date Made Active in Reports: 02/01/2006

Number of Days to Update: 22

Source: Department of Environmental Protection

Telephone: 717-772-5599

Last EDR Contact: 01/10/2006

Next Scheduled EDR Contact: 04/10/2006

Data Release Frequency: Varies

ACT 2-DEED: Act 2-Deed Acknowledgment Sites

This listing pertains to sites where the Department has approved a cleanup requiring a deed acknowledgment under Act 2. This list includes sites remediated to a non-residential Statewide health standard (Section 303(g)); all sites demonstrating attainment of a Site-specific standard (Section 304(m)); and sites being remediated as a special industrial area (Section 305(g)). Persons who remediated a site to a standard that requires a deed acknowledgment shall comply with the requirements of the Solid Waste Management Act or the Hazardous Sites Cleanup Act, as referenced in Act 2. These statutes require a property description section in the deed concerning the hazardous substance disposal on the site. The location of disposed hazardous substances and a description of the type of hazardous substances disposed on the site shall be included in the deed acknowledgment. A deed acknowledgment is required at the time of conveyance of the property.

Date of Government Version: 02/14/2006

Date Data Arrived at EDR: 02/15/2006

Date Made Active in Reports: 03/15/2006

Number of Days to Update: 28

Source: Department of Environmental Protection

Telephone: 717-783-9470

Last EDR Contact: 02/13/2006

Next Scheduled EDR Contact: 05/15/2006

Data Release Frequency: Varies

ENG CONTROLS: Engineering Controls Site Listing

Under the Land Recycling Act (Act 2) persons who perform a site cleanup using the site-specific standard or the special industrial area standard may use engineering or institutional controls as part of the response action. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 01/12/2006

Date Data Arrived at EDR: 02/14/2006

Date Made Active in Reports: 03/15/2006

Number of Days to Update: 29

Source: Department of Environmental Protection

Telephone: 717-783-9470

Last EDR Contact: 02/14/2006

Next Scheduled EDR Contact: 05/15/2006

Data Release Frequency: Varies

INST CONTROL: Institutional Controls Site Listing

Under the Land Recycling Act (Act 2) persons who perform a site cleanup using the site-specific standard or the special industrial area standard may use engineering or institutional controls as part of the response action. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 01/12/2006

Date Data Arrived at EDR: 02/14/2006

Date Made Active in Reports: 03/17/2006

Number of Days to Update: 31

Source: Department of Environmental Protection

Telephone: 717-783-9470

Last EDR Contact: 02/14/2006

Next Scheduled EDR Contact: 05/15/2006

Data Release Frequency: Varies

VCP: Voluntary Cleanup Program Sites

Sites involved in the Voluntary Cleanup Program

Date of Government Version: 02/14/2006

Date Data Arrived at EDR: 02/15/2006

Date Made Active in Reports: 03/15/2006

Number of Days to Update: 28

Source: Department of Environmental Protection

Telephone: 717-783-2388

Last EDR Contact: 02/13/2006

Next Scheduled EDR Contact: 05/15/2006

Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

DRYCLEANERS: Drycleaner Facility Locations A listing of drycleaner facility locations.

Date of Government Version: 10/18/2005
Date Data Arrived at EDR: 10/18/2005
Date Made Active in Reports: 11/09/2005
Number of Days to Update: 22

Source: Department of Environmental Protection
Telephone: 717-787-9702
Last EDR Contact: 01/30/2006
Next Scheduled EDR Contact: 04/17/2006
Data Release Frequency: Varies

BROWNFIELDS: Brownfields Sites

Date of Government Version: 02/14/2006
Date Data Arrived at EDR: 02/15/2006
Date Made Active in Reports: 03/15/2006
Number of Days to Update: 28

Source: Department of Environmental Protection
Telephone: 717-783-7509
Last EDR Contact: 02/13/2006
Next Scheduled EDR Contact: 05/15/2006
Data Release Frequency: Varies

TRIBAL RECORDS

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2004
Date Data Arrived at EDR: 02/08/2005
Date Made Active in Reports: 08/04/2005
Number of Days to Update: 177

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 02/06/2006
Next Scheduled EDR Contact: 05/08/2006
Data Release Frequency: Semi-Annually

EDR PROPRIETARY RECORDS

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Historical Auto Stations: EDR Proprietary Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Historical Cleaners: EDR Proprietary Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2004
Date Data Arrived at EDR: 02/17/2006
Date Made Active in Reports: 04/07/2006
Number of Days to Update: 49

Source: Department of Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 03/13/2006
Next Scheduled EDR Contact: 06/12/2006
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 10/26/2005
Date Data Arrived at EDR: 11/16/2005
Date Made Active in Reports: 11/18/2005
Number of Days to Update: 2

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 03/01/2006
Next Scheduled EDR Contact: 05/29/2006
Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: PennWell Corporation
Telephone: (800) 823-6277

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.
Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health
Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Child Care Facility List

Source: Department of Public Welfare

Telephone: 717-783-3856

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

STREET AND ADDRESS INFORMATION

© 2006 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

ST. PETERS ROAD
ST. PETERS ROAD
ST. PETERS VILLAGE, PA 19520

TARGET PROPERTY COORDINATES

Latitude (North):	40.18040 - 40° 10' 49.4"
Longitude (West):	75.7309 - 75° 43' 51.3"
Universal Transverse Mercator:	Zone 18
UTM X (Meters):	437773.2
UTM Y (Meters):	4447826.0
Elevation:	427 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	40075-B6 POTTSTOWN, PA
Most Recent Revision:	2001
West Map:	40075-B7 ELVERSON, PA
Most Recent Revision:	2001

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u>	<u>FEMA Flood</u>
CHESTER, PA	<u>Electronic Data</u>
	YES - refer to the Overview Map and Detail Map
Flood Plain Panel at Target Property:	42029C0061D
Additional Panels in search area:	42029C0053D
	42029C0054D
	42029C0045D
	42029C0062D

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	<u>NWI Electronic</u>
POTTSTOWN	<u>Data Coverage</u>
	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION</u>	<u>GENERAL DIRECTION</u>
Not Reported	<u>FROM TP</u>	<u>GROUNDWATER FLOW</u>

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Mesozoic
System: Triassic
Series: Triassic
Code: Tr (decoded above as Era, System & Series)

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: LEHIGH

Soil Surface Texture: silt loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: MODERATE

Depth to Bedrock Min: > 40 inches

Depth to Bedrock Max: > 60 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	7 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 2.00 Min: 0.60	Max: 7.30 Min: 4.50
2	7 inches	28 inches	very channery - silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 0.20 Min: 0.06	Max: 7.30 Min: 4.50
3	28 inches	42 inches	channery - silty clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Gravels, Gravels with fines, Silty Gravel	Max: 0.20 Min: 0.06	Max: 7.30 Min: 4.50
4	42 inches	46 inches	unweathered bedrock	Not reported	Not reported	Max: 6.00 Min: 0.60	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: extremely stony - silt loam
gravelly - silt loam
channery - silt loam

Surficial Soil Types: extremely stony - silt loam
gravelly - silt loam
channery - silt loam

Shallow Soil Types: silt loam

Deeper Soil Types: weathered bedrock
loam
clay loam
gravelly - clay loam
silt loam
stratified
channery - fine sandy loam

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
D12	USGS2165641	1/4 - 1/2 Mile East
15	USGS2165584	1/4 - 1/2 Mile NNE
18	USGS2165615	1/4 - 1/2 Mile North
23	USGS2165550	1/4 - 1/2 Mile WNW
26	USGS2165583	1/4 - 1/2 Mile NE
J30	USGS2165784	1/4 - 1/2 Mile ESE
33	USGS2165488	1/2 - 1 Mile NNE
L34	USGS2165883	1/2 - 1 Mile SSE
M37	USGS2165514	1/2 - 1 Mile NNE
P43	USGS2165876	1/2 - 1 Mile SSE
O44	USGS2165504	1/2 - 1 Mile NNE
Q48	USGS2165703	1/2 - 1 Mile ENE
O50	USGS2165503	1/2 - 1 Mile NNE
R52	USGS2165676	1/2 - 1 Mile East
S55	USGS2165843	1/2 - 1 Mile South
56	USGS2165847	1/2 - 1 Mile SSW
R57	USGS2165675	1/2 - 1 Mile East
U63	USGS2165537	1/2 - 1 Mile NNE
66	USGS2165366	1/2 - 1 Mile NNW
V67	USGS2165896	1/2 - 1 Mile SE
76	USGS2165379	1/2 - 1 Mile NNE
84	USGS2165513	1/2 - 1 Mile NE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A4	PA1150157	0 - 1/8 Mile NNW

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A1	PA1000000054596	0 - 1/8 Mile North

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
A2	PA1000000054595	0 - 1/8 Mile NNW
A3	PA1000000054650	0 - 1/8 Mile NNW
B5	PA1000000054298	0 - 1/8 Mile SW
B6	SPAW0063342	0 - 1/8 Mile SW
C7	PA1000000054649	0 - 1/8 Mile NW
C8	PA1000000054709	0 - 1/8 Mile NW
D9	SPAW0063447	1/8 - 1/4 Mile ESE
D10	PA1000000054299	1/8 - 1/4 Mile ESE
D11	PA1000000054350	1/4 - 1/2 Mile East
E13	PA1000000055136	1/4 - 1/2 Mile North
E14	SPAW0063477	1/4 - 1/2 Mile North
F16	PA1000000055097	1/4 - 1/2 Mile NE
F17	SPAW0063504	1/4 - 1/2 Mile NE
G19	PA1000000055384	1/4 - 1/2 Mile North
G20	SPAW0063466	1/4 - 1/2 Mile North
H21	SPAW0063382	1/4 - 1/2 Mile SSE
H22	PA1000000053662	1/4 - 1/2 Mile SSE
H24	PA1000000053612	1/4 - 1/2 Mile SSE
H25	SPAW0063340	1/4 - 1/2 Mile SSE
I27	PA1000000053432	1/4 - 1/2 Mile South
I28	SPAW0063469	1/4 - 1/2 Mile South
J29	PA1000000054006	1/4 - 1/2 Mile ESE
K31	PA1000000055495	1/2 - 1 Mile NE
K32	SPAW0063460	1/2 - 1 Mile NE
L35	PA1000000053266	1/2 - 1 Mile SSE
M36	PA1000000055751	1/2 - 1 Mile North
N38	SPAW0063459	1/2 - 1 Mile NE
N39	PA1000000055421	1/2 - 1 Mile NE
O40	PA1000000055709	1/2 - 1 Mile NNE
O41	SPAW0063455	1/2 - 1 Mile NNE
L42	SPAW0063343	1/2 - 1 Mile SSE
P45	PA1000000053237	1/2 - 1 Mile SSE
O46	PA1000000055710	1/2 - 1 Mile NNE
L47	PA1000000053160	1/2 - 1 Mile SSE
Q49	PA1000000054784	1/2 - 1 Mile ENE
O51	PA1000000055711	1/2 - 1 Mile NNE
R53	PA1000000054597	1/2 - 1 Mile East
S54	PA1000000052975	1/2 - 1 Mile South
T58	SPAW0063516	1/2 - 1 Mile NE
T59	PA1000000055635	1/2 - 1 Mile NE
T60	PA1000000055712	1/2 - 1 Mile NE
T61	SPAW0063451	1/2 - 1 Mile NE
U62	PA1000000055893	1/2 - 1 Mile NNE
V64	PA1000000053433	1/2 - 1 Mile SE
V65	SPAW0063344	1/2 - 1 Mile SE
V68	SPAW0063345	1/2 - 1 Mile SE
V69	PA1000000053311	1/2 - 1 Mile SE
V70	PA1000000053391	1/2 - 1 Mile SE
V71	SPAW0063346	1/2 - 1 Mile SE
W72	SPAW0063463	1/2 - 1 Mile SSE
W73	PA1000000052761	1/2 - 1 Mile SSE
X74	PA1000000056044	1/2 - 1 Mile NNE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
X75	SPAW0063446	1/2 - 1 Mile NNE
Y77	PA1000000055538	1/2 - 1 Mile ENE
Y78	SPAW0063505	1/2 - 1 Mile ENE
79	PA1000000052892	1/2 - 1 Mile SSE
Z80	SPAW0063480	1/2 - 1 Mile South
AA81	PA1000000055851	1/2 - 1 Mile NE
AA82	SPAW0063503	1/2 - 1 Mile NE
Z83	PA1000000052609	1/2 - 1 Mile South
AB85	SPAW0063517	1/2 - 1 Mile NW
AB86	PA1000000056137	1/2 - 1 Mile NW
AC87	SPAW0063478	1/2 - 1 Mile ESE
AC88	PA1000000053736	1/2 - 1 Mile ESE

PHYSICAL SETTING SOURCE MAP - 1650445.2s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location

SITE NAME: St. Peters Road
 ADDRESS: St. Peters Road
 St. Peters Village PA 19520
 LAT/LONG: 40.1804 / 75.7309

CLIENT: PT Consultants, Inc.
 CONTACT: Tom Brady
 INQUIRY #: 1650445.2s
 DATE: April 07, 2006

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

A1
North
0 - 1/8 Mile
Lower

PA WELLS PA1000000054596

WELLID: 401052075435201 LOCALWELLN: CH 4974
COUNTY: CHESTER
AAPG: 231DIBS
TOPOGRAPHY: VALLEY FLAT
WELLDEPTH: 69
ELEVATION: 410
ELEVMETHOD: INTERPOLATED FROM TOPOGRAPHIC MAP
ACCURACYOF: 5
HYDROLOGIC: 02040203
LATLONGACCURACY: ACCURATE TO +5 SECONDS
QUAD: POTTSTOWN
TYPEOFSITE: WELL
DATECREATE: Not Reported DATEUPDATE: Not Reported
DATARELIABILITY: NOT FLD CHECKED, RPRTING AGENCY CONSIDERS IT OK (DEP WSM, WWI web)
SOURCE DEPTH DATA: WELL OWNER
MUNICIPALITY: WARWICK TWP.
LATITUDEDD: 40.18111
LONGITUDEDD: -75.73111
DEPTHTOBED: 0
DATEDRILLE: Not Reported
PAGWIS ID: 12949

Agency Use Section:

Agency Use of Site: OBSERVATION
Agency Use Date: Not Reported

Construction Information:

Construction Date: Not Reported
Driller: 1
Source Cons Data: OTHER/UNKNOWN/UNSPECIFIED
Method Cons: OTHER/UNKNOWN
Finish: OPEN HOLE

Geohydrologic Information:

A A P G: 231DIBS
Lithology: DIABASE
Contributing Unit: PRIMARY
Top Of Interval: Not Reported Bottom Of Interval: Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: PUBLIC SUPPLY

Owner Information:

Owner: WARWICK WATER WORKS
Date Ownership: 10/05/1982 00:00:00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Other ID Information:

Other Identifier:

1

Other I D Assignor:

OWNER PA

A2
NNW
0 - 1/8 Mile
Lower

PA WELLS

PA1000000054595

WELLID: 401052075435504 LOCALWELLN: CH 4977
COUNTY: CHESTER
AAPG: 231DIBS
TOPOGRAPHY: VALLEY FLAT
WELLDEPTH: 260
ELEVATION: 405
ELEVMETHOD: Not Reported
ACCURACYOF: 5
HYDROLOGIC: 02040203
LATLONGACCURACY: Not Reported
QUAD: POTTSTOWN
TYPEOFSITE: WELL
DATECREATE: Not Reported DATEUPDATE: Not Reported
DATARELIABILITY: NOT FLD CHECKED, RPRTING AGENCY CONSIDERS IT OK (DEP WSM, WWI web)
SOURCE DEPTH DATA: WELL OWNER
MUNICIPALITY: WARWICK TWP.
LATITUDEDD: 40.18111
LONGITUDEDD: -75.73194
DEPTHTOBED: 0
DATEDRILLE: Not Reported
PAGWIS ID: 43462

Agency Use Section:

Agency Use of Site: OBSERVATION
Agency Use Date: Not Reported

Construction Information:

Construction Date: Not Reported
Driller: 1
Source Cons Data: Not Reported
Method Cons: Not Reported
Finish: OPEN HOLE

Geohydrologic Information:

A A P G: 231DIBS
Lithology: DIABASE
Contributing Unit: PRIMARY
Top Of Interval: Not Reported Bottom Of Interval: Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: PUBLIC SUPPLY

Owner Information:

Owner: WARWICK WATER WORKS
Date Ownership: 10/05/1982 00:00:00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Other ID Information:

Other Identifier:

4

Other I D Assignor:

OWNER PA

A3
NNW
0 - 1/8 Mile
Lower

PA WELLS

PA1000000054650

WELLID: Not Reported
COUNTY: CHESTER
AAPG: 1
TOPOGRAPHY: Not Reported
WELLDEPTH: 170
ELEVATION: 0
ELEVMETHOD: Not Reported
ACCURACYOF: Not Reported
HYDROLOGIC: Not Reported
LATLONGACCURACY: Not Reported
QUAD: POTTSTOWN
TYPEOFSITE: WELL
DATECREATE: Not Reported
DATARELIABILITY: Not Reported
SOURCE DEPTH DATA: Not Reported
MUNICIPALITY: WARWICK TWP.
LATITUDEDD: 40.1814
LONGITUDEDD: -75.7319
DEPTHTOBED: 0
DATEDRILLE: Not Reported
PAGWIS ID: 214943

LOCALWELLN:

Not Reported

DATEUPDATE:

Not Reported

Construction Information:

Construction Date: Not Reported
Driller: Not Reported
Source Cons Data: WELL OWNER
Method Cons: Not Reported
Finish: POROUS CONCRETE

Casing Information:

Top Of Casing: 0
Bottom Of Casing: Not Reported
Casing: STEEL

Casing Wall Thickness:

Not Reported

Casing Diameter:

6

Water Use Information:

Site Use: WITHDRAWAL
Water Use: PUBLIC SUPPLY

Owner Information:

Owner: WARWICK WATER WORKS
Date Ownership: Not Reported

Remarks Information:

Remark: Population Served = 125
Remark Date: Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Other ID Information:

Other Identifier: 1150157

Other I D Assignor:

PA DEP PWSID

A4
NNW
0 - 1/8 Mile
Lower

FRDS PWS PA1150157

PWS ID: PA1150157 PWS Status: Not Reported
Date Initiated: Not Reported Date Deactivated: Not Reported
PWS Name: WARWICK WATER WORKS
ST PETER ROAD
ST PETER, PA 19353

Source: Ground water

Treatment Objective: DISINFECTION

Process: HYPOCHLORINATION, POST

Addressee / Facility: Mailing
WARWICK WATER WORKS
NORRIS CAR
400 GORDON DRIVE, SUITE 502
LIONVILLE, PA 19353

Facility Latitude: 40 10 53.0000 Facility Longitude: 75 43 55.0000
Facility Latitude: 40 10 53.0000 Facility Longitude: 75 43 57.0000
Facility Latitude: 40 10 54.0000 Facility Longitude: 75 43 55.0000
Facility Latitude: 40 10 54.0000 Facility Longitude: 75 43 57.0000
City Served: Not Reported
Treatment Class: Treated Population: 125

PWS currently has or had major violation(s) or enforcement: Yes

VIOLATIONS INFORMATION:

Violation ID: 9301814 Source ID: Not Reported PWS Phone: 2153637480
Vio. beginning Date: 07/01/92 Vio. end Date: 12/31/92 Vio. Period: 006 Months
Num required Samples: 001 Number of Samples Taken: 000
Analysis Result: Not Reported Maximum Contaminant Level: Not Reported
Analysis Method: Not Reported
Violation Type: Monitoring, Check/Repeat/Confirmation
Contaminant: GROSS ALPHA, EXCL. RADON & U
Vio. Awareness Date: 020893

ENFORCEMENT INFORMATION:

System Name: WARWICK WATER WORKS
Violation Type: Monitoring, Routine Major (TCR)
Contaminant: COLIFORM (TCR)
Compliance Period: 2000-08-01 - 2000-08-31 Analytical Value: 0
Violation ID: 0029656 Enforcement ID: 00E0002
Enforcement Date: 2002-02-25 Enf. Action: State Compliance Achieved

System Name: WARWICK WATER WORKS
Violation Type: Monitoring, Routine Major (TCR)
Contaminant: COLIFORM (TCR)
Compliance Period: 2000-08-01 - 2000-08-31 Analytical Value: 0
Violation ID: 0029656 Enforcement ID: Not Reported
Enforcement Date: Not Reported Enf. Action: Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

ENFORCEMENT INFORMATION:

System Name:	WARWICK WATER WORKS		
Violation Type:	Monitoring, Routine Major (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	8/1/2000 0:00:00 - 8/31/2000 0:00:00	Analytical Value:	0
Violation ID:	0029656	Enforcement ID:	Not Reported
Enforcement Date:	1/25/2001 0:00:00	Enf. Action:	State Formal NOV Issued
System Name:	WARWICK WATER WORKS		
Violation Type:	Monitoring, Routine Major (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	8/1/2000 0:00:00 - 8/31/2000 0:00:00	Analytical Value:	0
Violation ID:	0029656	Enforcement ID:	Not Reported
Enforcement Date:	2/25/2002 0:00:00	Enf. Action:	State Compliance Achieved
System Name:	WARWICK WATER WORKS		
Violation Type:	OCCT Installation/Demonstration		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	1997-03-21 - 2000-03-09	Analytical Value:	0
Violation ID:	00V0001	Enforcement ID:	99E0001
Enforcement Date:	2000-03-09	Enf. Action:	State Compliance Achieved
System Name:	WARWICK WATER WORKS		
Violation Type:	CCR Complete Failure to Report		
Contaminant:	7000		
Compliance Period:	2000-07-01 - 2000-07-12	Analytical Value:	0
Violation ID:	00V0001	Enforcement ID:	Not Reported
Enforcement Date:	Not Reported	Enf. Action:	Not Reported
System Name:	WARWICK WATER WORKS		
Violation Type:	CCR Complete Failure to Report		
Contaminant:	7000		
Compliance Period:	7/1/2000 0:00:00 - 7/12/2000 0:00:00	Analytical Value:	0
Violation ID:	00V0001	Enforcement ID:	Not Reported
Enforcement Date:	7/12/2000 0:00:00	Enf. Action:	Fed Compliance Achieved
System Name:	WARWICK WATER WORKS		
Violation Type:	Follow-up and Routine Tap Sampling		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	2001-07-01 - 2002-10-16	Analytical Value:	0
Violation ID:	0201867	Enforcement ID:	02E0001
Enforcement Date:	2002-06-12	Enf. Action:	State Violation/Reminder Notice
System Name:	WARWICK WATER WORKS		
Violation Type:	Follow-up and Routine Tap Sampling		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	2001-07-01 - 2002-10-16	Analytical Value:	0
Violation ID:	0201867	Enforcement ID:	Not Reported
Enforcement Date:	Not Reported	Enf. Action:	Not Reported
System Name:	WARWICK WATER WORKS		
Violation Type:	Follow-up and Routine Tap Sampling		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	7/1/2001 0:00:00 - 10/16/2002 0:00:00	Analytical Value:	0
Violation ID:	0201867	Enforcement ID:	Not Reported
Enforcement Date:	10/16/2002 0:00:00	Enf. Action:	State Compliance Achieved
System Name:	WARWICK WATER WORKS		
Violation Type:	Follow-up and Routine Tap Sampling		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	7/1/2001 0:00:00 - 10/16/2002 0:00:00	Analytical Value:	0
Violation ID:	0201867	Enforcement ID:	Not Reported
Enforcement Date:	6/12/2002 0:00:00	Enf. Action:	State Violation/Reminder Notice

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

ENFORCEMENT INFORMATION:

System Name:	WARWICK WATER WORKS		
Violation Type:	Follow-up and Routine Tap Sampling		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	7/1/2001 0:00:00 - 10/16/2002 0:00:00	Analytical Value:	0
Violation ID:	0201867	Enforcement ID:	Not Reported
Enforcement Date:	7/18/2002 0:00:00	Enf. Action:	State Violation/Reminder Notice
System Name:	WARWICK WATER WORKS		
Violation Type:	Follow-up and Routine Tap Sampling		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	2001-07-01 - 2002-10-16	Analytical Value:	0
Violation ID:	0434382	Enforcement ID:	02E0003
Enforcement Date:	2002-10-16	Enf. Action:	State Compliance Achieved
System Name:	WARWICK WATER WORKS		
Violation Type:	Initial Tap Sampling for Pb and Cu		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	1/1/2005 0:00:00 - 1/13/2005 0:00:00	Analytical Value:	0
Violation ID:	0434382	Enforcement ID:	Not Reported
Enforcement Date:	1/13/2005 0:00:00	Enf. Action:	State Consent Decree/Judgement
System Name:	WARWICK WATER WORKS		
Violation Type:	Initial Tap Sampling for Pb and Cu		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	1/1/2005 0:00:00 - 1/13/2005 0:00:00	Analytical Value:	0
Violation ID:	0434382	Enforcement ID:	Not Reported
Enforcement Date:	1/13/2005 0:00:00	Enf. Action:	State Compliance Achieved
System Name:	WARWICK WATER WORKS		
Violation Type:	Initial Tap Sampling for Pb and Cu		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	2005-01-01 - 2005-01-13	Analytical Value:	0
Violation ID:	0434382	Enforcement ID:	Not Reported
Enforcement Date:	Not Reported	Enf. Action:	Not Reported
System Name:	WARWICK WATER WORKS		
Violation Type:	Follow-up and Routine Tap Sampling		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	2001-07-01 - 2002-10-16	Analytical Value:	0
Violation ID:	0441676	Enforcement ID:	02E0002
Enforcement Date:	2002-07-18	Enf. Action:	State Violation/Reminder Notice
System Name:	WARWICK WATER WORKS		
Violation Type:	CCR Complete Failure to Report		
Contaminant:	7000		
Compliance Period:	2004-07-01 - 2004-11-02	Analytical Value:	0
Violation ID:	0441676	Enforcement ID:	Not Reported
Enforcement Date:	Not Reported	Enf. Action:	Not Reported
System Name:	WARWICK WATER WORKS		
Violation Type:	CCR Complete Failure to Report		
Contaminant:	7000		
Compliance Period:	7/1/2004 0:00:00 - 11/2/2004 0:00:00	Analytical Value:	0
Violation ID:	0441676	Enforcement ID:	Not Reported
Enforcement Date:	11/2/2004 0:00:00	Enf. Action:	State Consent Decree/Judgement
System Name:	WARWICK WATER WORKS		
Violation Type:	CCR Complete Failure to Report		
Contaminant:	7000		
Compliance Period:	7/1/2004 0:00:00 - 11/2/2004 0:00:00	Analytical Value:	0
Violation ID:	0441676	Enforcement ID:	Not Reported
Enforcement Date:	11/2/2004 0:00:00	Enf. Action:	State Violation/Reminder Notice

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

ENFORCEMENT INFORMATION:

System Name:	WARWICK WATER WORKS		
Violation Type:	CCR Complete Failure to Report		
Contaminant:	7000		
Compliance Period:	7/1/2004 0:00:00 - 11/2/2004 0:00:00	Analytical Value:	0
Violation ID:	0441676	Enforcement ID:	Not Reported
Enforcement Date:	11/2/2004 0:00:00	Enf. Action:	State Compliance Achieved
System Name:	WARWICK WATER WORKS		
Violation Type:	CCR Complete Failure to Report		
Contaminant:	7000		
Compliance Period:	2000-07-01 - 2000-07-12	Analytical Value:	0
Violation ID:	0506543	Enforcement ID:	0000085
Enforcement Date:	2000-07-12	Enf. Action:	Fed Compliance Achieved
System Name:	WARWICK WATER WORKS		
Violation Type:	Initial Tap Sampling for Pb and Cu		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	2005-01-01 - 2005-01-13	Analytical Value:	0
Violation ID:	0506543	Enforcement ID:	0554015
Enforcement Date:	2005-01-13	Enf. Action:	State Consent Decree/Judgement
System Name:	WARWICK WATER WORKS		
Violation Type:	CCR Complete Failure to Report		
Contaminant:	7000		
Compliance Period:	2004-07-01 - 2004-11-02	Analytical Value:	0
Violation ID:	0506543	Enforcement ID:	0554016
Enforcement Date:	2004-11-02	Enf. Action:	State Violation/Reminder Notice
System Name:	WARWICK WATER WORKS		
Violation Type:	Initial Tap Sampling for Pb and Cu		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	2005-01-01 - 2005-01-13	Analytical Value:	0
Violation ID:	0506543	Enforcement ID:	0555015
Enforcement Date:	2005-01-13	Enf. Action:	State Compliance Achieved
System Name:	WARWICK WATER WORKS		
Violation Type:	CCR Complete Failure to Report		
Contaminant:	7000		
Compliance Period:	2004-07-01 - 2004-11-02	Analytical Value:	0
Violation ID:	0506543	Enforcement ID:	0555016
Enforcement Date:	2004-11-02	Enf. Action:	State Consent Decree/Judgement
System Name:	WARWICK WATER WORKS		
Violation Type:	CCR Complete Failure to Report		
Contaminant:	7000		
Compliance Period:	2004-07-01 - 2004-11-02	Analytical Value:	0
Violation ID:	0506543	Enforcement ID:	0556016
Enforcement Date:	2004-11-02	Enf. Action:	State Compliance Achieved
System Name:	WARWICK WATER WORKS		
Violation Type:	Follow-up and Routine Tap Sampling		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	2005-01-01 - 2005-02-28	Analytical Value:	0
Violation ID:	0506543	Enforcement ID:	0560002
Enforcement Date:	2005-02-28	Enf. Action:	State Violation/Reminder Notice
System Name:	WARWICK WATER WORKS		
Violation Type:	Follow-up and Routine Tap Sampling		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	2005-01-01 - 2005-02-28	Analytical Value:	0
Violation ID:	0506543	Enforcement ID:	0561002
Enforcement Date:	2005-02-28	Enf. Action:	State Compliance Achieved

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

ENFORCEMENT INFORMATION:

System Name:	WARWICK WATER WORKS		
Violation Type:	Follow-up and Routine Tap Sampling		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	1/1/2005 0:00:00 - 2/28/2005 0:00:00	Analytical Value:	0
Violation ID:	0506543	Enforcement ID:	Not Reported
Enforcement Date:	2/28/2005 0:00:00	Enf. Action:	State Violation/Reminder Notice
System Name:	WARWICK WATER WORKS		
Violation Type:	Follow-up and Routine Tap Sampling		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	1/1/2005 0:00:00 - 2/28/2005 0:00:00	Analytical Value:	0
Violation ID:	0506543	Enforcement ID:	Not Reported
Enforcement Date:	2/28/2005 0:00:00	Enf. Action:	State Compliance Achieved
System Name:	WARWICK WATER WORKS		
Violation Type:	Follow-up and Routine Tap Sampling		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	2005-01-01 - 2005-02-28	Analytical Value:	0
Violation ID:	0506543	Enforcement ID:	Not Reported
Enforcement Date:	Not Reported	Enf. Action:	Not Reported
System Name:	WARWICK WATER WORKS		
Violation Type:	OCCT Study Recommendation		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	1995-01-01 - 1996-06-30	Analytical Value:	00000000.00
Violation ID:	9656648	Enforcement ID:	9600001E
Enforcement Date:	1997-01-04	Enf. Action:	State Compliance Achieved
System Name:	WARWICK WATER WORKS		
Violation Type:	OCCT Study Recommendation		
Contaminant:	LEAD & COPPER RULE		
Compliance Period:	1995-01-01 - 2015-12-31	Analytical Value:	0000000.000000000
Violation ID:	9656648	Enforcement ID:	96E0001
Enforcement Date:	1997-01-04	Enf. Action:	State Compliance Achieved
System Name:	WARWICK WATER WORKS		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1998-09-01 - 1998-09-30	Analytical Value:	0000000.000000000
Violation ID:	98051860	Enforcement ID:	98E00001
Enforcement Date:	1998-11-24	Enf. Action:	State Formal NOV Issued
System Name:	WARWICK WATER WORKS		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1998-09-01 - 1998-09-30	Analytical Value:	0000000.000000000
Violation ID:	98051860	Enforcement ID:	98E00002
Enforcement Date:	1998-11-24	Enf. Action:	State Public Notif Received
System Name:	WARWICK WATER WORKS		
Violation Type:	Monitoring, Repeat Minor (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1998-08-01 - 1998-08-31	Analytical Value:	0000000.000000000
Violation ID:	98051860	Enforcement ID:	98E00002
Enforcement Date:	1998-11-24	Enf. Action:	State Public Notif Received
System Name:	WARWICK WATER WORKS		
Violation Type:	MCL, Monthly (TCR)		
Contaminant:	COLIFORM (TCR)		
Compliance Period:	1998-09-01 - 1998-09-30	Analytical Value:	0000000.000000000
Violation ID:	98051860	Enforcement ID:	98E00003
Enforcement Date:	1998-11-24	Enf. Action:	State Compliance Achieved

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

ENFORCEMENT INFORMATION:

System Name:	WARWICK WATER WORKS		Analytical Value:	0000000.000000000
Violation Type:	Monitoring, Repeat Minor (TCR)		Enforcement ID:	98E00003
Contaminant:	COLIFORM (TCR)		Enf. Action:	State Compliance Achieved
Compliance Period:	1998-08-01 - 1998-08-31			
Violation ID:	98051860			
Enforcement Date:	1998-11-24			
System Name:	WARWICK WATER WORKS		Analytical Value:	0000000.000000000
Violation Type:	Monitoring, Repeat Minor (TCR)		Enforcement ID:	98E00001
Contaminant:	COLIFORM (TCR)		Enf. Action:	State Formal NOV Issued
Compliance Period:	1998-08-01 - 1998-08-31			
Violation ID:	98052882			
Enforcement Date:	1998-11-24			
System Name:	WARWICK WATER WORKS		Analytical Value:	0
Violation Type:	Monitoring, Routine Major (TCR)		Enforcement ID:	00E0001
Contaminant:	COLIFORM (TCR)		Enf. Action:	State Formal NOV Issued
Compliance Period:	2000-08-01 - 2000-08-31			
Violation ID:	9924543			
Enforcement Date:	2001-01-25			
System Name:	WARWICK WATER WORKS		Analytical Value:	0
Violation Type:	OCCT Installation/Demonstration		Enforcement ID:	Not Reported
Contaminant:	LEAD & COPPER RULE		Enf. Action:	Not Reported
Compliance Period:	1997-03-21 - 2000-03-09			
Violation ID:	9924543			
Enforcement Date:	Not Reported			
System Name:	WARWICK WATER WORKS		Analytical Value:	0
Violation Type:	OCCT Installation/Demonstration		Enforcement ID:	Not Reported
Contaminant:	LEAD & COPPER RULE		Enf. Action:	State Compliance Achieved
Compliance Period:	3/21/1997 0:00:00 - 3/9/2000 0:00:00			
Violation ID:	9924543			
Enforcement Date:	3/9/2000 0:00:00			

B5
SW
0 - 1/8 Mile
Lower

PA WELLS PA1000000054298

WELLID:	Not Reported	LOCALWELLN:	5520N
COUNTY:	CHESTER		
AAPG:	231DIBS		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	100		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	02040203		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.17944		
LONGITUDEDD:	-75.7325		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

DEPTHTO BED: 0
DATED RILLE: Not Reported
PAGWIS ID: 107904

Construction Information:

Construction Date: 08/01/1979 00:00:00
Driller: 72
Source Cons Data: DRILLER'S RECORD
Method Cons: Not Reported
Finish: OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	44	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231DIBS		
Lithology:	LS		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: SWINEHART D
Date Ownership: Not Reported

Remarks Information:

Remark: RT=DARK GRAY LS
Remark Date: Not Reported

B6
SW
0 - 1/8 Mile
Lower

PA WELLS SPAW0063342

Well ID:	5520N	County	CHESTER
Owner's Name:	SWINEHART D	Longitude:	754357
Latitude:	401046	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	HILLSIDE
Hydrologic Unit:	02040203	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	100	Casing1 Diameter(inches):	6
Casing 1:	44	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	8-79
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	Not Reported	Yield Measurement Method:	V
Yield (gpm):	18	Test Time:	2.25
Drawdown:	Not Reported	Driller:	72
Bedrock:	Not Reported	Water Bearing Zone 2:	67
Water Bearing Zone 1:	52	Lithology:	LIMESTONE
Water Bearing Zone 3:	88	Remark:	RT=DARK GRAY LS
Municipality:	WARWICK		
Aquifer:	DIABASE DIKES AND SILLS		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

C7
NW
0 - 1/8 Mile
Lower

PA WELLS PA1000000054649

WELLID: Not Reported
COUNTY: CHESTER
AAPG: 1
TOPOGRAPHY: Not Reported
WELLDEPTH: 197
ELEVATION: 0
ELEVMETHOD: Not Reported
ACCURACYOF: Not Reported
HYDROLOGIC: Not Reported
LATLONGACCURACY: Not Reported
QUAD: POTTSTOWN
TYPEOFSITE: WELL
DATECREATE: Not Reported
DATARELIABILITY: Not Reported
SOURCE DEPTH DATA: Not Reported
MUNICIPALITY: WARWICK TWP.
LATITUDEDD: 40.1814
LONGITUDEDD: -75.7325
DEPTHTOBED: 0
DATEDRILLE: Not Reported
PAGWIS ID: 214941

LOCALWELLN: Not Reported

DATEUPDATE: Not Reported

Construction Information:

Construction Date: Not Reported
Driller: Not Reported
Source Cons Data: WELL OWNER
Method Cons: Not Reported
Finish: POROUS CONCRETE

Casing Information:

Top Of Casing: 0
Bottom Of Casing: Not Reported
Casing: STEEL
Casing Wall Thickness: Not Reported
Casing Diameter: 6

Water Use Information:

Site Use: WITHDRAWAL
Water Use: PUBLIC SUPPLY

Owner Information:

Owner: WARWICK WATER WORKS
Date Ownership: Not Reported

Remarks Information:

Remark: Population Served = 125
Remark Date: Not Reported

Other ID Information:

Other Identifier: 1150157
Other I D Assignor: PA DEP PWSID

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

C8
NW
0 - 1/8 Mile
Lower

PA WELLS PA1000000054709

WELLID:	Not Reported	LOCALWELLN:	Not Reported
COUNTY:	CHESTER		
AAPG:	1		
TOPOGRAPHY:	Not Reported		
WELLDEPTH:	390		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	Not Reported		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	Not Reported		
SOURCE DEPTH DATA:	Not Reported		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.1817		
LONGITUDEDD:	-75.7325		
DEPTHTOBED:	0		
DATEDRILLE:	Not Reported		
PAGWIS ID:	214942		

Construction Information:

Construction Date:	Not Reported
Driller:	Not Reported
Source Cons Data:	WELL OWNER
Method Cons:	Not Reported
Finish:	POROUS CONCRETE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	Not Reported	Casing Diameter:	6
Casing:	STEEL		

Water Use Information:

Site Use:	WITHDRAWAL
Water Use:	PUBLIC SUPPLY

Owner Information:

Owner:	WARWICK WATER WORKS
Date Ownership:	Not Reported

Remarks Information:

Remark:	Population Served = 125
Remark Date:	Not Reported

Other ID Information:

Other Identifier:	1150157	Other I D Assignor:	PA DEP PWSID
-------------------	---------	---------------------	--------------

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

D9
ESE
1/8 - 1/4 Mile
Higher

PA WELLS SPAW0063447

Well ID:	X 0668	County	CHESTER
Owner's Name:	JOHN YODEN	Longitude:	754336
Latitude:	401046	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	HILLSIDE
Hydrologic Unit:	Not Reported	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OTHER
Well Depth:	115	Casing1 Diameter(inches):	6
Casing 1:	27	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	00-00-69
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	Not Reported	Yield Measurement Method:	Not Reported
Yield (gpm):	12	Test Time:	Not Reported
Drawdown:	Not Reported	Driller:	0072
Bedrock:	23	Water Bearing Zone 2:	110
Water Bearing Zone 1:	90	Lithology:	Not Reported
Water Bearing Zone 3:	Not Reported	Remark:	1740
Municipality:	WARWICK		
Aquifer:	STOCKTON FORMATION		

D10
ESE
1/8 - 1/4 Mile
Higher

PA WELLS PA1000000054299

WELLID:	Not Reported	LOCALWELLN:	X 0668
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	115		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATA RELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.17944		
LONGITUDEDD:	-75.72667		
DEPTH TO BED:	23		
DATEDRILLE:	Not Reported		
PAGWIS ID:	108009		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Construction Information:

Construction Date: 01/01/1969 00:00:00
Driller: 0072
Source Cons Data: DRILLER'S RECORD
Method Cons: Not Reported
Finish: OTHER

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	27	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	O		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: JOHN YODEN
Date Ownership: Not Reported

D11
East
1/4 - 1/2 Mile
Higher

PA WELLS

PA1000000054350

WELLID:	401047075433501	LOCALWELLN:	CH 1495
COUNTY:	CHESTER		
AAPG:	231DIBS		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	112		
ELEVATION:	550		
ELEVMETHOD:	INTERPOLATED FROM TOPOGRAPHIC MAP		
ACCURACYOF:	10		
HYDROLOGIC:	02040203		
LATLONGACCURACY:	ACCURATE TO +5 SECONDS		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATA RELIABILITY:	FIELD CHECKED BY REPORTING AGENCY (PaDAg pest. survey)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.17972		
LONGITUDEDD:	-75.72639		
DEPTH TO BED:	0		
DATEDRILLE:	Not Reported		
PAGWIS ID:	12154		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency Use Section:

Agency Use of Site: OBSERVATION
 Agency Use Date: Not Reported

Construction Information:

Construction Date: 01/01/1970 00:00:00
 Driller: 0308
 Source Cons Data: OTHER/UNKNOWN/UNSPECIFIED
 Method Cons: AIR ROTARY
 Finish: OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	30	Casing Diameter:	6
Casing:	STEEL		

Geohydrologic Information:

A A P G:	231DIBS		
Lithology:	IGNEOUS (UNDIFFERENTIATED)		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use: WITHDRAWAL
 Water Use: DOMESTIC

Owner Information:

Owner: EISEMANN, S
 Date Ownership: 05/13/1970 00:00:00

Other ID Information:

Other Identifier:	1463	Other I D Assignor:	PAGS
-------------------	------	---------------------	------

D12
East
1/4 - 1/2 Mile
Higher

FED USGS USGS2165641

Agency cd:	USGS	Site no:	401047075433501
Site name:	CH 1495		
Latitude:	401047		
Longitude:	0754335	Dec lat:	40.17981957
Dec lon:	-75.72603174	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	550	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Schuylkill, Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hillside (slope)		
Site type:	Ground-water other than Spring	Date construction:	19700513
Date inventoried:	19700513	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	DIABASE DIKES AND SILLS		
Well depth:	112	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
 Water quality data end date: 0000-00-00
 Ground water data begin date: 1970-05-01
 Ground water data count: 1

Water quality data begin date: 0000-00-00
 Water quality data count: 0
 Ground water data end date: 1970-05-01

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1970-05-01	40.00	

E13
North
1/4 - 1/2 Mile
Higher

PA WELLS PA1000000055136

WELLID:	Not Reported	LOCALWELLN:	X 1463
COUNTY:	CHESTER		
AAPG:	000GBBR		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	112		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATA RELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.18417		
LONGITUDEDD:	-75.73167		
DEPTH TO BED:	55		
DATEDRILLE:	Not Reported		
PAGWIS ID:	108039		

Construction Information:

Construction Date: 01/01/1970 00:00:00
 Driller: 0308
 Source Cons Data: DRILLER'S RECORD
 Method Cons: Not Reported
 Finish: OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	30	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	000GBBR		
Lithology:	O		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: EISEMANN MRS
Date Ownership: Not Reported

E14

North
1/4 - 1/2 Mile
Higher

PA WELLS

SPAW0063477

Well ID:	X 1463	County:	CHESTER
Owner's Name:	EISEMANN MRS	Longitude:	754354
Latitude:	401103	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	HILLSIDE
Hydrologic Unit:	Not Reported	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	112	Casing1 Diameter(inches):	6
Casing 1:	30	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	00-00-70
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	40	Yield Measurement Method:	Not Reported
Yield (gpm):	10	Test Time:	Not Reported
Drawdown:	Not Reported	Driller:	0308
Bedrock:	55	Water Bearing Zone 2:	Not Reported
Water Bearing Zone 1:	37	Lithology:	OTHER
Water Bearing Zone 3:	Not Reported	Remark:	1740
Municipality:	WARWICK		
Aquifer:	GABBRO/GABBROIC GNEISS		

15

NNE
1/4 - 1/2 Mile
Higher

FED USGS

USGS2165584

Agency cd:	USGS	Site no:	401104075434301
Site name:	CH 6496		
Latitude:	401103.65	Dec lat:	40.18434722
Longitude:	0754342.70	Coor meth:	G
Dec lon:	-75.72852778	Latlong datum:	NAD83
Coor accr:	5	District:	42
Dec latlong datum:	NAD83	County:	029
State:	42	Land net:	Not Reported
Country:	US	Map scale:	24000
Location map:	POTTSTOWN	Altitude method:	G
Altitude:	494.32	Altitude datum:	NAVD88
Altitude accuracy:	1		
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hillside (slope)		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	DIABASE DIKES AND SILLS		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	444200342
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
Water quality data end date: 2001-08-07
Ground water data begin date: 0000-00-00
Ground water data count: 0

Water quality data begin date: 2001-08-07
Water quality data count: 1
Ground water data end date: 0000-00-00

Ground-water levels, Number of Measurements: 0

F16
NE
1/4 - 1/2 Mile
Higher

PA WELLS PA1000000055097

WELLID:	Not Reported	LOCALWELLN:	X 1885
COUNTY:	CHESTER		
AAPG:	231DIBS		
TOPOGRAPHY:	Not Reported		
WELLDEPTH:	221		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.18389		
LONGITUDEDD:	-75.72722		
DEPTHTOBED:	22		
DATEDRILLE:	Not Reported		
PAGWIS ID:	108066		

Construction Information:

Construction Date:	Not Reported
Driller:	0248
Source Cons Data:	DRILLER'S RECORD
Method Cons:	Not Reported
Finish:	OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	27	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231DIBS		
Lithology:	GN		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use:	WITHDRAWAL
Water Use:	DOMESTIC

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Owner Information:

Owner: FR CREEK DEV CO
Date Ownership: Not Reported

F17
NE
1/4 - 1/2 Mile
Higher

PA WELLS SPAW0063504

Well ID:	X 1885	County	CHESTER
Owner's Name:	FR CREEK DEV CO	Longitude:	754338
Latitude:	401102	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	Not Reported
Hydrologic Unit:	Not Reported	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	221	Casing1 Diameter(inches):	6
Casing 1:	27	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	00-00-00
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	17	Yield Measurement Method:	1
Yield (gpm):	4	Test Time:	1
Drawdown:	203	Driller:	0248
Bedrock:	22	Water Bearing Zone 2:	120
Water Bearing Zone 1:	24	Lithology:	GRANITE
Water Bearing Zone 3:	Not Reported	Remark:	1740
Municipality:	WARWICK		
Aquifer:	DIABASE DIKES AND SILLS		

18
North
1/4 - 1/2 Mile
Higher

FED USGS USGS2165615

Agency cd:	USGS	Site no:	401107075435801
Site name:	CH 5703		
Latitude:	401107.30	Dec lat:	40.18536111
Longitude:	0754355.78	Coor meth:	G
Dec lon:	-75.73216111	Latlong datum:	NAD83
Coor accr:	5	District:	42
Dec latlong datum:	NAD83	County:	029
State:	42	Land net:	Not Reported
Country:	US	Map scale:	24000
Location map:	POTTSTOWN	Altitude method:	M
Altitude:	420	Altitude datum:	NGVD29
Altitude accuracy:	5		
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	1971
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	ALLUVIUM		
Well depth:	63.3	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)	Project number:	444200241
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
 Water quality data end date: 2001-08-13
 Ground water data begin date: 1998-09-16
 Ground water data count: 2

Water quality data begin date: 2001-08-13
 Water quality data count: 1
 Ground water data end date: 2001-08-13

Ground-water levels, Number of Measurements: 2

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2001-08-13	9.80		1998-09-16	10.71	

G19
North
1/4 - 1/2 Mile
Higher

PA WELLS PA1000000055384

WELLID:	Not Reported	LOCALWELLN:	X 1451
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	125		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATA RELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.18556		
LONGITUDEDD:	-75.73028		
DEPTH TO BED:	60		
DATEDRILLE:	Not Reported		
PAGWIS ID:	108028		

Construction Information:

Construction Date: 01/01/1970 00:00:00
 Driller: 0308
 Source Cons Data: DRILLER'S RECORD
 Method Cons: Not Reported
 Finish: OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	66	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	SS		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: CONAWAY RICHARD
Date Ownership: Not Reported

G20
North
1/4 - 1/2 Mile
Higher

PA WELLS SPAW0063466

Well ID:	X 1451	County	CHESTER
Owner's Name:	CONAWAY RICHARD	Longitude:	754349
Latitude:	401108	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	HILLSIDE
Hydrologic Unit:	Not Reported	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	125	Casing1 Diameter(inches):	6
Casing 1:	66	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	00-00-70
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	30	Yield Measurement Method:	Not Reported
Yield (gpm):	12	Test Time:	Not Reported
Drawdown:	Not Reported	Driller:	0308
Bedrock:	60	Water Bearing Zone 2:	110
Water Bearing Zone 1:	75	Lithology:	SANDSTONE
Water Bearing Zone 3:	Not Reported	Remark:	1740
Municipality:	WARWICK		
Aquifer:	STOCKTON FORMATION		

H21
SSE
1/4 - 1/2 Mile
Lower

PA WELLS SPAW0063382

Well ID:	7185N	County	CHESTER
Owner's Name:	SWINEHART D	Longitude:	754341
Latitude:	401030	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	ELVERSON	Topographic Setting:	HILLSIDE
Hydrologic Unit:	02040203	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	130	Casing1 Diameter(inches):	6
Casing 1:	25	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	8-79
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	Not Reported	Yield Measurement Method:	V
Yield (gpm):	10	Test Time:	4.5
Drawdown:	Not Reported	Driller:	72
Bedrock:	Not Reported	Water Bearing Zone 2:	122
Water Bearing Zone 1:	64	Lithology:	LIMESTONE
Water Bearing Zone 3:	Not Reported	Remark:	RT=HARD GRAY ROCK OR LS
Municipality:	WARWICK		
Aquifer:	DIABASE DIKES AND SILLS		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

H22

SSE

1/4 - 1/2 Mile

Lower

PA WELLS

PA1000000053662

WELLID:	Not Reported	LOCALWELLN:	7185N
COUNTY:	CHESTER		
AAPG:	231DIBS		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	130		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	02040203		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	ELVERSON		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.175		
LONGITUDEDD:	-75.72806		
DEPTHTOBED:	0		
DATEDRILLE:	Not Reported		
PAGWIS ID:	107944		

Construction Information:

Construction Date:	08/01/1979 00:00:00
Driller:	72
Source Cons Data:	DRILLER'S RECORD
Method Cons:	Not Reported
Finish:	OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	25	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231DIBS		
Lithology:	LS		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use:	WITHDRAWAL
Water Use:	DOMESTIC

Owner Information:

Owner:	SWINEHART D
Date Ownership:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Remarks Information:

Remark: RT=HARD GRAY ROCK OR LS
Remark Date: Not Reported

23
WNW
1/4 - 1/2 Mile
Higher

FED USGS USGS2165550

Agency cd:	USGS	Site no:	401100075441601
Site name:	CH 6284		
Latitude:	401100		
Longitude:	0754416	Dec lat:	40.18343019
Dec lon:	-75.73742088	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	550	Altitude method:	M
Altitude accuracy:	5	Altitude datum:	NGVD29
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hillside (slope)		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	20010501	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Unconfined single aquifer		
Aquifer:	DIABASE DIKES AND SILLS		
Well depth:	80	Hole depth:	80
Source of depth data:	other reported	Project number:	444232500
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	2001-05-01	Ground water data end date:	2001-09-17
Ground water data count:	3		

Ground-water levels, Number of Measurements: 3

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2001-09-17	20.96		2001-09-11	19.81	
2001-05-01	12.03				

H24
SSE
1/4 - 1/2 Mile
Lower

PA WELLS PA1000000053612

WELLID:	Not Reported	LOCALWELLN:	5517N
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	400		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	02040203		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

LATLONGACCURACY: ACCURATE TO +1 MINUTE
QUAD: POTTSTOWN
TYPEOFSITE: WELL
DATECREATE: Not Reported DATEUPDATE: Not Reported
DATARELIABILITY: LOCATION MAY NOT BE ACCURATE (WWI paper)
SOURCE DEPTH DATA: DRILLER'S RECORD
MUNICIPALITY: WARWICK TWP.
LATITUDEDD: 40.17472
LONGITUDEDD: -75.72806
DEPTHTOBED: 17
DATEDRILLE: Not Reported
PAGWIS ID: 107902

Construction Information:

Construction Date: 11/01/1977 00:00:00
Driller: 188
Source Cons Data: DRILLER'S RECORD
Method Cons: Not Reported
Finish: OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	21.75	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	O		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: PATWIL INC
Date Ownership: Not Reported

Remarks Information:

Remark: WBZ4=385; RT=TRAPP ROCK
Remark Date: Not Reported

H25
SSE
1/4 - 1/2 Mile
Lower

PA WELLS SPAW0063340

Well ID:	5517N	County	CHESTER
Owner's Name:	PATWIL INC	Longitude:	754341
Latitude:	401029	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	HILLSIDE
Hydrologic Unit:	02040203	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	400	Casing1 Diameter(inches):	6
Casing 1:	21.75	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Grouted:	Not Reported	Date Drilled:	11-77
Static Water Level:	260	Production WL:	400
Yield (gpm):	4	Yield Measurement Method:	V
Drawdown:	140	Test Time:	0.5
Bedrock:	17	Driller:	188
Water Bearing Zone 1:	90	Water Bearing Zone 2:	345
Water Bearing Zone 3:	360	Lithology:	OTHER
Municipality:	WARWICK	Remark:	WBZ4=385; RT=TRAPP ROCK
Aquifer:	STOCKTON FORMATION		

26
NE
1/4 - 1/2 Mile
Higher

FED USGS USGS2165583

Agency cd:	USGS	Site no:	401104075432801
Site name:	CH 4882		
Latitude:	401104		
Longitude:	0754328	Dec lat:	40.18454159
Dec lon:	-75.72408658	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	545	Altitude method:	M
Altitude accuracy:	5	Altitude datum:	NGVD29
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hilltop		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	DIABASE DIKES AND SILLS		
Well depth:	79	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)	Project number:	444200241
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1998-11-06	Ground water data end date:	1998-11-06
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1998-11-06	21.26	

127
South
1/4 - 1/2 Mile
Lower

PA WELLS PA1000000053432

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

WELLID:	Not Reported	LOCALWELLN:	X 1454
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	93		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.17361		
LONGITUDEDD:	-75.73028		
DEPTHTOBED:	30		
DATEDRILLE:	Not Reported		
PAGWIS ID:	108031		

Construction Information:

Construction Date:	01/01/1970 00:00:00
Driller:	0308
Source Cons Data:	DRILLER'S RECORD
Method Cons:	Not Reported
Finish:	OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	49	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	SS		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use:	WITHDRAWAL
Water Use:	DOMESTIC

Owner Information:

Owner:	STEALY JACK
Date Ownership:	Not Reported

I28
South
1/4 - 1/2 Mile
Lower

PA WELLS SPAW0063469

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well ID:	X 1454	County	CHESTER
Owner's Name:	STEARLY JACK	Longitude:	754349
Latitude:	401025	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	HILLSIDE
Hydrologic Unit:	Not Reported	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	93	Casing1 Diameter(inches):	6
Casing 1:	49	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	00-00-70
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	8	Yield Measurement Method:	Not Reported
Yield (gpm):	12	Test Time:	Not Reported
Drawdown:	Not Reported	Driller:	0308
Bedrock:	30	Water Bearing Zone 2:	78
Water Bearing Zone 1:	60	Lithology:	SANDSTONE
Water Bearing Zone 3:	Not Reported	Remark:	1740
Municipality:	WARWICK		
Aquifer:	STOCKTON FORMATION		

J29
ESE
1/4 - 1/2 Mile
Higher

PA WELLS PA1000000054006

WELLID:	Not Reported	LOCALWELLN:	Not Reported
COUNTY:	CHESTER		
AAPG:	1		
TOPOGRAPHY:	Not Reported		
WELLDEPTH:	405		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	Not Reported		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATA RELIABILITY:	Not Reported		
SOURCE DEPTH DATA:	Not Reported		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.1775		
LONGITUDEDD:	-75.7231		
DEPTH TO BED:	0		
DATEDRILLE:	Not Reported		
PAGWIS ID:	214895		

Construction Information:

Construction Date:	Not Reported
Driller:	Not Reported
Source Cons Data:	WELL OWNER
Method Cons:	Not Reported
Finish:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	42	Casing Diameter:	6
Casing:	STEEL		

Water Use Information:

Site Use:	WITHDRAWAL
Water Use:	PUBLIC SUPPLY

Owner Information:

Owner:	WARWICK MOBILE HOME PARK
Date Ownership:	Not Reported

Remarks Information:

Remark:	Population Served = 62
Remark Date:	Not Reported

Other ID Information:

Other Identifier:	1150081	Other I D Assignor:	PA DEP PWSID
-------------------	---------	---------------------	--------------

**J30
ESE
1/4 - 1/2 Mile
Higher**

FED USGS USGS2165784

Agency cd:	USGS	Site no:	401040075432201
Site name:	CH 6652		
Latitude:	401040		
Longitude:	0754322	Dec lat:	40.17787532
Dec lon:	-75.72242065	Coor meth:	U
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	465	Altitude method:	M
Altitude accuracy:	5	Altitude datum:	NGVD29
Hydrologic:	Schuylkill, Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hillside (slope)		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	STOCKTON FORMATION		
Well depth:	405	Hole depth:	Not Reported
Source of depth data:	other government (other than USGS)	Object number:	444232500
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

K31
NE
1/2 - 1 Mile
Higher

PA WELLS PA1000000055495

WELLID:	Not Reported	LOCALWELLN:	X 0681
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLTOP		
WELLDEPTH:	154		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.18639		
LONGITUDEDD:	-75.72472		
DEPTHTOBED:	23		
DATEDRILLE:	Not Reported		
PAGWIS ID:	108022		

Construction Information:

Construction Date:	01/01/1967 00:00:00
Driller:	0308
Source Cons Data:	DRILLER'S RECORD
Method Cons:	Not Reported
Finish:	Not Reported

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	23	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	GN		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use:	WITHDRAWAL
Water Use:	PUBLIC SUPPLY

Owner Information:

Owner:	KNAUER DAVID
Date Ownership:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

K32
NE
1/2 - 1 Mile
Higher

PA WELLS SPAW0063460

Well ID:	X 0681	County	CHESTER
Owner's Name:	KNAUER DAVID	Longitude:	754329
Latitude:	401111	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	HILLTOP
Hydrologic Unit:	Not Reported	Site Usage:	WITHDRAWAL
Water Usage:	PUBLIC SUPPLY	Finish:	Not Reported
Well Depth:	154	Casing1 Diameter(inches):	6
Casing 1:	23	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	00-00-67
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	25	Yield Measurement Method:	6
Yield (gpm):	10	Test Time:	Not Reported
Drawdown:	Not Reported	Driller:	0308
Bedrock:	23	Water Bearing Zone 2:	30
Water Bearing Zone 1:	27	Lithology:	GRANITE
Water Bearing Zone 3:	45	Remark:	1740
Municipality:	WARWICK		
Aquifer:	STOCKTON FORMATION		

33
NNE
1/2 - 1 Mile
Higher

FED USGS USGS2165488

Agency cd:	USGS	Site no:	401116075433901
Site name:	CH 4868		
Latitude:	401116	Dec lat:	40.18787466
Longitude:	0754339	Coor meth:	M
Dec lon:	-75.7271419	Latlong datum:	NAD27
Coor accr:	S	District:	42
Dec latlong datum:	NAD83	County:	029
State:	42	Land net:	Not Reported
Country:	US	Map scale:	24000
Location map:	POTTSTOWN	Altitude method:	M
Altitude:	450	Altitude datum:	NGVD29
Altitude accuracy:	5		
Hydrologic:	Schuylkill, Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19961018
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	STOCKTON FORMATION		
Well depth:	417	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	444200241
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
 Water quality data end date: 0000-00-00
 Ground water data begin date: 1998-10-16
 Ground water data count: 1

Water quality data begin date: 0000-00-00
 Water quality data count: 0
 Ground water data end date: 1998-10-16

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1998-10-16	22.40	

L34
SSE
1/2 - 1 Mile
Lower

FED USGS USGS2165883

Agency cd:	USGS	Site no:	401021075434201
Site name:	CH 2258		
Latitude:	401021		
Longitude:	0754342	Dec lat:	40.17259769
Dec lon:	-75.72797723	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	305	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19700710
Date inventoried:	19700710	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	STOCKTON FORMATION		
Well depth:	93.0	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1970-07-10	Ground water data end date:	1970-07-10
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1970-07-10	8.00	

L35
SSE
1/2 - 1 Mile
Lower

PA WELLS PA1000000053266

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

WELLID: 401021075434201 LOCALWELLN: CH 2258
COUNTY: CHESTER
AAPG: 231SCKN
TOPOGRAPHY: VALLEY FLAT
WELLDEPTH: 93
ELEVATION: 310
ELEVMETHOD: INTERPOLATED FROM TOPOGRAPHIC MAP
ACCURACYOF: 10
HYDROLOGIC: 02040203
LATLONGACCURACY: ACCURATE TO +5 SECONDS
QUAD: POTTSTOWN
TYPEOFSITE: WELL
DATECREATE: Not Reported DATEUPDATE: Not Reported
DATA RELIABILITY: FIELD CHECKED BY REPORTING AGENCY (PaDAg pest. survey)
SOURCE DEPTH DATA: DRILLER'S RECORD
MUNICIPALITY: WARWICK TWP.
LATITUDEDD: 40.1725
LONGITUDEDD: -75.72833
DEPTH TO BED: 0
DATEDRILLE: Not Reported
PAGWIS ID: 12109

Agency Use Section:

Agency Use of Site: OBSERVATION
Agency Use Date: Not Reported

Construction Information:

Construction Date: 01/01/1970 00:00:00
Driller: 0308
Source Cons Data: OTHER/UNKNOWN/UNSPECIFIED
Method Cons: AIR ROTARY
Finish: OPEN HOLE

Casing Information:

Top Of Casing: 0 Casing Wall Thickness: Not Reported
Bottom Of Casing: 49 Casing Diameter: 6
Casing: STEEL

Geohydrologic Information:

A A P G: 231SCKN
Lithology: SANDSTONE
Contributing Unit: PRIMARY
Top Of Interval: Not Reported Bottom Of Interval: Not Reported

A A P G: 231DIBS
Lithology: IGNEOUS (UNDIFFERENTIATED)
Contributing Unit: SECONDARY
Top Of Interval: Not Reported Bottom Of Interval: Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: STEARLY, J
Date Ownership: 07/10/1970 00:00:00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Other ID Information:

Other Identifier:	WARWICK TWP	Other I D Assignor:	MCD PAN
Other Identifier:	1454	Other I D Assignor:	PAGS

M36
North
1/2 - 1 Mile
Higher

PA WELLS PA1000000055751

WELLID:	401118075434501	LOCALWELLN:	CH 2256
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	VALLEY FLAT		
WELLDEPTH:	75		
ELEVATION:	430		
ELEVMETHOD:	INTERPOLATED FROM TOPOGRAPHIC MAP		
ACCURACYOF:	10		
HYDROLOGIC:	02040203		
LATLONGACCURACY:	ACCURATE TO +5 SECONDS		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATA RELIABILITY:	FIELD CHECKED BY REPORTING AGENCY (PaDAg pest. survey)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.18833		
LONGITUDEDD:	-75.72917		
DEPTH TO BED:	0		
DATEDRILLE:	Not Reported		
PAGWIS ID:	12212		

Agency Use Section:

Agency Use of Site:	OBSERVATION
Agency Use Date:	Not Reported

Construction Information:

Construction Date:	01/01/1967 00:00:00
Driller:	1014
Source Cons Data:	OTHER/UNKNOWN/UNSPECIFIED
Method Cons:	AIR ROTARY
Finish:	OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	42	Casing Diameter:	7
Casing:	STEEL		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	SANDSTONE		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: BITLER, G
Date Ownership: 09/19/1967 00:00:00

Other ID Information:

Other Identifier: 676 Other I D Assignor: PAPS

M37

NNE

1/2 - 1 Mile
Higher

FED USGS USGS2165514

Agency cd:	USGS	Site no:	401118075434501
Site name:	CH 2256		
Latitude:	401118		
Longitude:	0754345	Dec lat:	40.18843014
Dec lon:	-75.7288086	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	428	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19670919
Date inventoried:	19670919	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	STOCKTON FORMATION		
Well depth:	75	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

N38

NE

1/2 - 1 Mile
Higher

PA WELLS SPAW0063459

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well ID:	X 0680	County	CHESTER
Owner's Name:	KNAUER DAVID	Longitude:	754321
Latitude:	401109	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	HILLTOP
Hydrologic Unit:	Not Reported	Site Usage:	WITHDRAWAL
Water Usage:	PUBLIC SUPPLY	Finish:	Not Reported
Well Depth:	200	Casing1 Diameter(inches):	6
Casing 1:	40	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	00-00-67
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	Not Reported	Yield Measurement Method:	6
Yield (gpm):	4	Test Time:	Not Reported
Drawdown:	Not Reported	Driller:	0308
Bedrock:	40	Water Bearing Zone 2:	Not Reported
Water Bearing Zone 1:	Not Reported	Lithology:	GRANITE
Water Bearing Zone 3:	Not Reported	Remark:	1740
Municipality:	WARWICK		
Aquifer:	STOCKTON FORMATION		

N39
NE
1/2 - 1 Mile
Higher

PA WELLS PA1000000055421

WELLID:	Not Reported	LOCALWELLN:	X 0680
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLTOP		
WELLDEPTH:	200		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.18583		
LONGITUDEDD:	-75.7225		
DEPTHTOBED:	40		
DATEDRILLE:	Not Reported		
PAGWIS ID:	108021		

Construction Information:

Construction Date:	01/01/1967 00:00:00
Driller:	0308
Source Cons Data:	DRILLER'S RECORD
Method Cons:	Not Reported
Finish:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	40	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	GN		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use:	WITHDRAWAL
Water Use:	PUBLIC SUPPLY

Owner Information:

Owner:	KNAUER DAVID
Date Ownership:	Not Reported

O40
NNE
1/2 - 1 Mile
Higher

PA WELLS PA1000000055709

WELLID:	Not Reported	LOCALWELLN:	X 0676
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	VALLEY FLAT		
WELLDEPTH:	75		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.18806		
LONGITUDEDD:	-75.72611		
DEPTHTOBED:	38		
DATEDRILLE:	Not Reported		
PAGWIS ID:	108017		

Construction Information:

Construction Date:	01/01/1967 00:00:00
Driller:	1014
Source Cons Data:	DRILLER'S RECORD
Method Cons:	Not Reported
Finish:	OPEN HOLE

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing Information:

Top Of Casing: 0
Bottom Of Casing: 42
Casing: Not Reported

Casing Wall Thickness: Not Reported
Casing Diameter: 7

Geohydrologic Information:

A A P G: 231SCKN
Lithology: O
Contributing Unit: PRIMARY
Top Of Interval: Not Reported

Bottom Of Interval: Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: BITLER GEORGE
Date Ownership: Not Reported

O41
NNE
1/2 - 1 Mile
Higher

PA WELLS SPAW0063455

Well ID: X 0676
Owner's Name: BITLER GEORGE
Latitude: 401117
Quadrangle: POTTSTOWN
Hydrologic Unit: Not Reported
Water Usage: DOMESTIC
Well Depth: 75
Casing 1: 42
Casing2: Not Reported
Grouted: Not Reported
Static Water Level: Not Reported
Yield (gpm): 15
Drawdown: Not Reported
Bedrock: 38
Water Bearing Zone 1: 47
Water Bearing Zone 3: Not Reported
Municipality: WARWICK
Aquifer: STOCKTON FORMATION

County: CHESTER
Longitude: 754334
Lat/Long Accuracy: ACCURATE TO +1 MINUTE
Topographic Setting: VALLEY FLAT
Site Usage: WITHDRAWAL
Finish: OPEN HOLE
Casing1 Diameter(inches): 7
Casing2 Diameter(inches): Not Reported
Date Drilled: 00-00-67
Production WL: Not Reported
Yield Measurement Method: 6
Test Time: Not Reported
Driller: 1014
Water Bearing Zone 2: 68
Lithology: Not Reported
Remark: 1740

L42
SSE
1/2 - 1 Mile
Lower

PA WELLS SPAW0063343

Well ID: 5521N
Owner's Name: SWINEHART D
Latitude: 401018
Quadrangle: POTTSTOWN
Hydrologic Unit: 02040203
Water Usage: DOMESTIC
Well Depth: 100
Casing 1: 32
Casing2: Not Reported

County: CHESTER
Longitude: 754342
Lat/Long Accuracy: ACCURATE TO +1 MINUTE
Topographic Setting: FLAT SURFACE
Site Usage: WITHDRAWAL
Finish: OPEN HOLE
Casing1 Diameter(inches): 6
Casing2 Diameter(inches): Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Grouted:	Not Reported	Date Drilled:	8-80
Static Water Level:	Not Reported	Production WL:	12
Yield (gpm):	12	Yield Measurement Method:	V
Drawdown:	Not Reported	Test Time:	1.75
Bedrock:	30	Driller:	72
Water Bearing Zone 1:	48	Water Bearing Zone 2:	64
Water Bearing Zone 3:	92	Lithology:	SANDSTONE
Municipality:	WARWICK	Remark:	RT=LT BLUE SS
Aquifer:	STOCKTON FORMATION		

P43
SSE
1/2 - 1 Mile
Lower

FED USGS USGS2165876

Agency cd:	USGS	Site no:	401020075433501
Site name:	CH 1483		
Latitude:	401020		
Longitude:	0754335	Dec lat:	40.17231997
Dec lon:	-75.72603269	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	314	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hillside (slope)		
Site type:	Ground-water other than Spring	Date construction:	19710217
Date inventoried:	19710217	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	STOCKTON FORMATION		
Well depth:	108	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1974-10-25
Water quality data end date:	1987-08-21	Water quality data count:	5
Ground water data begin date:	1974-04-01	Ground water data end date:	1974-04-01
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

	Feet below	Feet to
Date	Surface	Sealevel

1974-04-01	17.00	

O44
NNE
1/2 - 1 Mile
Higher

FED USGS USGS2165504

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	401117075433201
Site name:	CH 1494		
Latitude:	401117		
Longitude:	0754332	Dec lat:	40.18815248
Dec lon:	-75.7251973	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	476	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Schuylkill, Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hillside (slope)		
Site type:	Ground-water other than Spring	Date construction:	19700817
Date inventoried:	19700817	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	STOCKTON FORMATION		
Well depth:	125	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1970-08-17	Ground water data end date:	1970-08-17
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1970-08-17	30.00	

P45
SSE
1/2 - 1 Mile
Lower

PA WELLS PA1000000053237

WELLID:	401020075433501	LOCALWELLN:	CH 1483
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	108		
ELEVATION:	310		
ELEVMETHOD:	INTERPOLATED FROM TOPOGRAPHIC MAP		
ACCURACYOF:	10		
HYDROLOGIC:	02040203		
LATLONGACCURACY:	ACCURATE TO +1 SECOND		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	FIELD CHECKED BY REPORTING AGENCY (PaDAg pest. survey)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.17222		
LONGITUDEDD:	-75.72639		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

DEPTHTO BED: 0
DATED RILLE: Not Reported
PAGWIS ID: 12108

Agency Use Section:

Agency Use of Site: OBSERVATION
Agency Use Date: Not Reported

Construction Information:

Construction Date: 01/01/1971 00:00:00
Driller: 0308
Source Cons Data: OTHER/UNKNOWN/UNSPECIFIED
Method Cons: AIR ROTARY
Finish: OPEN HOLE

Casing Information:

Top Of Casing: 0 Casing Wall Thickness: Not Reported
Bottom Of Casing: 45 Casing Diameter: 6
Casing: STEEL

Geohydrologic Information:

A A P G: 231SCKN
Lithology: SANDSTONE AND SHALE
Contributing Unit: PRIMARY
Top Of Interval: Not Reported Bottom Of Interval: Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: NOBLE, J
Date Ownership: 02/17/1971 00:00:00

Other ID Information:

Other Identifier: 1448 Other I D Assignor: PAGS

O46

NNE

1/2 - 1 Mile
Higher

PA WELLS

PA1000000055710

WELLID: 401117075433201 LOCALWELLN: CH 1494
COUNTY: CHESTER
AAPG: 231SCKN
TOPOGRAPHY: HILLSIDE
WELLDEPTH: 125
ELEVATION: 480
ELEVMETHOD: INTERPOLATED FROM TOPOGRAPHIC MAP
ACCURACYOF: 10
HYDROLOGIC: 02040203
LATLONGACCURACY: ACCURATE TO +1 SECOND
QUAD: POTTSTOWN
TYPEOFSITE: WELL
DATECREATE: Not Reported DATEUPDATE: Not Reported
DATARELIABILITY: FIELD CHECKED BY REPORTING AGENCY (PaDAg pest. survey)
SOURCE DEPTH DATA: DRILLER'S RECORD
MUNICIPALITY: WARWICK TWP.
LATITUDEDD: 40.18806
LONGITUDEDD: -75.72556

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

DEPTHTO BED: 0
DATED RILLE: Not Reported
PAGWIS ID: 12210

Agency Use Section:
Agency Use of Site: OBSERVATION
Agency Use Date: Not Reported

Construction Information:
Construction Date: 01/01/1970 00:00:00
Driller: 0308
Source Cons Data: OTHER/UNKNOWN/UNSPECIFIED
Method Cons: AIR ROTARY
Finish: OPEN HOLE

Casing Information:
Top Of Casing: 0
Bottom Of Casing: 66
Casing: STEEL
Casing Wall Thickness: Not Reported
Casing Diameter: 6

Geohydrologic Information:
A A P G: 231SCKN
Lithology: SANDSTONE
Contributing Unit: PRIMARY
Top Of Interval: Not Reported
Bottom Of Interval: Not Reported

Water Use Information:
Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:
Owner: CONAWAY, R
Date Ownership: 08/17/1970 00:00:00

Other ID Information:
Other Identifier: 1451
Other I D Assignor: PAGS

**L47
SSE
1/2 - 1 Mile
Lower**

PA WELLS PA1000000053160

WELLID: Not Reported
COUNTY: CHESTER
AAPG: 231SCKN
TOPOGRAPHY: FLAT SURFACE
WELLDEPTH: 100
ELEVATION: 0
ELEVMETHOD: Not Reported
ACCURACYOF: Not Reported
HYDROLOGIC: 02040203
LATLONGACCURACY: ACCURATE TO +1 MINUTE
QUAD: POTTSTOWN
TYPEOFSITE: WELL
DATECREATE: Not Reported
DATEUPDATE: Not Reported
DATEARELIABILITY: LOCATION MAY NOT BE ACCURATE (WWI paper)
SOURCE DEPTH DATA: DRILLER'S RECORD
MUNICIPALITY: WARWICK TWP.
LATITUDEDD: 40.17167
LONGITUDEDD: -75.72833

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

DEPTHTO BED: 30
 DATEDRILLE: Not Reported
 PAGWIS ID: 107905

Construction Information:

Construction Date: 08/01/1980 00:00:00
 Driller: 72
 Source Cons Data: DRILLER'S RECORD
 Method Cons: Not Reported
 Finish: OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	32	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	SS		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use: WITHDRAWAL
 Water Use: DOMESTIC

Owner Information:

Owner: SWINEHART D
 Date Ownership: Not Reported

Remarks Information:

Remark: RT=LT BLUE SS
 Remark Date: Not Reported

Q48
ENE
1/2 - 1 Mile
Higher

FED USGS USGS2165703

Agency cd:	USGS	Site no:	401056075431101
Site name:	CH 2321		
Latitude:	401056		
Longitude:	0754311	Dec lat:	40.18231961
Dec lon:	-75.71936434	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	565	Altitude method:	M
Altitude accuracy:	5	Altitude datum:	NGVD29
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hilltop		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	DIABASE DIKES AND SILLS		
Well depth:	92	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
Water quality data end date: 1983-09-08
Ground water data begin date: 0000-00-00
Ground water data count: 0

Water quality data begin date: 1975-04-01
Water quality data count: 2
Ground water data end date: 0000-00-00

Ground-water levels, Number of Measurements: 0

Q49
ENE
1/2 - 1 Mile
Higher

PA WELLS **PA1000000054784**

WELLID: 401056075431101 LOCALWELLN: CH 2321
COUNTY: CHESTER
AAPG: 231DIBS
TOPOGRAPHY: HILLTOP
WELLDEPTH: 92
ELEVATION: 565
ELEVMETHOD: INTERPOLATED FROM TOPOGRAPHIC MAP
ACCURACYOF: 5
HYDROLOGIC: 02040203
LATLONGACCURACY: ACCURATE TO +1 SECOND
QUAD: POTTSTOWN
TYPEOFSITE: WELL
DATECREATE: Not Reported DATEUPDATE: Not Reported
DATA RELIABILITY: FIELD CHECKED BY REPORTING AGENCY (PaDAg pest. survey)
SOURCE DEPTH DATA: DRILLER'S RECORD
MUNICIPALITY: WARWICK TWP.
LATITUDEDD: 40.18222
LONGITUDEDD: -75.71972
DEPTH TO BED: 0
DATEDRILLE: Not Reported
PAGWIS ID: 12171

Agency Use Section:

Agency Use of Site: OBSERVATION
Agency Use Date: Not Reported

Construction Information:

Construction Date: Not Reported
Driller: 0188
Source Cons Data: OTHER/UNKNOWN/UNSPECIFIED
Method Cons: OTHER/UNKNOWN
Finish: OPEN HOLE

Geohydrologic Information:

A A P G: 231DIBS
Lithology: IGNEOUS (UNDIFFERENTIATED)
Contributing Unit: PRIMARY
Top Of Interval: Not Reported Bottom Of Interval: Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Owner Information:

Owner: WHITE, E
Date Ownership: 12/31/1969 00:00:00

O50
NNE
1/2 - 1 Mile
Higher

FED USGS USGS2165503

Agency cd:	USGS	Site no:	401117075433001
Site name:	CH 3107		
Latitude:	401117		
Longitude:	0754330	Dec lat:	40.18815249
Dec lon:	-75.72464171	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	485	Altitude method:	M
Altitude accuracy:	5	Altitude datum:	NGVD29
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hillside (slope)		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	STOCKTON FORMATION		
Well depth:	Not Reported	Hole depth:	Not Reported
Source of depth data:	Not Reported	Project number:	444240300
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	1987-08-21
Water quality data end date:	1987-08-21	Water quality data count:	3
Ground water data begin date:	0000-00-00	Ground water data end date:	0000-00-00
Ground water data count:	0		

Ground-water levels, Number of Measurements: 0

O51
NNE
1/2 - 1 Mile
Higher

PA WELLS PA1000000055711

WELLID:	401117075433001	LOCALWELLN:	CH 3107
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	0		
ELEVATION:	485		
ELEVMETHOD:	INTERPOLATED FROM TOPOGRAPHIC MAP		
ACCURACYOF:	5		
HYDROLOGIC:	02040203		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

LATLONGACCURACY: ACCURATE TO +1 SECOND
 QUAD: POTTSTOWN
 TYPEOFSITE: WELL
 DATECREATE: Not Reported DATEUPDATE: Not Reported
 DATARELIABILITY: FIELD CHECKED BY REPORTING AGENCY (PaDAg pest. survey)
 SOURCE DEPTH DATA: OTHER/UNKNOWN/UNSPECIFIED
 MUNICIPALITY: WARWICK TWP.
 LATITUDEDD: 40.18806
 LONGITUDEDD: -75.725
 DEPTHTO BED: 0
 DATEDRILLE: Not Reported
 PAGWIS ID: 12209

Agency Use Section:
 Agency Use of Site: OBSERVATION
 Agency Use Date: Not Reported

Geohydrologic Information:
 A A P G: 231SCKN
 Lithology: UNKNOWN
 Contributing Unit: PRIMARY
 Top Of Interval: Not Reported Bottom Of Interval: Not Reported

Water Use Information:
 Site Use: WITHDRAWAL
 Water Use: DOMESTIC

Owner Information:
 Owner: HALLOCK , LILLIAN
 Date Ownership: 12/31/1979 00:00:00

R52
East
1/2 - 1 Mile
Higher

FED USGS USGS2165676

Agency cd:	USGS	Site no:	401052075430701
Site name:	CH 2396		
Latitude:	401052		
Longitude:	0754307	Dec lat:	40.18120859
Dec lon:	-75.7182533	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	570	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hilltop		
Site type:	Ground-water other than Spring	Date construction:	19771101
Date inventoried:	19771101	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	STOCKTON FORMATION		
Well depth:	400	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
Water quality data end date: 0000-00-00
Ground water data begin date: 1977-11-01
Ground water data count: 1

Water quality data begin date: 0000-00-00
Water quality data count: 0
Ground water data end date: 1977-11-01

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1977-11-01	260.00	

R53
East
1/2 - 1 Mile
Higher

PA WELLS **PA1000000054597**

WELLID:	401052075430701	LOCALWELLN:	CH 2396
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLTOP		
WELLDEPTH:	400		
ELEVATION:	570		
ELEVMETHOD:	INTERPOLATED FROM TOPOGRAPHIC MAP		
ACCURACYOF:	10		
HYDROLOGIC:	02040203		
LATLONGACCURACY:	ACCURATE TO +5 SECONDS		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATA RELIABILITY:	NOT FLD CHECKED, RPRTING AGENCY CONSIDERS IT OK (DEP WSM, WWI web)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.18111		
LONGITUDEDD:	-75.71861		
DEPTH TO BED:	0		
DATEDRILLE:	Not Reported		
PAGWIS ID:	12162		

Agency Use Section:

Agency Use of Site: OBSERVATION
Agency Use Date: Not Reported

Construction Information:

Construction Date: 11/01/1977 00:00:00
Driller: 0188
Source Cons Data: DRILLER'S RECORD
Method Cons: AIR ROTARY
Finish: OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	22	Casing Diameter:	6
Casing:	STEEL		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Hole Information:

Top Of Hole: 0
Bottom Of Hole: 400 Hole Diameter: 6

Geohydrologic Information:

A A P G: 231SCKN
Lithology: SANDSTONE
Contributing Unit: PRIMARY
Top Of Interval: 277 Bottom Of Interval: Not Reported

A A P G: 231DIBS
Lithology: DIABASE
Contributing Unit: SECONDARY
Top Of Interval: Not Reported Bottom Of Interval: Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: VERDET, J
Date Ownership: 11/01/1977 00:00:00

S54
South
1/2 - 1 Mile
Lower

PA WELLS

PA1000000052975

WELLID: 401014075434701 LOCALWELLN: CH 2257
COUNTY: CHESTER
AAPG: 231SCKN
TOPOGRAPHY: HILLSIDE
WELLDEPTH: 50
ELEVATION: 320
ELEVMETHOD: INTERPOLATED FROM TOPOGRAPHIC MAP
ACCURACYOF: 10
HYDROLOGIC: 02040203
LATLONGACCURACY: ACCURATE TO +5 SECONDS
QUAD: POTTSTOWN
TYPEOFSITE: WELL
DATECREATE: Not Reported DATEUPDATE: Not Reported
DATARELIABILITY: FIELD CHECKED BY REPORTING AGENCY (PaDAg pest. survey)
SOURCE DEPTH DATA: DRILLER'S RECORD
MUNICIPALITY: WARWICK TWP.
LATITUDEDD: 40.17056
LONGITUDEDD: -75.72972
DEPTHTOBED: 0
DATEDRILLE: Not Reported
PAGWIS ID: 12101

Agency Use Section:

Agency Use of Site: OBSERVATION
Agency Use Date: Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Construction Information:

Construction Date: 01/01/1971 00:00:00
 Driller: 0308
 Source Cons Data: OTHER/UNKNOWN/UNSPECIFIED
 Method Cons: AIR ROTARY
 Finish: OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	47	Casing Diameter:	6
Casing:	STEEL		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	SANDSTONE		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported
A A P G:	231DIBS		
Lithology:	IGNEOUS (UNDIFFERENTIATED)		
Contributing Unit:	SECONDARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use: WITHDRAWAL
 Water Use: DOMESTIC

Owner Information:

Owner: BISHOP, P
 Date Ownership: 08/07/1971 00:00:00

Other ID Information:

Other Identifier:	1464	Other I D Assignor:	PAGS
-------------------	------	---------------------	------

S55
South
1/2 - 1 Mile
Lower

FED USGS USGS2165843

Agency cd:	USGS	Site no:	401014075434701
Site name:	CH 2257		
Latitude:	401014		
Longitude:	0754347	Dec lat:	40.17065331
Dec lon:	-75.72936645	Coor meth:	M
Coor accr:	F	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	320	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hillside (slope)		
Site type:	Ground-water other than Spring	Date construction:	19710807
Date inventoried:	19710807	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	STOCKTON FORMATION		
Well depth:	50	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	Not Reported
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported
 Water quality data end date: Not Reported
 Ground water data begin date: Not Reported
 Ground water data count: Not Reported

Water quality data begin date: Not Reported
 Water quality data count: Not Reported
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

56
SSW
1/2 - 1 Mile
Higher

FED USGS USGS2165847

Agency cd:	USGS	Site no:	401015075440601
Site name:	CH 5705		
Latitude:	401015		
Longitude:	0754406	Dec lat:	40.17093094
Dec lon:	-75.73464453	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	455	Altitude method:	M
Altitude accuracy:	5	Altitude datum:	NGVD29
Hydrologic:	Schuylkill, Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hillside (slope)		
Site type:	Ground-water other than Spring	Date construction:	19880215
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	STOCKTON FORMATION		
Well depth:	207	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	444200241
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1998-09-29	Ground water data end date:	1998-09-29
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1998-09-29	88.02	

R57
East
1/2 - 1 Mile
Higher

FED USGS USGS2165675

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	401052075430601
Site name:	CH 5201		
Latitude:	401052		
Longitude:	0754306	Dec lat:	40.1812086
Dec lon:	-75.71797551	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	570	Altitude method:	M
Altitude accuracy:	5	Altitude datum:	NGVD29
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hilltop		
Site type:	Ground-water other than Spring	Date construction:	19931105
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	DIABASE DIKES AND SILLS		
Well depth:	194	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	444200241
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1998-11-30	Ground water data end date:	1998-11-30
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1998-11-30	58.20	

T58
NE
1/2 - 1 Mile
Higher

PA WELLS SPAW0063516

Well ID:	X 1897	County	CHESTER
Owner's Name:	SMITH RICHARD	Longitude:	754319
Latitude:	401115	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	Not Reported
Hydrologic Unit:	Not Reported	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	98	Casing1 Diameter(inches):	6
Casing 1:	65	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	00-00-00
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	5	Yield Measurement Method:	5
Yield (gpm):	60	Test Time:	Not Reported
Drawdown:	93	Driller:	0188
Bedrock:	55	Water Bearing Zone 2:	88
Water Bearing Zone 1:	70	Lithology:	SANDSTONE
Water Bearing Zone 3:	Not Reported	Remark:	1740
Municipality:	WARWICK		
Aquifer:	STOCKTON FORMATION		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

T59
NE
1/2 - 1 Mile
Higher

PA WELLS PA1000000055635

WELLID:	Not Reported	LOCALWELLN:	X 1897
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	Not Reported		
WELLDEPTH:	98		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATA RELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.1875		
LONGITUDEDD:	-75.72194		
DEPTH TO BED:	55		
DATEDRILLE:	Not Reported		
PAGWIS ID:	108078		

Construction Information:

Construction Date:	Not Reported
Driller:	0188
Source Cons Data:	DRILLER'S RECORD
Method Cons:	Not Reported
Finish:	OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	65	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	SS		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use:	WITHDRAWAL
Water Use:	DOMESTIC

Owner Information:

Owner:	SMITH RICHARD
Date Ownership:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

T60
NE
1/2 - 1 Mile
Higher

PA WELLS PA1000000055712

WELLID:	Not Reported	LOCALWELLN:	X 0672
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	100		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.18806		
LONGITUDEDD:	-75.7225		
DEPTHTOBED:	33		
DATEDRILLE:	Not Reported		
PAGWIS ID:	108013		

Construction Information:

Construction Date:	01/01/1968 00:00:00
Driller:	0072
Source Cons Data:	DRILLER'S RECORD
Method Cons:	Not Reported
Finish:	OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	33	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	O		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use:	WITHDRAWAL
Water Use:	DOMESTIC

Owner Information:

Owner:	SCHOLL ED
Date Ownership:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

T61
NE
1/2 - 1 Mile
Higher

PA WELLS SPAW0063451

Well ID:	X 0672	County	CHESTER
Owner's Name:	SCHOLL ED	Longitude:	754321
Latitude:	401117	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	HILLSIDE
Hydrologic Unit:	Not Reported	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	100	Casing1 Diameter(inches):	6
Casing 1:	33	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	00-00-68
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	Not Reported	Yield Measurement Method:	Not Reported
Yield (gpm):	17	Test Time:	4
Drawdown:	Not Reported	Driller:	0072
Bedrock:	33	Water Bearing Zone 2:	92
Water Bearing Zone 1:	67	Lithology:	Not Reported
Water Bearing Zone 3:	Not Reported	Remark:	1740
Municipality:	WARWICK		
Aquifer:	STOCKTON FORMATION		

U62
NNE
1/2 - 1 Mile
Higher

PA WELLS PA1000000055893

WELLID:	401122075433001	LOCALWELLN:	CH 1493
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	VALLEY FLAT		
WELLDEPTH:	93		
ELEVATION:	470		
ELEVMETHOD:	INTERPOLATED FROM TOPOGRAPHIC MAP		
ACCURACYOF:	10		
HYDROLOGIC:	02040203		
LATLONGACCURACY:	ACCURATE TO +1 SECOND		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	FIELD CHECKED BY REPORTING AGENCY (PaDAg pest. survey)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.18944		
LONGITUDEDD:	-75.725		
DEPTHTOBED:	0		
DATEDRILLE:	Not Reported		
PAGWIS ID:	12219		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency Use Section:

Agency Use of Site: OBSERVATION
Agency Use Date: Not Reported

Construction Information:

Construction Date: 01/01/1967 00:00:00
Driller: 0308
Source Cons Data: OTHER/UNKNOWN/UNSPECIFIED
Method Cons: OTHER/UNKNOWN
Finish: UNKNOWN

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	34	Casing Diameter:	6
Casing:	STEEL		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	SANDSTONE		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use: UNUSED
Water Use: DOMESTIC

Owner Information:

Owner: HELFFERICH, D
Date Ownership: 12/14/1967 00:00:00

Other ID Information:

Other Identifier:	667	Other I D Assignor:	PAGS
-------------------	-----	---------------------	------

U63

NNE

1/2 - 1 Mile Higher

FED USGS

USGS2165537

Agency cd:	USGS	Site no:	401122075433001
Site name:	CH 1493		
Latitude:	401122		
Longitude:	0754330	Dec lat:	40.18954131
Dec lon:	-75.72464153	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	465	Altitude method:	M
Altitude accuracy:	10	Altitude datum:	NGVD29
Hydrologic:	Schuylkill, Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19671214
Date inventoried:	19671214	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	STOCKTON FORMATION		
Well depth:	93	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	Not Reported
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
 Water quality data end date: 0000-00-00
 Ground water data begin date: 1967-12-01
 Ground water data count: 1

Water quality data begin date: 0000-00-00
 Water quality data count: 0
 Ground water data end date: 1967-12-01

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1967-12-01	15.00	

V64
SE
1/2 - 1 Mile
Lower

PA WELLS PA1000000053433

WELLID:	Not Reported	LOCALWELLN:	5522N
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	75		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	02040203		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATA RELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.17361		
LONGITUDEDD:	-75.72083		
DEPTH TO BED:	34		
DATEDRILLE:	Not Reported		
PAGWIS ID:	107906		

Construction Information:

Construction Date: 07/01/1979 00:00:00
 Driller: 72
 Source Cons Data: DRILLER'S RECORD
 Method Cons: Not Reported
 Finish: Not Reported

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	36	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	LS		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: SWINEHART D
Date Ownership: Not Reported

Remarks Information:

Remark: RT=BLUE LS
Remark Date: Not Reported

V65

SE

1/2 - 1 Mile

Lower

PA WELLS

SPAW0063344

Well ID:	5522N	County	CHESTER
Owner's Name:	SWINEHART D	Longitude:	754315
Latitude:	401025	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	HILLSIDE
Hydrologic Unit:	02040203	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	Not Reported
Well Depth:	75	Casing1 Diameter(inches):	6
Casing 1:	36	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	7-79
Grouted:	Not Reported	Production WL:	28
Static Water Level:	Not Reported	Yield Measurement Method:	V
Yield (gpm):	20	Test Time:	3
Drawdown:	Not Reported	Driller:	72
Bedrock:	34	Water Bearing Zone 2:	60
Water Bearing Zone 1:	45	Lithology:	LIMESTONE
Water Bearing Zone 3:	Not Reported	Remark:	RT=BLUE LS
Municipality:	WARWICK		
Aquifer:	STOCKTON FORMATION		

66

NNW

1/2 - 1 Mile

Higher

FED USGS

USGS2165366

Agency cd:	USGS	Site no:	401125075440801
Site name:	CH 4865		
Latitude:	401125	Dec lat:	40.19037431
Longitude:	0754408	Coor meth:	M
Dec lon:	-75.73519764	Latlong datum:	NAD27
Coor accr:	S	District:	42
Dec latlong datum:	NAD83	County:	029
State:	42	Land net:	Not Reported
Country:	US	Map scale:	24000
Location map:	POTTSTOWN	Altitude method:	M
Altitude:	469	Altitude datum:	NGVD29
Altitude accuracy:	5		
Hydrologic:	Schuylkill, Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hillside (slope)		
Site type:	Ground-water other than Spring	Date construction:	19540122
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	STOCKTON FORMATION		
Well depth:	89	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	444200241
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1998-10-15	Ground water data end date:	1998-10-15
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1998-10-15	27.73	

V67
SE
1/2 - 1 Mile
Lower

FED USGS USGS2165896

Agency cd:	USGS	Site no:	401023075431501
Site name:	CH 5655		
Latitude:	401023		
Longitude:	0754315	Dec lat:	40.1731534
Dec lon:	-75.72047668	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	294	Altitude method:	M
Altitude accuracy:	5	Altitude datum:	NGVD29
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	19870512
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	STOCKTON FORMATION		
Well depth:	157	Hole depth:	157
Source of depth data:	driller	Project number:	444200241
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1998-07-29	Ground water data end date:	1998-07-29
Ground water data count:	1		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1998-07-29	35.09	

V68
SE
1/2 - 1 Mile
Lower

PA WELLS SPAW0063345

Well ID:	5523N	County	CHESTER
Owner's Name:	SWINEHART D	Longitude:	754316
Latitude:	401022	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	HILLSIDE
Hydrologic Unit:	02040203	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	75	Casing1 Diameter(inches):	6
Casing 1:	44	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	6-79
Grouted:	Not Reported	Production WL:	38
Static Water Level:	Not Reported	Yield Measurement Method:	Not Reported
Yield (gpm):	20	Test Time:	3.5
Drawdown:	Not Reported	Driller:	72
Bedrock:	42	Water Bearing Zone 2:	Not Reported
Water Bearing Zone 1:	58	Lithology:	LIMESTONE
Water Bearing Zone 3:	Not Reported	Remark:	RT=BLUE LS
Municipality:	WARWICK		
Aquifer:	STOCKTON FORMATION		

V69
SE
1/2 - 1 Mile
Lower

PA WELLS PA1000000053311

WELLID:	Not Reported	LOCALWELLN:	5523N
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	75		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	02040203		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.17278		
LONGITUDEDD:	-75.72111		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

DEPTHTO BED: 42
DATED RILLE: Not Reported
PAGWIS ID: 107907

Construction Information:

Construction Date: 06/01/1979 00:00:00
Driller: 72
Source Cons Data: DRILLER'S RECORD
Method Cons: Not Reported
Finish: OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	44	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	LS		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: SWINEHART D
Date Ownership: Not Reported

Remarks Information:

Remark: RT=BLUE LS
Remark Date: Not Reported

V70
SE
1/2 - 1 Mile
Lower

PA WELLS PA1000000053391

WELLID:	Not Reported	LOCALWELLN:	5524N
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	75		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	02040203		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.17333		
LONGITUDEDD:	-75.72028		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

DEPTHTO BED: 32
DATED RILLE: Not Reported
PAGWIS ID: 107908

Construction Information:

Construction Date: 06/01/1979 00:00:00
Driller: 72
Source Cons Data: DRILLER'S RECORD
Method Cons: Not Reported
Finish: OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	35	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	LS		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: SWINEHART D
Date Ownership: Not Reported

Remarks Information:

Remark: RT=BLUE LS
Remark Date: Not Reported

V71
SE
1/2 - 1 Mile
Lower

PA WELLS SPAW0063346

Well ID:	5524N	County	CHESTER
Owner's Name:	SWINEHART D	Longitude:	754313
Latitude:	401024	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	HILLSIDE
Hydrologic Unit:	02040203	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	75	Casing1 Diameter(inches):	6
Casing 1:	35	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	6-79
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	30	Yield Measurement Method:	V
Yield (gpm):	20	Test Time:	2.25
Drawdown:	Not Reported	Driller:	72
Bedrock:	32	Water Bearing Zone 2:	65
Water Bearing Zone 1:	50	Lithology:	LIMESTONE
Water Bearing Zone 3:	Not Reported	Remark:	RT=BLUE LS
Municipality:	WARWICK		
Aquifer:	STOCKTON FORMATION		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

W72
SSE
1/2 - 1 Mile
Lower

PA WELLS SPAW0063463

Well ID:	X 1448	County	CHESTER
Owner's Name:	NOBLE JOHN C	Longitude:	754342
Latitude:	401009	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	VALLEY FLAT
Hydrologic Unit:	Not Reported	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	108	Casing1 Diameter(inches):	6
Casing 1:	45	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	00-00-71
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	Not Reported	Yield Measurement Method:	Not Reported
Yield (gpm):	40	Test Time:	Not Reported
Drawdown:	Not Reported	Driller:	0308
Bedrock:	Not Reported	Water Bearing Zone 2:	90
Water Bearing Zone 1:	55	Lithology:	SANDSTONE
Water Bearing Zone 3:	Not Reported	Remark:	1740
Municipality:	WARWICK		
Aquifer:	STOCKTON FORMATION		

W73
SSE
1/2 - 1 Mile
Lower

PA WELLS PA1000000052761

WELLID:	Not Reported	LOCALWELLN:	X 1448
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	VALLEY FLAT		
WELLDEPTH:	108		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATA RELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.16917		
LONGITUDEDD:	-75.72833		
DEPTH TO BED:	0		
DATEDRILLE:	Not Reported		
PAGWIS ID:	108025		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Construction Information:

Construction Date: 01/01/1971 00:00:00
Driller: 0308
Source Cons Data: DRILLER'S RECORD
Method Cons: Not Reported
Finish: OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	45	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	SS		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: NOBLE JOHN C
Date Ownership: Not Reported

X74
NNE
1/2 - 1 Mile
Higher

PA WELLS

PA1000000056044

WELLID:	Not Reported	LOCALWELLN:	X 0667
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	93		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATA RELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.19056		
LONGITUDEDD:	-75.72417		
DEPTH TO BED:	34		
DATEDRILLE:	Not Reported		
PAGWIS ID:	108008		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Construction Information:

Construction Date: 01/01/1967 00:00:00
Driller: 0308
Source Cons Data: DRILLER'S RECORD
Method Cons: Not Reported
Finish: Not Reported

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	34	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	O		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: HELFFERICH DON
Date Ownership: Not Reported

X75
NNE
1/2 - 1 Mile
Higher

PA WELLS SPAW0063446

Well ID: X 0667
Owner's Name: HELFFERICH DON
Latitude: 401126
Quadrangle: POTTSTOWN
Hydrologic Unit: Not Reported
Water Usage: DOMESTIC
Well Depth: 93
Casing 1: 34
Casing2: Not Reported
Grouted: Not Reported
Static Water Level: 15
Yield (gpm): 50
Drawdown: Not Reported
Bedrock: 34
Water Bearing Zone 1: 65
Water Bearing Zone 3: 88
Municipality: WARWICK
Aquifer: STOCKTON FORMATION

County: CHESTER
Longitude: 754327
Lat/Long Accuracy: ACCURATE TO +1 MINUTE
Topographic Setting: HILLSIDE
Site Usage: WITHDRAWAL
Finish: Not Reported
Casing1 Diameter(inches): 6
Casing2 Diameter(inches): Not Reported
Date Drilled: 00-00-67
Production WL: Not Reported
Yield Measurement Method: 6
Test Time: Not Reported
Driller: 0308
Water Bearing Zone 2: 85
Lithology: Not Reported
Remark: 1740

76
NNE
1/2 - 1 Mile
Higher

FED USGS USGS2165379

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	401127075433101
Site name:	CH 4884		
Latitude:	401128.25		
Longitude:	0754330.62	Dec lat:	40.19118056
Dec lon:	-75.72517222	Coor meth:	G
Coor accr:	5	Latlong datum:	NAD83
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	480	Altitude method:	M
Altitude accuracy:	5	Altitude datum:	NGVD29
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Valley flat		
Site type:	Ground-water other than Spring	Date construction:	1973
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	STOCKTON FORMATION		
Well depth:	97	Hole depth:	Not Reported
Source of depth data:	reporting agency (generally USGS)	Project number:	444200241
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	2001-08-07
Water quality data end date:	2001-08-07	Water quality data count:	1
Ground water data begin date:	1998-11-06	Ground water data end date:	2001-08-07
Ground water data count:	2		

Ground-water levels, Number of Measurements: 2

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2001-08-07	18.99		1998-11-06	19.37	

Y77
ENE
1/2 - 1 Mile
Higher

PA WELLS PA1000000055538

WELLID:	Not Reported	LOCALWELLN:	X 1886
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	Not Reported		
WELLDEPTH:	200		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.18667		
LONGITUDEDD:	-75.71833		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

DEPTHTO BED: 25
DATED RILLE: Not Reported
PAGWIS ID: 108067

Construction Information:

Construction Date: Not Reported
Driller: 0188
Source Cons Data: DRILLER'S RECORD
Method Cons: Not Reported
Finish: OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	27	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	Not Reported		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: SYNERGY CONST
Date Ownership: Not Reported

Y78
ENE
1/2 - 1 Mile
Higher

PA WELLS SPAW0063505

Well ID: X 1886
Owner's Name: SYNERGY CONST
Latitude: 401112
Quadrangle: POTTSTOWN
Hydrologic Unit: Not Reported
Water Usage: DOMESTIC
Well Depth: 200
Casing 1: 27
Casing 2: Not Reported
Grouted: Not Reported
Static Water Level: 65
Yield (gpm): 4
Drawdown: 135
Bedrock: 25
Water Bearing Zone 1: 52
Water Bearing Zone 3: 185
Municipality: WARWICK
Aquifer: STOCKTON FORMATION

County: CHESTER
Longitude: 754306
Lat/Long Accuracy: ACCURATE TO +1 MINUTE
Topographic Setting: Not Reported
Site Usage: WITHDRAWAL
Finish: OPEN HOLE
Casing1 Diameter(inches): 6
Casing2 Diameter(inches): Not Reported
Date Drilled: 00-00-00
Production WL: Not Reported
Yield Measurement Method: 5
Test Time: Not Reported
Driller: 0188
Water Bearing Zone 2: 123
Lithology: Not Reported
Remark: 1740

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

79
SSE
1/2 - 1 Mile
Lower

PA WELLS PA1000000052892

WELLID:	Not Reported	LOCALWELLN:	Not Reported
COUNTY:	CHESTER		
AAPG:	1		
TOPOGRAPHY:	Not Reported		
WELLDEPTH:	0		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	Not Reported		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATA RELIABILITY:	Not Reported		
SOURCE DEPTH DATA:	Not Reported		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.17		
LONGITUDEDD:	-75.7233		
DEPTH TO BED:	0		
DATEDRILLE:	Not Reported		
PAGWIS ID:	215074		

Construction Information:

Construction Date:	Not Reported
Driller:	Not Reported
Source Cons Data:	Not Reported
Method Cons:	Not Reported
Finish:	Not Reported

Water Use Information:

Site Use:	WITHDRAWAL
Water Use:	PUBLIC SUPPLY

Owner Information:

Owner:	WARWICK COUNTY PARK
Date Ownership:	Not Reported

Remarks Information:

Remark:	Population Served = 37
Remark Date:	Not Reported

Other ID Information:

Other Identifier:	1150602	Other I D Assignor:	PA DEP PWSID
-------------------	---------	---------------------	--------------

Z80
South
1/2 - 1 Mile
Lower

PA WELLS SPAW0063480

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Well ID:	X 1466	County	CHESTER
Owner's Name:	LONG WAYNE	Longitude:	754343
Latitude:	401005	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	HILLSIDE
Hydrologic Unit:	Not Reported	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	120	Casing1 Diameter(inches):	6
Casing 1:	96	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	00-00-70
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	Not Reported	Yield Measurement Method:	Not Reported
Yield (gpm):	12	Test Time:	9
Drawdown:	Not Reported	Driller:	0072
Bedrock:	96	Water Bearing Zone 2:	Not Reported
Water Bearing Zone 1:	112	Lithology:	GRANITE
Water Bearing Zone 3:	Not Reported	Remark:	1740
Municipality:	WARWICK		
Aquifer:	QUARTZ MONZONITE		

AA81
NE
1/2 - 1 Mile
Higher

PA WELLS PA1000000055851

WELLID:	Not Reported	LOCALWELLN:	X 1884
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	Not Reported		
WELLDEPTH:	115		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATARELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.18917		
LONGITUDEDD:	-75.72		
DEPTHTOBED:	0		
DATEDRILLE:	Not Reported		
PAGWIS ID:	108065		

Construction Information:

Construction Date:	Not Reported
Driller:	0308
Source Cons Data:	DRILLER'S RECORD
Method Cons:	Not Reported
Finish:	OPEN HOLE

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	44	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	Not Reported		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use:	WITHDRAWAL
Water Use:	DOMESTIC

Owner Information:

Owner:	HRMNYVL CH BRTN
Date Ownership:	Not Reported

AA82
NE
1/2 - 1 Mile
Higher

PA WELLS SPAW0063503

Well ID:	X 1884	County	CHESTER
Owner's Name:	HRMNYVL CH BRTN	Longitude:	754312
Latitude:	401121	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	Not Reported
Hydrologic Unit:	Not Reported	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	115	Casing1 Diameter(inches):	6
Casing 1:	44	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	00-00-00
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	Not Reported	Yield Measurement Method:	Not Reported
Yield (gpm):	22	Test Time:	Not Reported
Drawdown:	Not Reported	Driller:	0308
Bedrock:	Not Reported	Water Bearing Zone 2:	85
Water Bearing Zone 1:	70	Lithology:	Not Reported
Water Bearing Zone 3:	105	Remark:	1740
Municipality:	WARWICK		
Aquifer:	STOCKTON FORMATION		

Z83
South
1/2 - 1 Mile
Lower

PA WELLS PA1000000052609

WELLID:	Not Reported	LOCALWELLN:	X 1466
COUNTY:	CHESTER		
AAPG:	000QZMZ		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	120		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

LATLONGACCURACY: ACCURATE TO +1 MINUTE
 QUAD: POTTSTOWN
 TYPEOFSITE: WELL
 DATECREATE: Not Reported DATEUPDATE: Not Reported
 DATARELIABILITY: LOCATION MAY NOT BE ACCURATE (WWI paper)
 SOURCE DEPTH DATA: DRILLER'S RECORD
 MUNICIPALITY: WARWICK TWP.
 LATITUDEDD: 40.16806
 LONGITUDEDD: -75.72861
 DEPTHTO BED: 96
 DATEDRILLE: Not Reported
 PAGWIS ID: 108042

Construction Information:

Construction Date: 01/01/1970 00:00:00
 Driller: 0072
 Source Cons Data: DRILLER'S RECORD
 Method Cons: Not Reported
 Finish: OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	96	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	000QZMZ		
Lithology:	GN		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

Water Use Information:

Site Use: WITHDRAWAL
 Water Use: DOMESTIC

Owner Information:

Owner: LONG WAYNE
 Date Ownership: Not Reported

84
 NE
 1/2 - 1 Mile
 Higher

FED USGS USGS2165513

Agency cd:	USGS	Site no:	401118075430501
Site name:	CH 4866		
Latitude:	401118		
Longitude:	0754305	Dec lat:	40.18843044
Dec lon:	-75.7176968	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	42
State:	42	County:	029
Country:	US	Land net:	Not Reported
Location map:	POTTSTOWN	Map scale:	24000
Altitude:	590	Altitude method:	M
Altitude accuracy:	5	Altitude datum:	NGVD29
Hydrologic:	Schuylkill. Pennsylvania. Area = 1900 sq.mi.		
Topographic:	Hilltop		
Site type:	Ground-water other than Spring	Date construction:	198611
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	Y		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	DIABASE DIKES AND SILLS		
Well depth:	397	Hole depth:	Not Reported
Source of depth data:	driller	Project number:	444200241
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	1998-10-16	Ground water data end date:	1998-10-16
Ground water data count:	1		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel

1998-10-16	38.27	

AB85
NW
1/2 - 1 Mile
Higher

PA WELLS SPAW0063517

Well ID:	X 1898	County	CHESTER
Owner's Name:	VANDERBUSH EDW	Longitude:	754432
Latitude:	401128	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	Not Reported
Hydrologic Unit:	Not Reported	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	155	Casing1 Diameter(inches):	6
Casing 1:	80	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported	Date Drilled:	00-00-00
Grouted:	Not Reported	Production WL:	Not Reported
Static Water Level:	45	Yield Measurement Method:	Not Reported
Yield (gpm):	18	Test Time:	Not Reported
Drawdown:	Not Reported	Driller:	0308
Bedrock:	75	Water Bearing Zone 2:	115
Water Bearing Zone 1:	95	Lithology:	Not Reported
Water Bearing Zone 3:	145	Remark:	1740
Municipality:	WARWICK		
Aquifer:	STOCKTON FORMATION		

AB86
NW
1/2 - 1 Mile
Higher

PA WELLS PA1000000056137

WELLID:	Not Reported	LOCALWELLN:	X 1898
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	Not Reported		
WELLDEPTH:	155		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

LATLONGACCURACY: ACCURATE TO +1 MINUTE
QUAD: POTTSTOWN
TYPEOFSITE: WELL
DATECREATE: Not Reported DATEUPDATE: Not Reported
DATARELIABILITY: LOCATION MAY NOT BE ACCURATE (WWI paper)
SOURCE DEPTH DATA: DRILLER'S RECORD
MUNICIPALITY: WARWICK TWP.
LATITUDEDD: 40.19111
LONGITUDEDD: -75.74222
DEPTHTOBED: 75
DATEDRILLE: Not Reported
PAGWIS ID: 108079

Construction Information:

Construction Date: Not Reported
Driller: 0308
Source Cons Data: DRILLER'S RECORD
Method Cons: Not Reported
Finish: OPEN HOLE

Casing Information:

Top Of Casing: 0 Casing Wall Thickness: Not Reported
Bottom Of Casing: 80 Casing Diameter: 6
Casing: Not Reported

Geohydrologic Information:

A A P G: 231SCKN
Lithology: Not Reported
Contributing Unit: PRIMARY
Top Of Interval: Not Reported Bottom Of Interval: Not Reported

Water Use Information:

Site Use: WITHDRAWAL
Water Use: DOMESTIC

Owner Information:

Owner: VANDERBUSH EDW
Date Ownership: Not Reported

AC87
ESE
1/2 - 1 Mile
Lower

PA WELLS SPAW0063478

Well ID:	X 1464	County	CHESTER
Owner's Name:	BISHOP PARKE	Longitude:	754250
Latitude:	401032	Lat/Long Accuracy:	ACCURATE TO +1 MINUTE
Quadrangle:	POTTSTOWN	Topographic Setting:	HILLSIDE
Hydrologic Unit:	Not Reported	Site Usage:	WITHDRAWAL
Water Usage:	DOMESTIC	Finish:	OPEN HOLE
Well Depth:	50	Casing1 Diameter(inches):	6
Casing 1:	47	Casing2 Diameter(inches):	Not Reported
Casing2:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Grouted:	Not Reported	Date Drilled:	00-00-71
Static Water Level:	Not Reported	Production WL:	Not Reported
Yield (gpm):	40	Yield Measurement Method:	Not Reported
Drawdown:	Not Reported	Test Time:	Not Reported
Bedrock:	Not Reported	Driller:	0308
Water Bearing Zone 1:	50	Water Bearing Zone 2:	Not Reported
Water Bearing Zone 3:	Not Reported	Lithology:	SANDSTONE
Municipality:	WARWICK	Remark:	1740
Aquifer:	STOCKTON FORMATION		

AC88
ESE
1/2 - 1 Mile
Lower

PA WELLS PA1000000053736

WELLID:	Not Reported	LOCALWELLN:	X 1464
COUNTY:	CHESTER		
AAPG:	231SCKN		
TOPOGRAPHY:	HILLSIDE		
WELLDEPTH:	50		
ELEVATION:	0		
ELEVMETHOD:	Not Reported		
ACCURACYOF:	Not Reported		
HYDROLOGIC:	Not Reported		
LATLONGACCURACY:	ACCURATE TO +1 MINUTE		
QUAD:	POTTSTOWN		
TYPEOFSITE:	WELL		
DATECREATE:	Not Reported	DATEUPDATE:	Not Reported
DATA RELIABILITY:	LOCATION MAY NOT BE ACCURATE (WWI paper)		
SOURCE DEPTH DATA:	DRILLER'S RECORD		
MUNICIPALITY:	WARWICK TWP.		
LATITUDEDD:	40.17556		
LONGITUDEDD:	-75.71389		
DEPTH TO BED:	0		
DATEDRILLE:	Not Reported		
PAGWIS ID:	108040		

Construction Information:

Construction Date:	01/01/1971 00:00:00
Driller:	0308
Source Cons Data:	DRILLER'S RECORD
Method Cons:	Not Reported
Finish:	OPEN HOLE

Casing Information:

Top Of Casing:	0	Casing Wall Thickness:	Not Reported
Bottom Of Casing:	47	Casing Diameter:	6
Casing:	Not Reported		

Geohydrologic Information:

A A P G:	231SCKN		
Lithology:	SS		
Contributing Unit:	PRIMARY		
Top Of Interval:	Not Reported	Bottom Of Interval:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Water Use Information:

Site Use:	WITHDRAWAL
Water Use:	DOMESTIC

Owner Information:

Owner:	BISHOP PARKE
Date Ownership:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: PA Radon

Test Result Statistics

Zip	Total Sites	Min pCi/L	Max pCi/L	Avg pCi/L
19520	211	.3	57.6	6.3

EPA Region 3 Statistical Summary Readings for Zip Code: 19520

Number of sites tested: 202.

Maximum Radon Level: 90.2 pCi/L.

Minimum Radon Level: 0.2 pCi/L.

pCi/L <4	pCi/L 4-10	pCi/L 10-20	pCi/L 20-50	pCi/L 50-100	pCi/L >100
129 (63.86%)	50 (24.75%)	12 (5.94%)	6 (2.97%)	5 (2.48%)	0 (0.00%)

Federal EPA Radon Zone for CHESTER County: 1

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 1999 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 from the U.S. Fish and Wildlife Service.

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Pennsylvania Public Water Supply Wells

Source: Pennsylvania Department of Environmental Resources Bureau of Water Supply

Telephone: 717-787-5017

Pennsylvania Groundwater Information System

Source: Department of Conservation and Natural Resources

Telephone: 717-783-7258

OTHER STATE DATABASE INFORMATION

RADON

State Database: PA Radon

Source: Department of Environmental Protection

Telephone: 717-783-3594

Radon Test Results Statistics by Zip Code

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey.

The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

EPA Region 3 Statistical Summary Readings

Source: Region 3 EPA

Telephone: 215-814-2082

Radon readings for Delaware, D.C., Maryland, Pennsylvania, Virginia and West Virginia.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2006 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX 4

Current Deeds



3/2
46.50
This instrument was prepared by:

Central Montgomery Abstract Co., Inc.
1904-1906 Swede Road
East Norriton, PA 19401
Phone Number: 610-279-2975

After recording, please return
this instrument to:

RETURN TO
Central Montgomery Abstract Co., Inc.
1904-1906 Swede Road
East Norriton, Pa., 19401
Phone Number: 610-279-2975
38084-B

CHESTER COUNTY PIN # 19-6-33.3 ✓

DEED

This Indenture, made the 26th day of October, 2005.

Between RAYMOND H. CARR, (hereinafter called the Grantor), of the one part, and
BLACK GRANITE VILLAGE, L.P.,
a Pennsylvania limited partnership
(hereinafter called the Grantee), of the other part.

Witnesseth, That the said Grantor, for and in consideration of the sum of One and 00/100 (\$1.00) Dollar, lawful money of the United States of America, unto him well and truly paid by the said Grantee, at or before the sealing and delivery hereof, the receipt whereof is hereby acknowledged, has granted, bargained and sold, released, and confirmed, and by these presents does grant, bargain and sell, release and confirm unto the said Grantee, its successors and assigns,

ALL THAT CERTAIN parcel of land situate in Warwick Township, Chester County, Pennsylvania, being shown as Parcel B on a Plan of Property for First Federal Savings & Loan Association, dated 11/23/1982, by Henry S. Conrey, Inc., Division of Chester Valley Engineers, Paoli, Pennsylvania, and being more fully described as follows:

BEGINNING at an interior point, an iron pin marking the Southwest corner of land of Peter Chonka, Jr., also marking the Southeast corner of land of John A. Wander and being measured along the South line of said land of John A. Wander North 82 degrees 35 minutes 13 seconds East 363.49 feet from a spike in the title line in St. Peters Road L.R. 15131; thence from the point of beginning along the South line of land of Peter Chonka, Jr., North 78 degrees 08 minutes 56 seconds East 604.10 feet to the Southeast corner of the same, being also a corner of land of the Pottstown Development Assoc., Inc.; thence along said land of the Pottstown Development Assoc., Inc., the two following courses and distances: (1) South 83 degrees 02 minutes 43 seconds East 806.25 feet; (2) South 75 degrees 34 minutes 43 seconds East 470.00 feet to a corner of land of Hilda V. Pavlick; thence along the West line of said land of Hilda V. Pavlick South 06 degrees 35 minutes 00 seconds East 392.71 feet to the Northeast corner of land of Robert J. Eisemann; thence along the North line of said land of Robert J. Eisemann, land of Lloyd E. Partain and land of Pearl E. Bowman respectively, South 76 degrees 31 minutes 21 seconds West 1803.87 feet to the Northwest corner of land of said Pearl E. Bowman; thence along the West line of the same South 08 degrees 40 minutes 44 seconds East 272.91 feet, being a corner of Parcel C; thence along Parcel C the 6 following courses and distances: (1) North 82 degrees 42 minutes 38 seconds West 425.00 feet; (2) North 14 degrees 27 minutes 46 seconds East 621.49 feet to a point; (3) North 54 degrees 44 minutes 24 seconds West 71.51 feet to a point; (4) South 87 degrees 53 minutes 48 seconds West 135.89 feet to a point in the title line of St. Peters Road, L.R. 15131; (5) along the title line in St. Peters Road North 15 degrees 11 minutes 08 seconds East 55.47 feet to a point; (6) along the title line in St. Peters Road North 03 degrees 18 minutes 39 seconds East 44.24 feet; thence leaving the title line in St. Peters Road North 89 degrees 11 minutes 00 seconds East 99.28 feet to a point; thence North 00 degrees 56 minutes 10 seconds West 150.01 feet to a point; thence North 88



degrees 11 minutes 44 seconds East 207.23 feet to an iron pin; thence North 03 degrees 40 minutes 44 seconds West 225.90 feet to the point of beginning.

UPI # 19-6-33.3

BEING the same premises that Raymond H. Carr and David J. Knauer, Co-Partners, by deed dated November 12, 1996, and recorded November 13, 1996, in the Office of the Recorder of Deeds of Chester County, Pennsylvania, in Book 4106, Page 2107, granted and conveyed unto Raymond H. Carr, in fee.

Together with all and singular the land and all buildings and improvements, ways, streets, alleys, driveways, passages, waters, water-courses, rights, liberties, privileges, hereditaments and appurtenances, whatsoever unto the hereby granted premises belonging, or in any wise appertaining, and the reversions and remainders, rents, issues, and profits thereof; and all the estate, right, title, interest, property, claim and demand whatsoever of the said Grantor, as well at law as in equity, of, in, and to the same.

To have and to hold the said lot or piece of ground described with the hereditaments and premises hereby granted, or mentioned and intended so to be, with the appurtenances, unto the said Grantee, its successors and assigns, to and for the only proper use and behoof of the said Grantee, its successors and assigns, forever.

And the said Grantor, for himself, his heirs, executors and administrators does covenant, promise and agree, to and with the said Grantee, its successors and assigns, by these presents, that he, the said Grantor and his heirs, all and singular the hereditaments and premises herein above described and hereby granted or mentioned and intended so to be, with the appurtenances, unto the said Grantee, its successors and assigns, against him, the said Grantor, his heirs, and against all and every person or persons whomsoever lawfully claiming or to claim the same or any part thereof, by, from or under him, them, each or any of them, shall and will **SPECIALLY WARRANT and FOREVER DEFEND.**

In Witness Whereof, the Grantors have caused these presents to be duly executed, the day and year first above written.

* ACTUAL CONSIDERATION IS \$1,400,000.00

Raymond H. Carr

(SEAL)

Commonwealth of Pennsylvania:
County of Montgomery

On this, the 26th day of October, 2005, before me, a Notary Public, the undersigned Officer, personally appeared Raymond H. Carr, known to me (satisfactorily proven) to be the person whose name is subscribed to the within instrument, and acknowledged that he executed the same for the purposes therein contained.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.

The address of the within named grantee is:

4015 Schuylkill Ave.
Norristown, PA 19403

NOTARIAL SEAL
ROSALIND H. BAKER, Notary Public
East Norriton Twp., Montgomery Co.
My Commission Expires April 7, 2006



10594527
Page 3 of 3
B-6677 P-1125



4/2
46.50

This instrument was prepared by:

Central Montgomery Abstract Co., Inc.
1904-1906 Swede Road
East Norriton, PA 19401
Phone Number: 610-279-2975

After recording, please return
this instrument to:

Central Montgomery Abstract Co., Inc.
1904-1906 Swede Road
East Norriton, Pa., 19401
Phone Number: 610-279-2975
38084-A

RETURN TO

8

CHESTER COUNTY PIN # 19-6-331

DEED

This Indenture, made the 26th day of October, 2005.

Between JAMES K. OVERSTREET (hereinafter called the Grantor), of the one part, and

ST. PETERS KNOLL, L.P., a Pennsylvania limited partnership (hereinafter called the Grantee), of the other part.

Witnesseth, That the said Grantor, for and in consideration of the sum of One and 00/100 (\$1.00) Dollar, lawful money of the United States of America, unto him well and truly paid by the said Grantee, at or before the sealing and delivery hereof, the receipt whereof is hereby acknowledged, has granted, bargained and sold, released, and confirmed, and by these presents does grant, bargain and sell, release and confirm unto the said Grantee, its successors and assigns,

ALL THOSE CERTAIN lots or pieces of ground, situate in the Township of Warwick, County of Chester and Commonwealth of Pennsylvania, bounded and described according to a final subdivision plan of Iron Ridge Estates, prepared by Serdy and Bursich, Inc., Engineers, Pottstown, Pennsylvania, dated 4/6/1979, last revised 11/6/1979 and recorded in Chester County as Plan #2708, as follows, to wit:

BEGINNING in the title line in the bed of School House Road, a corner of lands of Ellis Savage as shown on said plan; thence from said point of beginning through the bed of School House Road North 59 degrees 46 minutes East 752.55 feet to a corner of lands of William Helffrich; thence along said lands of William Helffrich and lands of David Knauer North 2 degrees 47 minutes 26 seconds East 381.81 feet to a point in line of lands of David Knauer; thence along said lands of David Knauer and along lands of Donald Hodgson and also lands of Richard Watson the four following courses and distances: (1) South 27 degrees 10 minutes 10 seconds East 1208.40 feet; (2) North 72 degrees 46 minutes 31 seconds East 784.10 feet; (3) North 20 degrees 26 minutes 43 seconds West 380.00 feet; (4) North 69 degrees 12 minutes East 371.81 feet to a point in the title line in the bed of Hill Camp Road; thence through the bed of Hill Camp Road and also along lands of John Frock South 20 degrees 26 minutes 43 seconds East 1007.46 feet to a corner of lands of Joseph Lubis; thence along said lands of Joseph Lubis and other the 6 following courses and distances: (1) South 61 degrees 44 minutes 38 seconds West 907.50 feet; (2) North 70 degrees 07 minutes 12 seconds West 469.986 feet; (3) North 77 degrees 35 minutes 12 seconds West 806.265; (4) North 7 degrees 4 minutes 36 seconds West 597.23 feet; (5) North 22 degrees 51 minutes West 224.40 feet; (6) North 30 degrees 06 minutes West 691.47 feet to the first mentioned point and place of beginning.

BEING Lots 1 through 22 of Iron Ridge Estate and the bed of Iron Ridge Road as shown on said plan.



CENTRAL MONTGOMERY ABSTRACT

11/09/2005 11:31A

10594533

Page 2 of 4

B-6677 P-1175

EXCEPTING THEREFROM AND THEREOUT ALL THAT CERTAIN lot or piece of land. Conveyed by First Federal Savings & Loan Association of Pottstown to Richmond W. Watson and Roberta C. Watson by Deed recorded in Record Book 430 page 81, situate on the Westerly side of Hill Camp Road, Warwick Township, Chester County, State of Pennsylvania, bounded and described in accordance with a Plan of Lots known as "Iron Ridge Estates" as laid out 4/6/1979 for Pottstown Development Associates, Inc., revised 9/21/1979 and recorded in the Office for the Recording of Deeds in and for the County of Chester at West Chester, Pennsylvania, 1979 as follows, to wit:

BEGINNING at a point on line of Richmond W. Watson, said point being distant along said lands from the line and the Easterly side of Hill Camp Road, having a right of way of 16.5 feet East and 25.0 feet West of the center line, South 69 degrees 12 minutes West, 41.50 feet thence along the Westerly side of Hill Camp Road and distant 25.00 feet more or less West of the centerline of the cartway, South 20 degrees 26 minutes 43 seconds East, 272.62 feet to a corner; thence leaving said road along Lot No. 10 and crossing a twenty foot (20) wide sanitary sewer easement, South 69 degrees 37 minutes 17 seconds West, 330.30 feet to a corner on line of lands of Donald Brown and Deborah Brown (formerly Donald Hodgson and Sue Hodgson); thence along said lands, North 20 degrees 26 minutes 43 seconds West 270.57 feet to an iron pin a corner; thence continuing by said lands of Donald Brown et ux., and partially by lands of Richard W. Watson and recrossing the twenty foot (20) wide sanitary sewer easement, North 69 degrees 12 minutes East 330.31 feet to the place of **BEGINNING. CONTAINING** 2.059 acres of land.

BEING all of Lot No. 11 of the Iron Ridge Estates Plan of Lots.

TOGETHER with free and uninterrupted passage over lands of the grantors within the ultimate right of way of Hill Camp Road as a means of ingress and egress to and from the existing cartway of said road.

EXCEPTING AND RESERVING an easement twenty feet (20) feet wide extending from Iron Ridge Road in a Northerly direction over and through Lots No. 9, 10 and 11 of the "Iron Ridge Estates" Plan of Lots for the construction of sanitary sewer facilities. The location of said easement to be determined at the time of construction and shall extend ten feet (10) on each side of the proposed underground facilities.

Parcel No.: **UPI # 19-6-33**

BEING the same premises that Patriot Savings Bank, Successor to First Federal Savings & Loan Association of Pottstown, by deed dated November 17, 1995, and recorded November 22, 1995, in the Office of the Recorder of Deeds of Chester County, Pennsylvania, in Book 3964, Page 1789, granted and conveyed unto James K. Overstreet, in fee.

Together with all and singular the land and all buildings and improvements, ways, streets, alleys, driveways, passages, waters, water-courses, rights, liberties, privileges, hereditaments and appurtenances, whatsoever unto the hereby granted premises belonging, or in any wise appertaining, and the reversions and remainders, rents, issues, and profits thereof; and all the estate, right, title, interest, property, claim and demand whatsoever of the said Grantor, as well at law as in equity, of, in, and to the same.




To have and to hold the said lot or piece of ground described with the hereditaments and premises hereby granted, or mentioned and intended so to be, with the appurtenances, unto the said Grantee, its successors and assigns, to and for the only proper use and behoof of the said Grantee, its successors and assigns, forever.

And the said Grantor, for himself, his heirs, executors and administrators does covenant, promise and agree, to and with the said Grantee, its successors and assigns, by these presents, that he, the said Grantor and his heirs, all and singular the hereditaments and premises herein above described and hereby granted or mentioned and intended so to be, with the appurtenances, unto the said Grantee, its successors and assigns, against him, the said Grantor, his heirs, and against all and every person or persons, whomsoever lawfully claiming or to claim the same or any part thereof, by, from or under him, them, each or any of them, shall and will **SPECIALLY WARRANT and FOREVER DEFEND.**

In Witness Whereof, the Grantors have caused these presents to be duly executed, the day and year first above written.


* **ACTUAL CONSIDERATION**
IS \$1,900,000.00

 (SEAL)
James K. Overstreet

Commonwealth of Pennsylvania
County of Montgomery


On this, the 26th day of October, 2005, before me, a Notary Public, the undersigned Officer, personally appeared James K. Overstreet, known to me (satisfactorily proven) to be the person whose name is subscribed to the within instrument, and acknowledged that he executed the same for the purposes therein contained.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.



The address of the within named grantee is:

* 401 S. Schuylkill Ave
Norristown, PA
19403



10594533
Page 4 of 4
B-6677 P-1175

5/3
RETURN TO:
BUCKLEY, NAGLE, BRION,
McGUIRE, MORRIS & SOMMER LLP
356 N. Pottstown Pike
Exton, Pa. 19341



This Indenture, Made the 6th day of October in the year of two thousand and three (2003).

Between

Raymond H. Carr and David J. Knauer, Co-Partners, hereinafter called the Grantors, of the one part, and

Warwick Drainage Company, hereinafter called the Grantee, of the other part,

Witnesseth Grantors, for and in consideration of the sum of One (\$1.00) Dollar, lawful money of the United States of America, and other good and valuable consideration unto them well and truly paid by the said Grantee, at or before the sealing and delivery hereof, the receipt whereof is hereby acknowledged, have granted, bargained and sold, aliened, enfeoffed, released and confirmed, and by these presents do grant, bargain and sell, alien, enfeoff, release and confirm unto the said Grantee, its successors and assigns:

ALL THAT CERTAIN parcel of ground situate in Warwick Township, Chester County, Pennsylvania, being shown as Easement and Right of Way for Sewer Treatment Plant on a Plan of St. Peter's Village for First Federal Savings & Loan Association dated December 7, 1982, last revised December 14, 1982, by Henry S. Conrey, Inc., Division of Chester Valley Engineers, Paoli, Pennsylvania, and being more fully described as follows:

SM
BEGINNING at a point in the centerline of St. Peters Road, LR 15131, thirty three (33') feet wide, said point being measured along said centerline the following three (3) courses and distances from a point marking the northeast corner of Parcel "A" on said plan: (1) North 29 degrees 44 minutes 49 seconds West 109.67 feet to a spike; (2) North 40 degrees 47 minutes 48 seconds West 197.78 feet to a spike; (3) North 34 degrees 11 minutes 50 seconds West 42.23 to the point of beginning; thence from said point of beginning, through Parcel "F" of which this is a part, the following four (4) courses and distances: (1) crossing the west side of said St. Peters Road and crossing the east side of the French Creek, South 69 degrees 42 minutes 31 seconds West 132.50 feet to a point; (2) in and along the French Creek, North 47 degrees 52 minutes 55 seconds West 112.83 feet to a point; (3) still in and along the French Creek, North 20 degrees 17 minutes 29 seconds West 100.00 feet to a point; (4) recrossing the east side of the said French Creek, the southern terminus of the twenty (20') feet wide permanent sanitary sewer and water easement, and the west side of St. Peters Road, respectively, North 69 degrees 42 minutes 31 seconds East 160.00 feet to a point in the centerline of said St. Peters Road; thence along the said centerline, the following two (2) courses and distances: (1) South 20

S:\KRISTIN\CARR\Deed - Warwick Drainage Company.wpd

This Document Recorded
11/05/2003 State RTT: 54.54
01:07PM Local RTT: 54.54
Doc Code: DEE Chester County, Recorder of Deeds Office

Doc Id: 10331490
Receipt #: 139313
Rec Fee: 50.50



BUCKLEY NAGLE ET AL

11/05/2003 01:07P

10331490
Page: 1 of 5
B-5965 P-476

degrees 17 minutes 29 seconds East 100.00 feet to a spike; (2) South 34 degrees 11 minutes 50 seconds East 103.02 feet to the point of BEGINNING.

CONTAINING: 0.702 acres of land be the same more or less.

BEING UPI No. 19-6-137 ✓

BEING part of the same premises which First Federal Savings & Loan Association of Pottstown, by deed dated March 31, 1983, said deed recorded in the Office of the Recorder of Deeds of Chester County at West Chester, Pa., in Deed Book F-61, page 328, granted and conveyed unto Raymond H. Carr and David J. Knauer, Co-Partners, in fee.

In Witness Whereof, the Grantor has hereunto set its hand and seal.
Dated the day and year first above written.

Sealed and Delivered
IN THE PRESENCE OF US:

Mae Marie
Witness

BY:

Raymond H. Carr

Mae Marie
Witness

BY:

David J. Knauer



COUNTY OF Chester


COMMONWEALTH OF PENNSYLVANIA

On this, the 11th day of October, 2003, before me, the undersigned officer, personally appeared Raymond H. Carr, known to me or satisfactorily proven to be the persons whose names are subscribed to the within instrument, and acknowledged that they executed the same for the purposes therein contained.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.

Mae Marie
NOTARY PUBLIC

MY COMMISSION EXPIRES:



COUNTY OF *Chester*

COMMONWEALTH OF PENNSYLVANIA


On this, the *24th* day of *September*, 2003, before me, the undersigned officer, personally appeared David J. Knauer, known to me or satisfactorily proven to be the persons whose names are subscribed to the within instrument, and acknowledged that they executed the same for the purposes therein contained.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.

Maë Marie

NOTARY PUBLIC

MY COMMISSION EXPIRES:



The address of the above-named Grantee is:
502 Gordon Drive
Exton, PA 19341



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF REVENUE
BUREAU OF INDIVIDUAL TAXES
DEPT. 280603
HARRISBURG, PA 17126-0603

REALTY TRANSFER TAX STATEMENT OF VALUE

See Reverse for Instructions

RECORDER'S USE ONLY

State Tax Paid	54.54
Book Number	5965
Page Number	476
Date Recorded	11/05/03

Complete each section and file in duplicate with Recorder of Deeds when (1) the full value/consideration is not set forth in the deed, (2) when the deed is without consideration, or by gift, or (3) a tax exemption is claimed. A Statement of Value is not required if the transfer is wholly exempt from tax based on: (1) family relationship or (2) public utility easement. If more space is needed, attach additional sheet(s).

A CORRESPONDENT - All inquiries may be directed to the following person:

Name Kristin S. Camp, Esquire Telephone Number _____
Street Address _____ City _____ State _____ Zip Code _____
356 North Pottstown Pike, Suite 300, Exton, Pennsylvania 19341

B TRANSFER DATA

Grantor(s)/Lessor(s) Raymond H. Carr and Date of Acceptance of Document 09/24/03
David J. Knauer Grantee(s)/Lessee(s) Warwick Drainage Company
Street Address _____ Street Address _____
502 Gordon Drive 502 Gordon Drive
City _____ State _____ Zip Code _____ City _____ State _____ Zip Code _____
Exton, Pennsylvania 19341 Exton, Pennsylvania 19341

C PROPERTY LOCATION

Street Address _____ City, Township, Borough _____
St. Peter's Road Warwick Township
County _____ School District _____ Tax Parcel Number _____
Chester Owen J. Roberts 19-6-137

D VALUATION DATA

1. Actual Cash Consideration \$1.00	2. Other Consideration + -0-	3. Total Consideration = \$1.00
4. County Assessed Value \$4,040.00	5. Common Level Ratio Factor x 1.35	6. Fair Market Value = \$5,454.00

E EXEMPTION DATA

1a. Amount of Exemption Claimed 0% 1b. Percentage of Interest Conveyed 0

2. Check Appropriate Box Below for Exemption Claimed

- ☐ Will or intestate succession _____ (Name of Decedent) _____ (Estate File Number) _____
- ☐ Transfer to Industrial Development Agency.
- ☐ Transfer to a trust. (Attach complete copy of trust agreement identifying all beneficiaries.)
- ☐ Transfer between principal and agent. (Attach complete copy of agency/stow party agreement.)
- ☐ Transfers to the Commonwealth, the United States and instrumentalities by gift, dedication, condemnation or in lieu of condemnation. (If condemnation or in lieu of condemnation, attach copy of resolution.)
- ☐ Transfer from mortgagor to a holder of a mortgage in default. Mortgage Book Number _____, Page Number _____
- ☐ Corrective or confirmatory deed. (Attach complete copy of the prior deed being corrected or confirmed.)
- ☐ Statutory corporate consolidation, merger or division. (Attach copy of articles.)
- ☐ Other (Please explain exemption claimed, if other than listed above.) _____

Under penalties of law, I declare that I have examined this Statement, including accompanying information, and to the best of my knowledge and belief, it is true, correct and complete.

Signature of Correspondent or Responsible Party

Kristin S. Camp

Date

10/24/03



BUCKLEY NAGLE ET AL

11/05/2003 01:07P

10331490
Page 5 of 5
B-5965 P-476

53
RETURN TO:
BUCKLEY, NAGLE, BRION,
McGUIRE, MORRIS & SOMMER LLP
356 N. Pottstown Pike
Exton, Pa. 19341



This Indenture, Made the 6th day of oct in the year of
two thousand and three (2003).

Between

Raymond H. Carr and David J. Knauer, Co-Partners, hereinafter called the
Grantors, of the one part, and

Warwick Water Works, Inc., hereinafter called the Grantee, of the other part,

Witnesseth Grantors, for and in consideration of the sum of One (\$1.00) Dollar,
lawful money of the United States of America, and other good and valuable consideration
unto them well and truly paid by the said Grantee, at or before the sealing and delivery
hereof, the receipt whereof is hereby acknowledged, have granted, bargained and sold,
aliened, enfeoffed, released and confirmed, and by these presents do grant, bargain and
sell, alien, enfeoff, release and confirm unto the said Grantee, its successors and assigns:

ALL THAT CERTAIN parcel of ground situate in Warwick Township, Chester County,
Pennsylvania, being shown as Parcel "E" on a Plan of Property for the First Federal
Savings & Loan Association dated December 3, 1982, and last revised December 14,
1982, by Henry S. Conrey, Inc., Division of Chester Valley Engineers, Paoli, Pennsylvania,
and being more fully described as follows:

mn
BEGINNING at a spike set in the centerline of St. Peters Road, LR 15131, thirty
three (33') feet wide, in the south line of land of John A. Wander and the northwest corner
of land of Red Hill Savings & Load Association; thence from said point of beginning, along
the centerline of said St. Peters Road, the following three (3) courses and distances: (1)
South 22 degrees 22 minutes 40 seconds East 149.14 feet to a point; (2) South 12
degrees 35 minutes 00 seconds East 139.11 feet to a point; (3) South 03 degrees 18
minutes 39 seconds East 89.15 feet to a northeast corner of Parcel "F", as shown on said
Plan; thence along said parcel and along the north edge of a sixty (60') feet wide access
easement, crossing the west side of the St. Peters Road, the French Creek and the east
side of forty (40') feet wide right of way of the French Creek Branch, Reading Company
Railroad, respectively, South 83 degrees 42 minutes 16 seconds West 639.16 feet to an
iron pin in the west line of said railroad right of way and the southwest corner of other land
of said Red Hill Savings and Loan; thence along said land and along the west side of said
railroad right of way; the following two (2) courses and distances: (1) on a curve concave
to the northwest having a radius of 1126.30 feet, an arc distance of 182.65 feet and a

S:\KRISTIN\CARR\Deed - Warwick Water Works Inc



chord bearing North 46 degrees and 54 minutes 11 seconds East 182.45 feet to a point of tangency; (2) North 42 degrees 15 minutes 26 seconds East 390.36 feet to an iron pin; thence recrossing the east side of said railroad right of way and the west side of said St Peters Road, North 82 degrees 35 minutes 13 seconds 148.59 feet to the point of BEGINNING.

CONTAINING: 3.368 acres of ground be the same more or less.

BEING UPI No. 19-6-137.2. ✓

BEING part of the same premises which First Federal Savings & Loan Association of Pottstown, by deed dated March 31, 1983, said deed recorded in the Office of the Recorder of Deeds of Chester County at West Chester, Pa., in Deed Book F-61, page 328, granted and conveyed unto Raymond H. Carr and David J. Knauer, Co-Partners, in fee.

In Witness Whereof, the Grantor has hereunto set its hand and seal.
Dated the day and year first above written.

Sealed and Delivered
IN THE PRESENCE OF US:

Mae Marie
Witness

BY: [Signature]
Raymond H. Carr

Mae Marie
Witness

BY: [Signature]
David J. Knauer

COUNTY OF Chester


COMMONWEALTH OF PENNSYLVANIA

On this, the 6th day of October, 2003, before me, the undersigned officer, personally appeared Raymond H. Carr, known to me or satisfactorily proven to be the persons whose names are subscribed to the within instrument, and acknowledged that they executed the same for the purposes therein contained.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.

Mae Marie
NOTARY PUBLIC

MY COMMISSION EXPIRES:



COUNTY OF *Chester*

COMMONWEALTH OF PENNSYLVANIA


On this, the 24th day of September, 2003, before me, the undersigned officer, personally appeared David J. Khauer, known to me or satisfactorily proven to be the persons whose names are subscribed to the within instrument, and acknowledged that they executed the same for the purposes therein contained.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.

Mae Marie

NOTARY PUBLIC

MY COMMISSION EXPIRES:



The address of the above-named Grantee is:
502 Gordon Drive
Exton, PA 19341



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF REVENUE
BUREAU OF INDIVIDUAL TAXES
DEPT. 280605
HARRISBURG, PA 17128-0605

REALTY TRANSFER TAX STATEMENT OF VALUE

See Reverse for Instructions

RECORDER'S USE ONLY

State Tax Paid 1727.19
Book Number 5965
Page Number 481
Date Recorded 11/05/03

Complete each section and file in duplicate with Recorder of Deeds when (1) the full value/consideration is not set forth in the deed, (2) when the deed is without consideration, or by gift, or (3) a tax exemption is claimed. A Statement of Value is not required if the transfer is wholly exempt from tax based on: (1) family relationship or (2) public utility easement. If more space is needed, attach additional sheet(s).

A CORRESPONDENT - All inquiries may be directed to the following person:

Name Kristin S. Camp, Esquire Telephone Number:
Street Address 356 North Pottstown Pike, Suite 300, Exton, Pennsylvania 19341
City Exton State PA Zip Code 19341
Area Code (484) 879-2000

B TRANSFER DATA

Grantor(s)/Lessor(s) Raymond H. Carr and David J. Knauer Date of Acceptance of Document 09/24/03
Grantee(s)/Lessee(s) Warwick Water Works Inc.
Street Address 502 Gordon Drive
City Exton State PA Zip Code 19341
Street Address 502 Gordon Drive
City Exton State PA Zip Code 19341

C PROPERTY LOCATION

Street Address St. Peter's Road City, Township, Borough Warwick Township
County Chester School District Owen J. Roberts Tax Parcel Number 19-6-137.2

D VALUATION DATA

1. Actual Cash Consideration \$1.00	2. Other Consideration + -0-	3. Total Consideration = \$1.00
4. County Assessed Value \$127,940.00	5. Common Level Ratio Factor x 1.35	6. Fair Market Value = \$172,719.00

E EXEMPTION DATA

1a. Amount of Exemption Claimed 0 1b. Percentage of Interest Conveyed 0

2. Check Appropriate Box Below for Exemption Claimed

- ☐ Will or intestate succession (Name of Decedent) (Estate File Number)
- ☐ Transfer to Industrial Development Agency.
- ☐ Transfer to a trust. (Attach complete copy of trust agreement identifying all beneficiaries.)
- ☐ Transfer between principal and agent. (Attach complete copy of agency/strow party agreement.)
- ☐ Transfers to the Commonwealth, the United States and instrumentalities by gift, dedication, condemnation or in lieu of condemnation. (If condemnation or in lieu of condemnation, attach copy of resolution.)
- ☐ Transfer from mortgagor to a holder of a mortgage in default. Mortgage Book Number , Page Number
- ☐ Corrective or confirmatory deed. (Attach complete copy of the prior deed being corrected or confirmed.)
- ☐ Statutory corporate consolidation, merger or division. (Attach copy of articles.)
- ☐ Other (Please explain exemption claimed, if other than listed above.)



BUCKLEY NAGLE ET AL

11/05/2003 01:07P

10331491
Page: 5 of 5
B-5965 P-481

Under penalties of law, I declare that I have examined this Statement, including accompanying information, and to the best of my knowledge and belief, it is true, correct and complete.

Signature of Correspondent or Responsible Party Kristin S. Camp Date 10/24/03

3/3



This instrument was prepared by:

Central Montgomery Abstract Co., Inc.
1904-1906 Swede Road
East Norriton, PA 19401
Phone Number: 610-279-2975

After recording, please return
this instrument to:

38084-N RETURN TO
Central Montgomery Abstract Co., Inc.
1904-1906 Swede Road
East Norriton, Pa., 19401
Phone Number: 610-279-2975

CHESTER COUNTY PIN # 19-6-137.3A ✓

DEED

This Indenture, made the 1st day of November, 2005.

Between EDWARD C. SNYDER and ALESIA K. SNYDER, husband and wife, (hereinafter called the Grantor), of the one part, and

St. Peters Town, L.P., a Pennsylvania limited partnership (hereinafter called the Grantee), of the other part.

Witnesseth, That the said Grantors, for and in consideration of the sum of One and 00/100 (\$1.00) Dollar, lawful money of the United States of America, unto them well and truly paid by the said Grantee, at or before the sealing and delivery hereof, the receipt whereof is hereby acknowledged, have granted, bargained and sold, released, and confirmed, and by these presents do grant, bargain and sell, release and confirm unto the said Grantee, its successors and assigns,

ALL THAT CERTAIN lot or parcel of land, SITUATE in the Township of Warwick, County of Chester and Commonwealth of Pennsylvania, BEING Lot No. 2 on a Preliminary/Final Subdivision Plan for First Federal Savings and Loan Association, recorded as Plan No. 8593 in the Office of the Recorder of Deeds of Chester County, and being more fully bounded and described according to said Plan, as follows:

BEGINNING at a point in the bed of St. Peters Road (LR 15131); thence in and along St. Peters Road South 07 degrees, 02 minutes, 36 seconds East 15.85 feet to a point; thence South 11 degrees, 27 minutes, 11 seconds West 155.70 feet to a point; thence South 27 degrees, 53 minutes, 20 seconds West 176.56 feet to a point; thence leaving the bed of St. Peters Road South 79 degrees, 58 minutes, 19 seconds West 269.63 feet to a point in French Creek; thence in and along French Creek, North 04 degrees, 06 minutes, 16 seconds East 152.43 feet to a point; thence North 46 degrees, 36 minutes, 49 seconds East 68.72 feet to a point; thence North 15 degrees, 19 minutes, 18 seconds East 126.59 feet to a point in line of land now or late of David J. Knauer and Raymond B. Carr; thence leaving French Creek and along lands now or late of said Knauer and Carr, North 79 degrees, 58 minutes, 19 seconds East 287.16 feet to a point in the bed of St. Peters Road, the point of beginning. CONTAINING 2.10 acres of land, be the same, more or less.

BEING UPI # 19-6-137.3A.

BEING, inter alia, the same premises which Arthur J. Weiler, by Deed dated January 13, 1995, as recorded in the Office of the Recorder of Deeds of Chester County, PA., in Record Book 3855 page 2144 &c., granted and conveyed unto Edward C. Snyder and Alesia K. Snyder, husband and wife, in fee.




Together with all and singular the land and all buildings and improvements, ways, streets, alleys, driveways, passages, waters, water-courses, rights, liberties, privileges, hereditaments and appurtenances, whatsoever unto the hereby granted premises belonging, or in any wise appertaining, and the reversions and remainders, rents, issues, and profits thereof; and all the estate, right, title, interest, property, claim and demand whatsoever of the said Grantors, as well at law as in equity, of, in, and to the same.


To have and to hold the said lot or piece of ground described with the hereditaments and premises hereby granted, or mentioned and intended so to be, with the appurtenances, unto the said Grantee, its successors and assigns, to and for the only proper use and behoof of the said Grantee, its successors and assigns, forever.

And the said Grantors, for themselves, their heirs, executors and administrators do covenant, promise and agree, to and with the said Grantee, its successors and assigns, by these presents, that they, the said Grantors and their heirs, all and singular the hereditaments and premises herein above described and hereby granted or mentioned and intended so to be, with the appurtenances, unto the said Grantee, its successors and assigns, against them, the said Grantors, their heirs, and against all and every person or persons whomsoever lawfully claiming or to claim the same or any part thereof, by, from or under him, her, them, each or any of them, shall and will **SPECIALLY WARRANT and FOREVER DEFEND.**

In Witness Whereof, the Grantors have caused these presents to be duly executed, the day and year first above written.

ACTUAL CONSIDERATION IS \$150,000.00



Edward C. Snyder (SEAL)


Alesia K. Snyder (SEAL)

Commonwealth of Pennsylvania:
County of Montgomery :


On this, the 1st day of November, 2005, before me, a Notary Public, the undersigned Officer, personally appeared Edward C. Snyder and Alesia K. Snyder, known to me (satisfactorily proven) to be the persons whose names are subscribed to the within instrument, and acknowledged that they executed the same for the purposes therein contained.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.



The address of the within
named grantee is:

401 S. Schuylkill St.
Norristown, PA 19403



CENTRAL MONTGOMERY ABSTRACT

11/09/2005 11:43A

10594562

Page 3 of 3

B-6677 P-1436

8:25B

DEED



Chester County UPI # 19-6-141

THIS DEED, made the 30th day of JULY, in the year Two Thousand Two (2002)

BETWEEN

PENNSYLVANIA GRANITE CORPORATION, a Pennsylvania Corporation, of St. Peters, Chester County, Pennsylvania, hereinafter called "GRANTOR"

- A N D -

THE INSTITUTE FOR BIBLICAL AND SCIENTIFIC STUDIES, a Pennsylvania non-profit business corporation, of Philadelphia, Pennsylvania, hereinafter called "GRANTEE"

The consideration of \$1.00 (One Dollar)
WITNESSETH

THAT Grantor, intending to be legally bound hereby, hath granted, bargained, sold, aliened, enfeoffed, released, conveyed and confirmed, and by this deed does grant, bargain, sell, alien, enfeoff, release, convey and confirm unto Grantee, IN FEE SIMPLE ABSOLUTE

PARCEL NO. 1:

ALL THAT CERTAIN parcel of land situate in Warwick Township, Chester County, Pennsylvania, being shown as Lot 1 on Plan of Subdivision of St. Peters Condominium prepared for

RETURN TO
JENKINS ABSTRACT
PA 16622

Pennsylvania Granite Corp. dated October 16, 1991 and being last revised December 30, 1991 by Chester Valley Engineers, Inc., Paoli, Pennsylvania, and being more fully described as follows:

BEGINNING at a point on the title line in St. Peters Road (L.R. 15131), a corner in common of Lot 1, Lot 2 and lands now or late of Harry D. Wilder and Roberta W. Eckman; thence from the point of beginning, along said title line, the following three (3) courses and distances: (1) along Lot 2, North 29 degrees 44 minutes 49 seconds West 109.67 feet to a spike found; (2) along Lot 2, North 40 degrees 47 minutes 48 seconds West 197.78 feet to a spike found; (3) along Lot 2, and along lands now or late of David J. Knauer and Raymond H. Carr, North 34 degrees 10 minutes 08 seconds West, 120.46 feet to a spike set, a corner of Lot 2; thence along Lot 2, the following thirteen (13) courses and distances: (1) leaving said title line, North 55 degrees 48 minutes 10 seconds East 67.00 feet to an iron pin set; (2) North 26 degrees 03 minutes 21 seconds West 188.83 feet to an iron pin set; (3) North 35 degrees 43 minutes 23 seconds West 157.72 feet to an iron pin set; (4) North 58 degrees 26 minutes 14 seconds East 25.21 feet to an iron pin set; (5) North 26 degrees 19 minutes 34 seconds West 52.20 feet to an iron pin set; (6) North 63 degrees 40 minutes 26 seconds East 36.38 feet to iron pin set; (7) North 06 degrees 25 minutes 20 seconds West 23.38 feet to an iron pin set; (8) North 19 degrees 49 minutes 25 seconds West 30.38 feet to an iron pin set; (9) North 72 degrees 42 minutes 46 seconds East 24.93 feet to an iron pin set; (10) North 04 degrees 19 minutes 15 seconds East 57.22 feet to an iron pin set; (11) along the easterly terminus of a variable width Access and Utility Right of Way, North 01 degrees 10 minutes 15 seconds East 126.47 feet to an iron pin set; (12) South 89 degrees 31 minutes 53 seconds East 68.36 feet to an iron pin set; (13) North 64 degrees 06 minutes 56 seconds East 40.74 feet to an iron pin set, a corner of land now or late of David J. Knauer & Raymond H. Carr; thence along said land of Knauer & Carr, South 82 degrees 42 minutes 38 seconds East 425.00 feet to a point on the westerly line of land now or late of Pine Hill Associates, Inc.; thence along the same, South 08 degrees 40 minutes 44 seconds East 1447.34 feet to a drill hole on the northerly line of land now or late of Clyde E. Powell; thence along the same, North 85 degrees 11 minutes 14 seconds West 299.61 feet to a spike found, a point on the aforesaid title line in St. Peters Road; thence along said title line, along the



aforesaid lands of wilder and Eckman, the following four (4) courses and distances: (1) North 19 degrees 46 minutes 53 seconds West 70.28 feet to a spike found; (2) North 04 degrees 16 minutes 57 seconds West 141.03 feet to a spike found; (3) North 18 degrees 32 minutes 49 seconds West 202.88 feet to a spike found; (4) North 29 degrees 44 minutes 49 seconds West 51.16 feet to the point of beginning; and

TOGETHER WITH the right of ingress, egress and regress over and across the hereinafter described premises, for the purpose of providing access to and from Parcel 1 to the public road (St. Peter's Road, L.R.-15131) and together with the right to install, keep, maintain, repair and replace utilities within the hereinafter described parcel.

PARCEL NO. 2

ALL THAT CERTAIN parcel of land situate in Warwick Township, Chester County, Pennsylvania, being shown as Right of Way for Access and Utilities to Lot 1 over Common Element on Plan of Subdivision of St. Peters Condominium prepared for Pennsylvania Granite Corp. dated October 16, 1991 and being last revised December 30, 1991 by Chester Valley Engineers, Inc., Paoli, Pennsylvania, and being more fully described as follows:


BEGINNING at a point on the title line in St. Peters Road (L.R. 151531), a corner of Unit 18 and 60, wide Easement and Right of Way for Access; thence from the point of beginning, leaving said title line, along Unit 18, South 25 degrees 02 minutes 04 seconds East 180.56 feet to a point on line of Unit 17; thence along Unit 17, the following two (2) courses and distances: (1) South 04 degrees 54 minutes 29 seconds West 126.03 feet; (2) South 30 degrees 48 minutes 29 seconds East 53.26 feet to a corner of Common Element; thence along Common Element, and along Lot 1, South 01 degree 10 minutes 15 seconds West 41.57 feet; thence North 87 degrees 24 minutes 18 seconds West 41.27 feet; thence North 00 degrees 28 minutes 07 seconds East 103.95 feet to a corner of Unit 17A; thence along Unit 17A, the following two (2) courses and distances: (1) North



04 degrees 54 minutes 29 seconds East 95.56 feet; (2) North 24 degrees 56 minutes 44 Seconds West 171.11 feet to a point on the title line in St. Peters Road (L.R. 15131), aforesaid; thence along said title line, North 31 degrees 37 minutes 27 seconds East 23.96 feet to the point of beginning; and

BEING THE SAME PREMISES which St. Peter's Condominium Association and Louise B. Butler, Arthur J. Weiler, John Haigis and Jan Haigis, Irvin L. Adams and M. Elaine Adams, Carroll Connell, Richard H. Wells and Carol A. Wells, Robert H. Mauger, Glenn D. Carr and Susanne B. Carr, His Wife, Victor Roggio and Susan L. Roggio, Wayne P. Robinson and Cynthia L. Robinson, formerly Cynthia Lewis, Robert W. Stewart and Cynthia Stewart, formerly Cynthia Gilman, Michael E. Ferreri and Jaylee Ferreri, formerly Jaylee Kennedy, Jeffrey B. Walker, James B. Walker and Patricia A. Walker, His Wife, Frank M. Higgins and Marlene Schmitt Higgins, John G. Wensel and Kathryn R. Wensel, Peter S. Norris and Elizabeth T. Norris, the Village Gallery, Ltd., a Delaware Corporation, and St. Peter's Village Atelier, Inc., by Deed dated the 2 day of April, 1993, and recorded in the Office of the Recorder of Deeds in and for Chester County, Pennsylvania, in Deed Book Volume 3544 Page 1363 granted and conveyed unto Pennsylvania Granite Corporation, a Pennsylvania Corporation, Grantor herein.

TOGETHER with all and singular the improvements, ways, streets, alleys, passages, waters, water courses, rights, liberties, privileges, hereditaments and appurtenances whatsoever unto the hereby granted premises belonging or in any wise appurtenant, and the reversions and remainders, rents, issues and profits thereof, and all the estate, right, title, interest, property and demand whatsoever of Grantor, as well at law as in equity, of, in and to the same;



UNDER AND SUBJECT NEVERTHELESS to the following restriction, which restriction shall run with the land and shall be binding upon and inure to the benefit of the Seller and Buyer and their heirs, personal representatives, successors and assigns:

The premises described in this deed shall be used only as "Open Space" and the term "Open Space" shall not be deemed to include any quarrying or other surface mining operations or any other commercial or residential uses on or within the subject property except such uses as may pertain to or be associated with recreational purposes only. However, the above use restriction may be changed by the owner with the consent of a majority of the unit owners (both commercial or residential) and the term "a majority of the unit owners (both residential and commercial) in St. Peter's Condominiums" shall be interpreted to mean that each condominium unit shall be considered to have one vote, regardless of the number of owners of any one individual condominium unit or the size of the condominium unit relative to the other condominium unit(s), which shall also have one equal vote and shall be considered to represent a single unit owner.

TO HAVE AND TO HOLD unto Grantee to and for the only proper use and behoof of Grantee forever under and subject as aforesaid.

AND GRANTOR does hereby covenant to warrant specially the property hereby conveyed, it being understood that the words Grantor and Grantee wherever occurring herein include singular, plural, masculine, feminine and neuter parties.

IN WITNESS WHEREOF Grantor has caused this Deed to be duly
executed.

ATTEST:

PENNSYLVANIA GRANITE
CORPORATION

[Signature]
Secretary

BY: [Signature]
President

STATE OF VERMONT

:
: SS.

COUNTY OF BURLINGTON

:

On this, the 30th day of July, 2002, before me,
the undersigned officer, personally appeared Jon Gregory,
who acknowledged himself to be the President of Pennsylvania
Granite Corporation, known to me (or satisfactorily proven) to be the person whose
name is subscribed to the within Deed, and acknowledged that he executed the same
on behalf of the Corporation, for the purposes therein contained.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.

[Signature]
Notary Public
my Comm. Exp. 2/10/03

I hereby certify that the precise
address of the grantee herein is:

[Signature]
Agent for Grantee

2424 E. Hagert St.
Philadelphia, PA 19125

-6-



JENKINS ABSTRACT COMPANY

08/12/2002 11:11A

10115265
Page: 6 of 8
B-5354 P-1501

DEED

PENNSYLVANIA GRANITE CORPORATION
"GRANTEE"

- A N D -

THE INSTITUTE FOR BIBLICAL AND SCIENTIFIC STUDIES
"GRANTOR"

Premises:

Blaine J. DeSantis, Esquire

DeSANTIS, ESSIG, VALERIANO & FUDEMAN
708 Centre Avenue
P.O. Box 14926
Reading, PA 19612-4926





COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF REVENUE
BUREAU OF INDIVIDUAL TAXES
DEPT. 280603
HARRISBURG, PA 17128-0603

REALTY TRANSFER TAX STATEMENT OF VALUE

See Reverse for Instructions

RECORDER'S USE ONLY

State Tax Paid 91.76
Book Number 5354
Page Number 1501
Date Recorded 8-12-02

Complete each section and file in duplicate with Recorder of Deeds when (1) the full value/consideration is not set forth in the deed, (2) when the deed is without consideration, or by gift, or (3) a tax exemption is claimed. A Statement of Value is not required if the transfer is wholly exempt from tax based on: (1) family relationship or (2) public utility easement. If more space is needed, attach additional sheet(s).

A CORRESPONDENT - All inquiries may be directed to the following person:

Name Jenkins Abstract Co. Telephone Number: _____
Street Address 116 S. High St. City West Chester State PA Zip Code 19382
Area Code 610 436-6830

B TRANSFER DATA

Grantor(s)/Lessor(s) Pennsylvania Granite Corp. Date of Acceptance of Document 7-30-02
Street Address PO Box 14926 Grantee(s)/Lessee(s) Institute of Biblical and Scientific Studies
City Reading State PA Zip Code 19612 Street Address 2424 E. Hagert St. City Philadelphia State PA Zip Code 19125

C PROPERTY LOCATION

Street Address Lot 1, St. Peters Rd. City, Township, Borough Warwick
County Chester School District Owen J. Roberts

D VALUATION DATA

1. Actual Cash Consideration -0-	2. Other Consideration + -0-	3. Total Consideration = -0-
4. County Assessed Value 740	5. Common Level Ratio Factor x 1.24	6. Fair Market Value = 917.60

EXEMPTION DATA

Amount of Exemption Claimed -0- 1b. Percentage of Interest Conveyed 100%

Check Appropriate Box Below for Exemption Claimed

- ☐ Will or intestate succession _____ (Name of Decedent) _____ (Estate File Number)
- ☐ Transfer to Industrial Development Agency.
- ☐ Transfer to a trust. (Attach complete copy of trust agreement identifying all beneficiaries.)
- ☐ Transfer between principal and agent. (Attach complete copy of agency/straw party agreement.)
- ☐ Transfers to the Commonwealth, the United States and Instrumentalities by gift, dedication, condemnation or in lieu of condemnation. (If condemnation or in lieu of condemnation, attach copy of resolution.)
- ☐ Transfer from mortgagor to a holder of a mortgage in default. Mortgage Book Number _____, Page Number _____
- ☐ Corrective or confirmatory deed. (Attach complete copy of the prior deed being corrected or confirmed.)
- ☐ Statutory corporate consolidation, merger or division. (Attach copy of articles.)
- ☒ Other (Please explain exemption claimed, if other than listed above.) Gift

Under penalties of law, I declare that I have examined this Statement, including accompanying information, and to the best of my knowledge and belief, it is true, correct and complete.

Signature of Correspondent or Responsible Party Lauren Smith

Date 7-30-02

FAILURE TO COMPLETE THIS FORM PROPERLY OR ATTACH APPLICABLE DOCUMENTATION MAY RESULT IN THE RECORDER'S REFUSAL TO RECORD THE DEED.

10115265

Page 8 of 8

B-5354 P-1501

08/12/2002 11:11A

JENKINS ABSTRACT COMPANY

4
3



This instrument was prepared by:

Central Montgomery Abstract Co., Inc.
1904-1906 Swede Road
East Norriton, PA 19401
Phone Number: 610-279-2975

After recording, please return
this instrument to:

RETURN TO
Central Montgomery Abstract Co., Inc.
1904-1906 Swede Road
East Norriton, Pa., 19401
Phone Number: 610-279-2975
CMA-38084-R

UPI # 19-6-513 ✓

DEED



This Indenture, made the 13th day of March, 2006.

Between, RAYMOND RODRIGUEZ AND ROSE M. RODRIGUEZ, Husband and Wife, (hereinafter called the Grantors), of the one part,

AND

ST. PETERS TOWN, L.P., a Pennsylvania limited partnership, (hereinafter called the Grantee), of the other part.

Witnesseth, That the said Grantors, for and in consideration of the sum of ONE HUNDRED FIFTY THOUSAND (\$150,000.00) Dollars, lawful money of the United States of America, unto them well and truly paid by the said Grantee, at or before the sealing and delivery hereof, the receipt whereof is hereby acknowledged, have granted, bargained and sold, released, and confirmed, and by these presents do grant, bargain and sell, release and confirm unto the said Grantee, its successors and assigns,

ALL THAT CERTAIN Unit in the property known, named and identified in the Declaration referred to below as "St. Peter's Condominium" Situate in Warwick Township, Chester County, Commonwealth of Pennsylvania, which has heretofore been submitted to the Provisions of the Pennsylvania Uniform Condominium Act 68 P.S.A., Section 3101 et seq., by the Recording at West Chester, Pennsylvania, in the Office for the Recorder of Deeds, in and for the County of Chester of a Declaration of Condominium for St. Peter's Condominium, dated August 27, 1985, recorded September 5, 1985 in Record Book 62 page 50, with St. Peter's Condominium Plan attached as Exhibit "B" and Bylaws of St. Peter's Condominium Association attached as Exhibit "H"; with Amendment to Declaration of Condominium, dated December 20, 1995, recorded May 6, 1996 in Record Book 4027 page 1847, with Plan attached; with Amendment to Declaration of Condominium, dated November 21, 1997, recorded November 24, 1997 in Record Book 4263 page 781, with Plan attached; and with Amendment to Declaration of Condominium, dated March 16, 1998, recorded March 27, 1998 in Record Book 4323 page 1731; **Being** designated in such Amended Declaration as **Unit No. 15** as more fully described in such Amended Declaration; **Together** with a proportionate undivided interest in Common Elements, as defined in said Amended Declaration and as may be duly amended hereafter.



UNDER AND SUBJECT to any and all covenants, agreements, restrictions, rights, conditions, exceptions and reservations as contained in the aforesaid Declaration of Condominium of "St. Peters Condominium", and present and future amendments thereto.

BEING KNOWN AS 3311 St. Peters Road.

BEING UPI # 19-6-513.

BEING the same premises which Arthur J. Weiler, by Deed dated April 28, 1994, recorded in the Office for the Recording of Deeds, in and for the County of Chester, at West Chester, Pennsylvania, in Record Book 3749 page 1185 &c., granted and conveyed unto Raymond Rodriguez and Rose M. Rodriguez, his wife, in fee.

Together with all and singular the Unit and all buildings and improvements, ways, streets, alleys, driveways, passages, waters, water-courses, rights, liberties, privileges, hereditaments and appurtenances, whatsoever unto the hereby granted premises belonging, or in any wise appertaining, and the reversions and remainders, rents, issues, and profits thereof; and all the estate, right, title, interest, property, claim and demand whatsoever of the said Grantors, as well at law as in equity, of, in, and to the same.

To have and to hold the said Unit described with the hereditaments and premises hereby granted, or mentioned and intended so to be, with the appurtenances, unto the said Grantee, its successors and assigns, to and for the only proper use and behoof of the said Grantee, its successors and assigns, forever.

And the said Grantors, for themselves, their heirs, executors and administrators do covenant, promise and agree, to and with the said Grantee, its successors and assigns, by these presents, that they, the said Grantors and their heirs, all and singular the hereditaments and premises herein above described and hereby granted or mentioned and intended so to be, with the appurtenances, unto the said Grantee, its successors and assigns, against them, the said Grantors, their heirs, and against all and every person or persons whomsoever lawfully claiming or to claim the same or any part thereof, by, from or under him, her, them, each or any of them, shall and will **SPECIALLY WARRANT and FOREVER DEFEND**.

In Witness Whereof, the Grantors have caused these presents to be duly executed, the day and year first above written.

RAYMOND RODRIGUEZ (SEAL)
Raymond Rodriguez


Rose M. Rodriguez (SEAL)
Rose M. Rodriguez



Commonwealth of Pennsylvania:
County of Chester

On this, the *13th* day of *March*, 2006, before me, the undersigned Officer, personally appeared Raymond Rodriguez and Rose M. Rodriguez, known to me (satisfactorily proven) to be the persons whose names are subscribed to the within instrument, and acknowledged that they executed the same for the purposes therein contained.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.



The address of the within
named grantee is:
401 South Schuylkill Avenue
Jeffersonville, Pa., 19403
(CMA-38084-R)



10640134
Page: 4 of 4
B-6813 P-410

APPENDIX 5

Chain of Title Search

DEED SEARCH
SAINT PETER'S VILLAGE
#10245-01

LOT NAME	TAX PARCEL #	GRANTOR	GRANTEE	BOOK	PAGE	DATE
37 Acre Parcel (Townhomes)	19-6-33.03	Carr, Raymond H.	Black Granite Village, LP	6677	1125	10/26/05
		Carr, Raymond H. & Knauer, David J.	Carr, Raymond H.	4106	2107	11/12/96
		Fisc Federal Savings and Loan	Carr, Raymond H. & Knauer, David J.	unclear	unclear	11/30/92
			* document	unclear		
15 Acre Parcel (Quarry)	19-6-141	PA Granite Corporation	Institute for Biblical & Scientific Studies	5354	1501	07/30/02
		St. Peters Condo Assoc., etc.	PA Granite Corporation	3544	1363	09/02/93
			* sale of many parcels combined, unable to trace			
2 Acre Parcel	19-6-137.3A	Snyder, Edward C. & Alesia K.	St. Peters Town LP	6677	1436	11/09/05
		Weiler, Arthur J.	Snyder, Edward C. & Alesia K.	3855	2144	01/13/95
		First Federal Saving and Loan Association of Pottstown (FFSL Assoc.)	Weiler, Arthur J.	1758	266	08/02/89
			First Federal Saving and Loan Association of Pottstown (FFSL Assoc.)			
		Part 1 Granite Village Assoc, LP (*writ of execution)	Association of Pottstown (FFSL Assoc.)	585	205	12/31/86
		Part 2 Sheriff of Chester County (*writ of execution)	Association of Pottstown (FFSL Assoc.)	1053	267	10/16/87
Water Company Parcel (3.3 acres)	19-6-137.2	Carr, Raymond H. & Knauer, David J.	Warwick Water Works, Inc.	5965	481	10/06/03
		FFSL Assoc.	Carr, Raymond H. & Knauer, David J.	F-61	328	03/31/83
			*blank reference			
Sewage Treatment Plant	19-6-137.00	Carr, Raymond H. & Knauer, David J.	Warwick Drainage Co.	5965	476	11/05/03
		FFSL Assoc.	Carr, Raymond H. & Knauer, David J.	F-61	328	03/31/83
			*blank reference			
Iron Ridge Estates	19-6-33	Overstreet, James K.	St Peters Knoll, LP	6677	1175	11/09/05
		Patriot Savings Bank (successor of FFSL Assoc)	Overstreet, James K.	3964	1789	11/22/95
		Sheriff of Chester County	FFSL Assoc	N-60	512	09/17/82
Village Properties: Unit 1/1A	19-6-500.1	Evans, Leonard F.	St. Peters Hotel, L.P.	6670	496	10/21/05
		Evans, Leonard F. & Christine E.	Evans, Leonard F.	5347	604	08/05/02
		Snyder, Edward C. & Alesia K.	Evans, Leonard F. & Christine E.	4327	909	04/06/98
		Weiler, Arthur J.	Snyder, Edward C. & Alesia K.	3855	2144	01/24/95
		FFSL Assoc.	Weiler, Arthur J.	**1623	193	06/08/89
Unit 4	19-6-502	Marino, Rose	St. Peters Town, L.P.	6688	1885	11/07/05
		Styer, Kenneth R. & Carole L.	Marino, Rose	3936	2386	09/12/95

		Weiler, Arthur J. FFSL Assoc.	Styer, Kenneth R. & Carole L. Weiler, Arthur J.	3862 **1623	55 193	02/02/95 06/08/89
Unit 5	19-6-503	Marino, Rose	St. Peters Town, L.P.	6688	1885	11/07/05
		Styer, Kenneth R. & Carole L.	Marino, Rose	4043	641	06/10/96
		Weiler, Arthur J.	Styer, Kenneth R. & Carole L.	3862	55	02/02/95
		FFSL Assoc.	Weiler, Arthur J.	**1623	193	06/08/89
Unit 7	19-6-505	Evans, Leonard F.	St. Peters Town, L.P.	6677	1157	10/21/05
		Evans, Leonard F. & Christine E.	Evans, Leonard F.	5347	596	08/05/02
		Powell, Patrick & Patricia A. & Evans, Leonard F.	Evans, Leonard F. & Christine E.	5078	1835	08/20/01
		Winey, William S. & Sally A.	Powell, Patrick & Patricia A. & Evans, L.	4593	2354	07/02/99
		Styer, Kenneth R. & Carole L.	Winey, William S. & Sally A.	4017	17	04/04/96
		Weiler, Arthur J.	Styer, Kenneth R. & Carole L.	3862	55	02/02/95
		FFSL Assoc.	Weiler, Arthur J.	**1623	193	06/08/89
Unit 9	19-6-507	Gebhardt, Robert C. III & Janet H.	St. Peters Town, L.P.	6691	1922	11/15/05
		Weiler, Arthur J.	Gebhardt, Robert C. III & Janet H.	3885	2242	05/01/95
		FFSL Assoc.	Weiler, Arthur J.	**1623	193	06/08/89
Unit 12B	19-6-510.2	Evans, Leonard F.	St. Peters Town, L.P.	6677	1153	10/21/05
		Evans, Leonard F. & Christine E.	Evans, Leonard F.	5347	592	08/05/02
		Stanton, Ronald D.	Evans, Leonard F. & Christine E.	4955	741	05/02/01
		Snyder, Edward C. & Alesia K.	Stanton, Ronald D.	4176	2274	05/05/97
		Weiler, Arthur J.	Snyder, Edward C. & Alesia K.	3748	662	04/28/94
		FFSL Assoc.	Weiler, Arthur J.	**1623	193	06/08/89
Unit 13	19-6-511	E & R Enterprises, Inc.	St. Peters Town, L.P.	6677	1453	11/02/05
		Wells, Carol A. & Richard H.	E & R Enterprises, Inc.	3884	954	04/25/95
		Granite Village Assoc, LP	Wells, Carol A. & Richard H.	438	184	08/25/86
		FFSL Assoc.	Granite Village Assoc, LP	M-61	319	05/20/83
		Part 1 Sheriff of Chester County	FFSL Assoc	T-60	519	12/22/82
		Part 2 Sheriff of Chester County	FFSL Assoc	Y-60	78	01/26/83
Unit 15	19-6-513	FFSL Assoc.	Weiler, Arthur J.	**1623	193	06/08/89
Unit 17C, 17D	19-6-514.2, 51	Marino, Rose	St. Peters Town, L.P.	6688	1885	11/07/05
		Village Gallery, LTD	Marino, Rose	4493	30	01/20/99
		Weiler, Arthur J.	Village Gallery, LTD	unclear	unclear	12/17/91
Unit 18	19-6-515	Marino, Rose	St. Peters Town, L.P.	6688	1885	11/07/05
		St. Peters Village Atelier, Inc.	Marino, Rose	4283	440	01/05/98
		Village Gallery, LTD	St. Peters Village Atelier, Inc.	3175	420	08/24/92
		Weiler, Arthur J.	Village Gallery, LTD	2707	337	12/06/91

		FFSL Assoc.	Weiler, Arthur J.	**1623	193	06/08/89
Unit 19	19-6-516	Carr, Glenn D. & Susanne B.	St. Peters Town, L.P.	6741	1938	01/06/06
		Granite Village Assoc, LP & Butler, Louise B.	Carr, Glenn D. & Susanne B.	74	64	09/06/85
		Part 1 FFSL Assoc.	Granite Village Assoc, LP	M-61	319	05/20/83
		Part 1a Sheriff of Chester County	FFSL Assoc	T-60	519	12/22/82
		Part 1b Sheriff of Chester County	FFSL Assoc	Y-60	78	01/26/83
		Part 2 Red Hill Savings and Loan Assoc	Butler, Louise B.	J-62	371	10/21/83
		Sheriff of Chester County	Red Hill Savings and Loan Assoc	O-60	136	08/20/82
**Combined Units Continued:						
Units 1/1A, 4, 5, 7, 9, 12B, 15, 18		FFSL Assoc.	Weiler, Arthur J.	1623	193	06/08/89
	Part 1	Granite Village Assoc, LP	FFSL Assoc	585	169	12/31/86
	Part 1a	FFSL Assoc.	Granite Village Assoc, LP	M-61	319	05/20/83
		Sheriff of Chester County	FFSL Assoc	T-60	519	12/22/82
		Sheriff of Chester County	FFSL Assoc	Y-60	78	01/26/83
	Part 2 & 1b	Red Hill Savings and Loan Assoc	Butler, Louise B.	J-62	371	10/21/83
		Sheriff of Chester County	Red Hill Savings and Loan Assoc	O-60	136	08/20/82

APPENDIX 6

Aerial Photographs



The EDR Aerial Photo Decade Package

**St. Peters Road
St. Peters Road
St. Peters Village, PA 19470**

Inquiry Number: 1650445.4

April 10, 2006

The Standard in Environmental Risk Management Information

**440 Wheelers Farms Road
Milford, Connecticut 06461**

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

THE EDR AERIAL PHOTO DECADE PACKAGE

Environmental Data Resources, Inc.'s (EDR) Aerial Photography Print Service is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs at one photo per decade.

References

EPAs Standards and Practices for All Appropriate Inquiries (AAI), section 312.24, identifies the historical sources of information necessary to achieve the objectives and performance factors of section 312.20. According to AAI, *"historical documents and records may include, but are not limited to, aerial photographs, fire insurance maps, building department records, chain of title documents, and land use records."*

To meet the prior use requirements of ASTM E 1527-05, Section 8.3.2, the following standard *historical sources* may be used: aerial photographs, fire insurance maps, property tax files, land title records (although these cannot be the sole historical source consulted), topographic maps, city directories, building department records, or zoning/land use records. ASTM E 1527-05, Section 8.3 on Historical Use Information, identifies the prior use requirements for a Phase I environmental site assessment. ASTM E 1527-05 requires *"All obvious uses of the property shall be identified from the present, back to the property's first developed use, or back to 1940, whichever is earlier. This task requires reviewing only as many of the standard historical sources as are necessary and both reasonably ascertainable and likely to be useful."* (ASTM E 1527-05, Section 8.3.2) *Reasonably ascertainable means information that is publicly available, obtainable from a source within reasonable time and cost constraints, and practically reviewable.*

Data Gaps

In order to address *data gaps*, additional sources of information may be consulted. According to the AAI, Section 312.20 (g), *"to the extent there are data gaps (as defined in section 312.10) in the information developed...that affect the ability of persons (including the environmental professional) conducting the all appropriate inquiries to identify conditions indicative of releases or threatened releases...such persons should identify such data gaps, identify the sources of information consulted to address such data gaps, and comment upon the significance of such data gaps."* According to ASTM E 1527-05, Section 8.3.2.3, *"historical research is complete when either: (1) the objectives in 8.3.1 through 8.3.2.2 are achieved; or (2) data failure is encountered. Data failure occurs when all of the standard historical sources that are reasonably ascertainable and likely to be useful have been reviewed and yet the objectives have not been met....If data failure is encountered, the report shall document the failure and, if any of the standard historical sources were excluded, give the reasons for their exclusion."*

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2006 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography April 10, 2006

Target Property:

St. Peters Road

St. Peters Village, PA 19470

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
1946	Aerial Photograph. Scale: 1"=750'	Panel #: 2440075-B6/Flight Date: November 15, 1946	EDR
1958	Aerial Photograph. Scale: 1"=750'	Panel #: 2440075-B6/Flight Date: June 07, 1958	EDR
1968	Aerial Photograph. Scale: 1"=750'	Panel #: 2440075-B6/Flight Date: April 17, 1968	EDR
1980	Aerial Photograph. Scale: 1"=750'	Panel #: 2440075-B6/Flight Date: May 05, 1980	EDR



INQUIRY #: 1650445.4

YEAR: 1946

| = 750'



6-7-58

INQUIRY #: 1650445.4

YEAR: 1958

— = 750'





INQUIRY #: 1650445.4

YEAR: 1968

| = 750'





INQUIRY #: 1650445.4

YEAR: 1980

| = 750'



APPENDIX 7

Sanborn Maps



"Linking Technology with Tradition"®

Sanborn® Map Report

Ship To: Tom Brady
PT Consultants, Inc.
415 Daretown Road
Upper Pittsgrove, NJ

Order Date: 4/7/2006 **Completion Date:** 4/7/2006
Inquiry #: 1650445.3
P.O. #: 10245-01-01
Site Name: St. Peters Road

Address: St. Peters Road

Customer Project: 10245-01

City/State: St. Peters Village, PA 19470

6012864TWC 856-358-6529

Cross Streets:

This document reports that the largest and most complete collection of Sanborn fire insurance maps has been reviewed based on client supplied information, and fire insurance maps depicting the target property at the specified address were not identified.

NO COVERAGE

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

APPENDIX 8

Site Inspection Checklist

PT Consultants, Inc.
Phase I Inspection Check List

Date: 4/11/06

Site Name St. Peters Village

Address _____

City or Town ~~Warwick Twp~~ St. Peters Zip Code 19470

Municipality Warwick Twp County Chester

Block (s) _____ Lots (s) _____

Recognized Environmental Condition (REC)	Currently or Formerly Exists at the Site Yes/No	Description of REC	Phase II Recommended Yes/No
Aboveground Storage Tanks and Associated Piping	<u>Yes</u>	<u>heating oil for buildings</u>	
Underground Storage tanks and Associated Piping			
Silos			
Rail Cars			
Loading and unloading areas			
Piping, above ground and below ground pumping stations, sumps and pits			

Storage pads including drum and/or waste storage	Yes	Water Plant Chemicals Inn - Kitchen Waste Grease	
Surface impoundments and lagoons			
Dumpsters	Yes	Inn. - construction outside - 3250	
Chemical storage cabinets or closets	Yes	Sewage Treatment Water Treatment	
Floor drains, trenches and piping and sumps	Yes	Inn - kitchen or floor	
Process area sinks and piping which receive process waste			
Roof leaders when process operations vent to the roof			
Drainage swales & culverts			
Storm sewer collection systems			
Storm water detention ponds and fire ponds			

Surface water bodies	Yes	Quarry	
Septic systems leachfields or seepage pits			
Drywells and sumps			
Areas of discharge			
Waste piles			
Waste water collection systems including septic systems, seepage pits, & dry wells.	Yes	Sewage treatment plant	
Landfills or landfarms			
Sprayfields			
Incinerators			
Historic Fill or any other Fill material			

Open Pipe discharges			
Electrical Transformers & Capacitors			
Hazardous material storage or handling areas	Yes	freshwater treatment plant	
Waste Treatment areas	Yes	sewer Treatment Plant	
Discolored or spill areas			
Open areas away from production areas			
Areas of stressed vegetation			
Underground piping including industrial process sewers		sewer line * residential & commercial	
Compressor vent discharges			
Non-contact cooling water discharges			

Areas which receive flood or storm water from potentially contaminated areas			
Active or Inactive production wells			
Loading or Transfer areas			
Waste Treatment areas	Yes	Sewer Treatment	
Boiler rooms	Yes		
Air vents and ducts	Yes		
Hazardous material storage or handling areas	Yes	Water Treatment Plant	
Flourescent Lights	Yes		
Wetlands			
Asbestos Containing Materials	Maybe	potentially in townhomes	

Lead Based Paint	Maybe	potentially in older buildings	
Mold Impacted or water damaged materials	yes	Insulation @ Water Plant	

PT Inspector _____

Date _____

APPENDIX 9

Photograph Documentation



11 INN: BASEMENT BOILER ROOM



12 INN: BASEMENT UTILITY ROOM

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



13 INN: MAIN FLOOR KITCHEN FLOOR DRAIN



14 INN: KITCHEN GREASE DRUMS, DUMPSTER

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



15 OFFICE: FRONT VIEW (FORMER GENERAL STORE)



15 OFFICE: FIRST FLOOR EAST WALL

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



17 OFFICE: FIRST FLOOR APARTMENT



18 OFFICE: FIRST FLOOR APARTMENT

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



7 INN: MAIN FLOOR ENTRY AND STAIRWELL



8 INN: BASEMENT ROOM

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



1 INN: SOUTHWEST SIDE



2 INN: SOUTH END REAR WALL

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



3 INN: REAR WALL OF MAIN FLOOR



4 INN: UPPER LEVEL ROOMS BEING REMODELED

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



5 INN: WALL MATERIALS



6 INN: UPPER LEVEL ROOM AREAS

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



19 OFFICE: BASEMENT APARTMENTS CONSTRUCTION



20 OFFICE: BASEMENT APARTMENTS CONSTRUCTION

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318


PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



21 OFFICE: BASEMENT BOILER ROOM



22 OFFICE: BASEMENT BOILER ROOM PIPING

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



23 OFFICE: BASEMENT AST IN BOILER ROOM



24 OFFICE: BASEMENT CAST IRON STOVE

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



25 OFFICE: OUTSIDE WALL OF CAST IRON STOVE



26 OFFICE: REAR DECK AND APARTMENT MAIN FLOOR

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



27 SEWER TREATMENT PLANT: NORTHEAST VIEW



28 SEWER TREATMENT PLANT: SOUTH VIEW

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



41 GRAY STONE BUILDING: AST PIPES



42 GRAY STONE BUILDING: ADDITIONAL PIPING

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



43 APARTMENT BUILDING: FRONT VIEW



44 APARTMENT BUILDING: NORTHWEST CORNER

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



45 CONCRETE BUILDING: AST



46 RED BUILDING: AST

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



47 TOWNHOUSES: PROPANE TANK



48 GREY AND RED BUILDINGS

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



49 INTERIOR SMALL PEACH BUILDING



50 INTERIOR RED BUILDING - FLOURESCENT LIGHTS

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS



51 QUARRY VIEW FROM WEST SIDE



52 QUARRY PROPERTY: VIEW LOOKING SOUTHEAST

PHOTO DOCUMENTATION

PREPARED BY:
PT CONSULTANTS, INC.
415 DARETOWN ROAD
ELMER, NEW JERSEY 08318

PREPARED FOR:
EARTH ENTERPRISES
1451 PRIZER ROAD
PUGHTOWN, PENNSYLVANIA

PT PROJECT #: 10245-01

DRAFTSMAN: SLK

DATE: APRIL 11, 2006

SCALE: NTS